



DELL P Series P2424HT computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Touchscreen Black, Silver

Brand : DELL

Product family: P Series

Product code: DELL-P2424HT

Product name : P2424HT

- 60.5cm (23.8") Full HD 1920 x 1080 LED IPS

- 8ms, 16:9, 300cd/m², 1000:1

- USB, HDMI, DisplayPort

60.5cm (23.8") Full HD 1920 x 1080 LED IPS, 16:9, 300cd/m², 16.78M, 8ms, 178°/178°, 1000:1

DELL P Series P2424HT computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Touchscreen Black, Silver:

23.8-inch monitor puts productivity in reach with its touch screen, superior connectivity and articulating stand.

DELL P Series P2424HT. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, Silver



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Height adjustment *	✓
Display resolution *	1920 x 1080 pixels	Height adjustment	11.1 cm
HD type *	Full HD	Pivot	✗
Native aspect ratio *	16:9	Swivelling	✓
Display technology *	LCD	Swivel angle range	-30 - 30°
Panel type *	IPS	Tilt adjustment	✓
Backlight type	LED	Tilt angle range	-5 - 60°
Touchscreen *	✓	On Screen Display (OSD)	✓
Display brightness (typical)	300 cd/m ²	Plug and Play	✓
Response time	8 ms	LED indicators	✓
Anti-glare screen	✓	Power	
Screen shape *	Flat	Energy efficiency class (SDR) *	E
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Energy efficiency class (HDR) *	Not available
Contrast ratio (typical) *	1000:1	Energy consumption (SDR) per 1000 hours *	18 kWh
Maximum refresh rate *	60 Hz	Power consumption (typical) *	18 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Power consumption (max)	190 W
Display number of colours *	16.78 million colours	Power consumption (off)	0.3 W
Response time (fast)	5 ms	AC input voltage	100 - 240 V
Pixel pitch	0.2745 x 0.2745 mm	AC input frequency	50/60 Hz
Pixel density	93 ppi	Power supply type	Internal
Horizontal scan range	30 - 88 kHz	Energy efficiency scale	A to G
Vertical scan range	48 - 75 Hz	Operational conditions	
Viewable size, horizontal	52.7 cm	Operating temperature (T-T)	0 - 40 °C
Viewable size, vertical	29.6 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size diagonal	60.5 cm	Operating relative humidity (H-H)	10 - 80%
Display diagonal (metric)	60.47 cm	Storage relative humidity (H-H)	5 - 90%
High Dynamic Range (HDR) supported	✗		

Display		Operational conditions	
Surface hardness	3H	Operating altitude	0 - 5000 m
Colour depth	6 bit	Non-operating altitude	5000 - 12192 m
sRGB coverage (typical)	99%	Packaging content	
Performance		Stand included	✓
Low Blue Light technology	✓	Cables included	AC, DisplayPort, USB Type-A to USB Type-C, USB Type-C to USB Type-C
Multimedia		Power adapter included	✓
Built-in speaker(s) *	✓	Remote control included	✗
Built-in camera *	✗	Stylus included	✗
RMS rated power	3 W	Quick start guide	✓
Design		DisplayPort cable length	1.8 m
Market positioning *	Business	Weight & dimensions	
Product colour *	Black, Silver	Width (with stand)	538.8 mm
Front bezel colour	Black	Depth (with stand)	248.9 mm
Feet colour	Silver	Height (with stand)	431.5 mm
Heavy metals free	Hg (mercury)	Weight (with stand)	7.86 kg
Ports & interfaces		Width (without stand)	538.8 mm
Built-in USB hub *	✓	Depth (without stand)	54.1 mm
USB upstream port type	USB Type-C	Height (without stand)	321 mm
Number of USB Type-C upstream ports quantity	1	Weight (without stand)	3.86 kg
USB Type-A downstream ports quantity	2	Bezel width (side)	5.88 mm
USB Type-C downstream ports quantity	1	Bezel width (top)	5.87 mm
USB Type-C DisplayPort Alternate Mode	✓	Bezel width (bottom)	1.86 cm
USB Power Delivery	✓	Packaging data	
USB Power Delivery up to	90 W	Package weight	10.8 kg
HDMI *	✓	Sustainability	
HDMI ports quantity	1	Sustainability compliance	✓
HDMI version	1.4	Sustainability certificates	ENERGY STAR, RoHS
DisplayPorts quantity	1	Doesn't contain	PVC/BFR
DisplayPort version	1.2	European Product Registry for Energy Labelling (EPREL) code	1465328
Headphone out *	✓	Carbon footprint	
Headphone connectivity	3.5 mm	Total carbon footprint	633 kg of CO2e
Microphone in	✗	Total carbon emissions (Standard deviation)	149 kg of CO2e
PC Audio in	✗	Carbon emissions (Manufacturing)	397 kg of CO2e
HDCP	✓	Carbon emissions (Logistics)	53 kg of CO2e
HDCP version	1.4	Carbon emissions (Use)	177 kg of CO2e
AC (power) in	✓	Carbon emissions (End-of-Life)	6 kg of CO2e
Network		Total carbon emissions (w/o Use phase)	456 kg of CO2e
Wi-Fi	✗	PAIA version	1.3.2
Ergonomics		Other features	
VESA mounting *	✓	RJ-45 ports quantity	1
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		



5397184821367

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-MAY-2024. Prints or copies of Information are only valid on the printed Publication date