Viewsonic TD1630-3 computer monitor 39.6 cm (15.6") 1366 x 768 pixels HD LCD Touchscreen Multi-user Black

Brand : Viewsonic

Product code: TD1630-3

Product name : TD1630-3

16", 16:9, LCD, TN Technology, HD 1366 x 768, HDMI, VGA, USB B x 1, 100-240V, 2.5kg, Windows 7/8/10 Viewsonic TD1630-3. Display diagonal: 39.6 cm (15.6"), Display resolution: 1366 x 768 pixels, HD type: HD, Display technology: LCD, Response time: 12 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 90°, Viewing angle, vertical: 60°. Built-in speaker(s). Built-in USB hub. VESA mounting. Product colour: Black

Display

Display diagonal *	39.6 cm (15.6")
Display resolution *	1366 x 768 pixels
HD type *	HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	TN
Touchscreen *	✓
Touchscreen type	Multi-user
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Response time	12 ms
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 720 x 480, 720 x 576, 800 x 600 (SVGA), 832 x 624, 1024 x 768 (XGA), 1152 x 870, 1280 x 720 (HD 720), 1366 x 768
Contrast ratio (typical) *	500:1
Contrast ratio (dynamic)	10000000:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	90°
Viewing angle, vertical	60°
Display number of colours *	262144 colours
Pixel pitch	0.252 x 0.252 mm
Horizontal scan range	30 - 61 kHz
Vertical scan range	56 - 75 Hz
Display diagonal (metric)	39.6 cm
Display brightness	220 cd/m²

Ports & interfaces

VGA (D-Sub) ports quantity	1
HDMI *	✓
HDMI ports quantity	1
HDMI version	1.4
Audio input	1

Ergonomics

VESA mounting *	✓
Panel mounting interface	75 x 75 mm
Wall mountable	✓
Tilt adjustment	✓
Tilt angle range	15 - 50°

Power

Energy efficiency class (SDR) *	B
Energy consumption (SDR) per 1000 hours *	6 kWh
Power consumption (typical) *	5.5 W
AC input voltage	100-240 V
AC input frequency	50 - 60 Hz
Power supply type	AC

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 85%
Storage relative humidity (H-H)	5 - 90%

Packaging content

Cables included	AC, Audio (3.5mm), USB, VGA

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Windows operating systems supported	Windows 10, Windows 7, Windows 8
Mac operating systems supported	✔

Multimedia

Built-in speaker(s) *	✔
Built-in camera *	✘
Number of speakers	2
RMS rated power	2 W
Built-in microphone	✘

Design

Product colour *	Black
Certification	CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, RCM, GEMS, BIS

Ports & interfaces

Built-in USB hub *	✔

Weight & dimensions

Width (with stand)	379.2 mm
Depth (with stand)	37.1 mm
Height (with stand)	247.1 mm
Weight (with stand)	1.32 kg

Packaging data

Package width	453 mm
Package depth	86 mm
Package height	389 mm
Package weight	2.5 kg

Sustainability

Sustainability certificates	CE, ErP, REACH, RoHS
European Product Registry for Energy Labelling (EPREL) code	391332

Logistics data

Harmonized System (HS) code	85285210

Other features

Display viewable area (HxV)	344.23 x 193.54 mm

0766907985511

766907985511