



Lindy 2m HDMI to DisplayPort Cable

Brand : Lindy

Product code: 41499

Product name : 2m HDMI to DisplayPort Cable

2m HDMI to DisplayPort Cable

[Lindy 2m HDMI to DisplayPort Cable:](#)

Lindy's HDMI to DisplayPort cables combine sleek, modern design with superior performance to provide a high quality conversion of HDMI signals to output to a DisplayPort display. This range of active cables come with a chipset housed neatly inside the HDMI connector to ensure a consistently reliable connection between HDMI media players, games consoles and PCs to DisplayPort monitors.

With support for resolutions up to 4096x2160@60Hz, these cables are great for creating innovative working environments, engaging educational workstations or immersive gaming experiences, while support for uncompressed multi-channel audio allows for an impressive three-dimensional surround sound performance to compliment detailed, clear video. The additional USB Type A connector can optionally be used to amplify the power to ensure a reliable connection in all situations.



Features

Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Nickel
Cable length *	2 m
Connector 1 *	HDMI + USB Type-A
Connector 2 *	DisplayPort
Connector 1 gender *	Male
Connector 2 gender *	Male
HDMI version	2.0
DisplayPort version	1.2
High Dynamic Range (HDR) supported	✓
Maximum resolution	4096 x 2160 pixels
Supported graphics resolutions	4096 x 2160
Supported video modes	2160p
Data transfer rate	21.6 Gbit/s
Maximum refresh rate	60 Hz
Bend radius (min)	3.6 cm
Product colour	Black
Conductor material	Tinned copper
Jacket material	Polyvinyl chloride (PVC)

Features

Cable type	Round cable
Connector housing material	Acrylonitrile butadiene styrene (ABS)
AWG wire size	30
Colour sampling	4:2:2, 4:4:4

Operational conditions

Operating temperature (T-T)	-20 - 40 °C
Storage temperature (T-T)	-40 - 80 °C

Sustainability

Sustainability certificates	CE, REACH, RoHS
-----------------------------	-----------------

Weight & dimensions


Cable diameter	6 mm
Connector 1 dimensions (WxDxH)	50 x 20.9 x 12.7 mm
Connector 2 dimensions (WxDxH)	35 x 15.5 x 7.8 mm
Connector 3 dimensions (WxDxH)	38.9 x 19.7 x 12 mm

Packaging data

Quantity per pack	1 pc(s)
Package type	Polybag

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------



4002888414999

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-MAY-2024. Prints or copies of Information are only valid on the printed Publication date