

Samsung WA75D interactive whiteboard 190.5 cm (75") 3840 x 2160 pixels Touchscreen Grey

Brand : Samsung

Product code: LH75WADWLGCXEN

Product name : WA75D



Samsung WA75D. Display diagonal: 190.5 cm (75"), Display brightness: 400 cd/m², Display resolution: 3840 x 2160 pixels. Operating system installed: Android 13, Maximum internal memory: 64 GB. Microphone connectivity: 3.5 mm. Product colour: Grey, Panel mounting interface: 800 x 400 mm, Certification: Part 15, Subpart B Class A KS C9832, KS C9835 EN55032:2015/A11:2020/A1:2020, EN 55035:2017/A11:2020.... Operating hours (hours/days): 12/7

Display		Ports & interfaces	
Display diagonal *	190.5 cm (75")	RS-232 ports	2
Display brightness	400 cd/m ²	IR input port	✓
Display resolution	3840 x 2160 pixels	Video out	Yes
HD type	4K Ultra HD	Ergonomics	
Panel type	ADS	Product colour	Grey
Native aspect ratio	16:9	VESA mounting	✓
Contrast ratio (typical)	1200:1	Panel mounting interface	800 x 400 mm
Response time	8 ms	Certification Part 15, Subpart B Class A KS C9832, KS C9835 EN55032:2015/A11:2020/A1:2020, EN 55035:2017/A11:2020 EN 61000-3-2:2019/A1:2021 EN 61000-3-3:2013/A1:2019/A2:2021 EN 61000-3-2:2019/A1:2021 EN 61000-3-3:2013/A1:2019/A2:2021 EN 61000-3 IEC 62368-1 Edtion 3&IEC 60950-1 UL62368-1 edition 3 GB4943.1-2022 PSB+ IEC 62368-1 NOM-019 K 62368 IRAM+ IEC 62368-1 EAC+ IEC 62368-1 INMETRO+ IEC 62368-1 SASO+ IEC 62368-1 BSMI+ IEC 62368-1 IEC 62368-1/AS/NZS 62368-1 IEC60950-1 / IS13252	
Touchscreen *	✓		
Touch technology	Multi-touch		
Touchscreen type	Infrared		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Pixel pitch	429.6 x 429.6 mm		
Colour gamut	72%		
Maximum pixel clock	78 MHz		
Haze rate	25%		
Computer system		Performance	
Operating system installed	Android 13	Operating hours (hours/days)	12/7
Maximum internal memory	64 GB	Power	
Projector		Power consumption (typical)	385 W
Built-in projector *	✗	Power consumption (sleep)	0.5 W
Network		AC input voltage	100 - 240 V
Wi-Fi	✓	AC input frequency	50/60 Hz
Bluetooth	✓	Operational conditions	
Ethernet LAN	✓	Operating temperature (T-T)	0 - 40 °C
Ports & interfaces		Operating relative humidity (H-H)	10 - 90%
HDCP	✓	Weight & dimensions	
HDCP version	2.1	Width *	1709 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Depth	88 mm
USB 2.0 ports quantity	1	Height *	1020 mm
HDMI ports quantity	3	Weight	45.5 kg
HDMI version	2.0	Bezel width	1.64 cm
Ethernet LAN (RJ-45) ports	2		
Microphone connectivity	3.5 mm		
Audio output	1		

Packaging data

Package width	1863 mm
Package depth	225 mm
Package height	1140 mm
Package weight	57.6 kg
Quantity per pack	1 pc(s)



8806095575735

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-JUN-2024. Prints or copies of Information are only valid on the printed Publication date