₽TlA

T1A Dell Latitude E7440 Refurbished Intel® Core™ i5 i5-4300U Laptop 35.6 cm (14") Full HD 8 GB DDR3L-SDRAM 128 GB SSD Windows 10 Pro Black

Brand: T1A Product code: L-E7440-UK-P002

Product name: Dell Latitude E7440 Refurbished

- Windows 10 Pro 64-bit
- Intel Core i5-4308U (3MB Cache, 2.8GHz)
- 35.6 cm (14") Full HD 1920 x 1080 LCD
- 8GB DDR3L-SDRAM & 128GB SSD

Intel Core i5-4300U (3MB Cache, 2.8GHz), 8GB DDR3L-SDRAM, 128GB SSD, 35.6 cm (14") Full HD 1920 x 1080 LCD, Intel Iris Graphics 5100, LAN, Webcam, Windows 10 Pro 64-bit

T1A Dell Latitude E7440 Refurbished. Product type: Laptop, Form factor: Clamshell. Processor family: Intel® Core™ i5, Processor model: i5-4300U, Processor frequency: 2.8 GHz. Display diagonal: 35.6 cm (14"), HD type: Full HD, Display resolution: 1920 x 1080 pixels. Internal memory: 8 GB, Internal memory type: DDR3L-SDRAM. Total storage capacity: 128 GB, Storage media: SSD. On-board graphics card model: Intel® Iris™ Graphics 5100. Operating system installed: Windows 10 Pro. Product colour: Black












Design		Keyboard	
Product type * Product colour * Form factor *	Laptop Black Clamshell	Keyboard backlit Spill-resistant keyboard Full-size keyboard	√ √ √
Refurbished	✓	Software	
Display		Operating system architecture	64-bit
Display diagonal * Display resolution *	35.6 cm (14") 1920 x 1080 pixels	Operating system installed *	Windows 10 Pro
		Processor special features	
Touchscreen * HD type	X Full HD	Intel® Wireless Display (Intel® WiDi)	✓
Panel type	LCD	Intel Smart Connect Technology	✓
LED backlight Native aspect ratio	√ 16:9	Intel® Identity Protection Technology (Intel® IPT)	✓
Processor		Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Processor manufacturer *	Intel	Intel® Turbo Boost Technology	2.0
Processor family * Processor generation	Intel® Core™ i5 4th gen Intel® Core™ i5	Enhanced Intel SpeedStep Technology	✓
Processor model * Processor cores	i5-4300U 2	Intel® Clear Video HD Technology (Intel® CVT HD)	✓
Processor threads	4	Intel® InTru™ 3D Technology	✓
Processor boost frequency	3.3 GHz	Intel® Insider™	✓
Processor frequency *	2.8 GHz	Intel® Quick Sync Video Technology	✓
System bus rate	5 GT/s	Intel® Smart Cache	✓
Processor cache	3 MB	Intel® AES New Instructions (Intel® AES-NI)	✓
Processor cache type Processor socket	L3 BGA 1168	Intel Trusted Execution Technology	✓
Processor lithography	22 nm	Intel Enhanced Halt State	✓
Processor inflography Processor operating modes	64-bit	Intel VT-x with Extended Page	✓
Processor series	Intel Core i5-4300 Mobile series	Tables (EPT) Intel® Secure Key	/
Processor codename	Haswell	Intel® Secure Key	×
Bus type	DMI2	Intel Stable Image Platform Program	
Stepping	C0	(SIPP)	1
Thermal Design Power (TDP)	28 W	Intel 64	✓
Tjunction	100 C	Execute Disable Bit	✓

Processor		Processor special features	
Maximum number of PCI Express lanes	12	Idle States	✓
PCI Express configurations	4x1, 2x4	Thermal Monitoring Technologies	40 24 1 .5
, ,	,	Processor package size Supported instruction sets	40 x 24 x 1.5 mm AVX 2.0, SSE4.1, SSE4.2
Memory	0.CD	Processor code	SR1ZU
Internal memory * Internal memory type	8 GB DDR3L-SDRAM	CPU configuration (max)	1
Memory form factor	SO-DIMM	Embedded options available	√
Memory slots	2x SO-DIMM	Intel Virtualization Technology for	1
Maximum internal memory *	16 GB	Directed I/O (VT-d)	•
Storage		Intel Smart Connect Technology version	1.00
Total storage capacity *	128 GB	Intel Identity Protection Technology	1.00
Storage media *	SSD	version	1.00
Total SSDs capacity	128 GB	Intel Smart Response Technology version	1.00
Number of SSDs installed	1	Intel Stable Image Platform Program	1.00
SSD capacity	128 GB	(SIPP) version	1.00
Optical drive type *	X	Intel Secure Key Technology version	1.00
Card reader integrated	√	Intel Small Business Advantage (SBA) version	1.00
Compatible memory cards	SD	Intel ME Firmware Version	9.5
Graphics		Intel TSX-NI version	0.00
Discrete graphics card model *	Not available	Intel Virtualization Technology (VT-	1
On-board graphics card *	√ Intel	X)	
On-board GPU manufacturer	Intel	Intel FDI Technology	X
Discrete graphics card * On-board graphics card model *	Intel® Iris™ Graphics 5100	Intel Rapid Storage Technology Processor ARK ID	83507
On-board graphics card base	·	Conflict-Free processor	√
frequency	200 MHz	Battery	•
On-board graphics card dynamic frequency (max)	1200 MHz	Battery technology	Lithium-Ion (Li-Ion)
Maximum on-board graphics card			Element-ton (El-ton)
memory	1.74 GB	Power	FO. CO.II
On-board graphics card DirectX version	11.1	AC adapter frequency AC adapter input voltage	50 - 60 Hz 100 - 240 V
On-board graphics card ID	0xA2E	AC adapter output voltage	19.5 V
Audio	07=	Operational conditions	20.0
Number of built-in speakers	2	Operating temperature (T-T)	0 - 60 °C
Built-in microphone	∠ ✓	Storage temperature (T-T)	-51 - 71 °C
Camera	•	Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	5 - 95%
Front camera	1290 v 720 pivole		
Front camera resolution	✓ 1280 x 720 pixels	Storage relative humidity (H-H)	5 - 95%
Front camera resolution Network	1280 x 720 pixels	Storage relative humidity (H-H) Operating altitude	5 - 95% -15.2 - 3048 m
Front camera resolution Network Ethernet LAN	1280 x 720 pixels	Storage relative humidity (H-H) Operating altitude Non-operating altitude	5 - 95% -15.2 - 3048 m
Front camera resolution Network Ethernet LAN Ethernet LAN data rates	1280 x 720 pixels 10,100,1000 Mbit/s	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth	5 - 95% -15.2 - 3048 m -15.2 - 10668 m
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth	1280 x 720 pixels	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces	1280 x 720 pixels 10,100,1000 Mbit/s	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth	1280 x 720 pixels 10,100,1000 Mbit/s	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1280 x 720 pixels 10,100,1000 Mbit/s	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1280 x 720 pixels 10,100,1000 Mbit/s 2	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * Mini DisplayPorts quantity	1280 x 720 pixels 10,100,1000 Mbit/s 2 1 1 1	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * Mini DisplayPorts quantity Combo headphone/mic port	1280 x 720 pixels 10,100,1000 Mbit/s 2 1 1	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * Mini DisplayPorts quantity Combo headphone/mic port Charging port type	1280 x 720 pixels 10,100,1000 Mbit/s 2 1 1 1 1 C-in jack	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * Mini DisplayPorts quantity Combo headphone/mic port Charging port type USB Power Delivery	1280 x 720 pixels 10,100,1000 Mbit/s 2 1 1	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * Mini DisplayPorts quantity Combo headphone/mic port Charging port type USB Power Delivery USB Sleep-and-Charge	1280 x 720 pixels 10,100,1000 Mbit/s 2 1 1 1 1 C-in jack	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * Mini DisplayPorts quantity Combo headphone/mic port Charging port type USB Power Delivery USB Sleep-and-Charge USB Sleep-and-Charge ports	1280 x 720 pixels 10,100,1000 Mbit/s 2 1 1 1 1 Colorin jack	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * Mini DisplayPorts quantity Combo headphone/mic port Charging port type USB Power Delivery USB Sleep-and-Charge USB Sleep-and-Charge ports Keyboard	1280 x 720 pixels 10,100,1000 Mbit/s 2 1 1 1 1 V DC-in jack 1	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm
Front camera resolution Network Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * Mini DisplayPorts quantity Combo headphone/mic port Charging port type USB Power Delivery USB Sleep-and-Charge USB Sleep-and-Charge ports	1280 x 720 pixels 10,100,1000 Mbit/s 2 1 1 1 1 Colorin jack	Storage relative humidity (H-H) Operating altitude Non-operating altitude Weight & dimensions Width Depth Height	5 - 95% -15.2 - 3048 m -15.2 - 10668 m 337 mm 231.5 mm 21 mm

×

Numeric keypad *



5711603025127

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.