QNAP

QNAP TVS-h674 NAS Tower Ethernet LAN Black i5-12400

Brand: QNAP **Product code**: TVS-H674-I5-16G/48TB IW

Product name: TVS-h674

- Enable NVMe SSD caching or Edge TPU empowered AI image recognition
- 2.5GbE ports provide higher transmission speeds with existing Cat 5e cables
- PCIe slots allow for installing 2.5/5/10/25GbE adapters, QM2 cards, or entry-level graphics cards to increase application performance
- Host multiple virtual machines and containers with optimized resource utilization
- Directly view creative works on an HDMI display. Enjoy smooth full HD media playback and real-time transcoding
- The built-in Intel® OpenVINO™ and Intel® UHD Graphics help boost AI image recognition and offload CPU workloads

48TB (Seagate IronWolf), Intel Core i5-12400 (2.5/4.4GHz), 16GB DDR4, 2.5 Gigabit LAN







Storage		Performance	
Storage drive interface *	Serial ATA	Type *	NAS
Supported storage drive interfaces	M.2, Serial ATA	Device class *	Small & Medium Business
Number of M.2 (M & B) slots	2	Backup function *	✓
RAID support *	✓	Backup features	Cloud, USB drive, iSCSI LUN
RAID levels	0, 1, 5, 6, 10, 50, 60	Buzzer	✓
Online RAID migration	✓	Snapshot	✓
Online RAID expansion	✓	Management protocols	SNMP
RAID rebuild	✓	Share folder access right management	1
Hot-swap drive bays	✓		
Supported file systems	FAT32, HFS+, NTFS, ZFS, exFAT, ext3, ext4	Security algorithms	FIPS 140-2, HTTPS, SNMPv2, SNMPv3, SSH
Storage drives installed *	✓	Access Control List (ACL)	✓
Total installed storage capacity *	48 TB	Reset button	✓
Number of storage drives supported	6	On/off switch	✓
*	·	Built-in FTP server	✓
Installed storage drive type * Supported storage drive types *	HDD & SSD	Browser supported	Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Disk roaming	✓	System log	✓
Processor		Hot spare	✓
	Lited	S.M.A.R.T. support	✓
Processor manufacturer *	Intel	Backup button	✓
Processor generation	12th gen Intel® Core™ i5 Intel® Core™ i5	USB copy function	✓
Processor family *		Software	
Processor model *	i5-12400	Operating system installed *	QuTS hero
Processor frequency *	2.5 GHz	Operating system version	h5.0.1
Processor boost frequency	4.4 GHz	operating system version	113.3.1
Processor cores	6		
Processor threads	12		
Bus type	DMI4		
CPU configuration (max)	1		
Number of processors supported	1		
On-board graphics card model	Intel UHD Graphics 730		
Memory			
Internal memory type Maximum RAM supported Memory slots	DDR4 64 GB 2x SODIMM		
Internal memory *	16 GB		

Mamani		Software	
Memory Memory form factor	CO DIMM	Software	Windows 10 Windows 10
Memory form factor Flash memory	SO-DIMM 5120 MB		Windows 10, Windows 10 Education, Windows 10 Education
	3120 1115		x64, Windows 10 Enterprise, Windows 10 Enterprise x64,
Network			Windows 10 Enterprise x64, Windows 10 Home, Windows 10
Ethernet LAN data rates	10 100 1000 2500 Mb;t/c		Home x64, Windows 10 Pro,
Ethernet LAN data rates DHCP server	10,100,1000,2500 Mbit/s		Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64,
Jumbo frames support	V		Windows 7, Windows 7 Enterprise,
iSCSI support	,	MC also a second as a second	Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home
Wake-on-LAN ready	V	Windows operating systems supported	Basic x64, Windows 7 Home
Ports & interfaces			Premium, Windows 7 Home Premium x64, Windows 7
USB port *	√		Professional v64 Windows 7
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	S V U V V	Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1		
HDMI ports quantity	1		
HDMI version	1.4b		8 x64
Ethernet LAN (RJ-45) ports *	2	Linux operating systems supported	Ubuntu 14.04
Design			Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12
Chassis type *	Tower	Mac operating systems supported	Sierra, Mac OS X 10.13 High Sierra,
Cooling type *	Active	Hac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3
Product colour	Black		Catalina
Number of fans	3 fan(s)		Windows Server 2008 R2, Windows
Fan diameter	9.2 cm	Server operating systems supported	Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows
Fan diameter 2	6 cm ✓		Server 2019
Drive bay locking LED indicators	♥ HDD, LAN, Status, USB	Other operating systems supported	Solaris 10
Built-in display	✓	Power	
Display type	LCD	Power supply location	Built-in
Cable lock slot	✓	Power supply unit (PSU) capacity	250 W
Cable lock slot type	Kensington	Number of power supply units	1
		Power consumption (typical)	79.363 W
		Power consumption (sleep)	39.911 W
		AC input voltage Fan voltage	100 - 240 V 12 V
			12 V
		Weight & dimensions	
		Width *	264.3 mm
		Depth * Height *	280.8 mm 188 mm
		Weight	6.32 kg
		Package weight	7.89 kg
		Packaging content	,
		Cables included	AC, LAN (RJ-45)
		Number of screws	42
		Drive tray key included	✓
		Processor special features	
		Embedded options available	×
		Enhanced Intel SpeedStep Technology	✓
		Execute Disable Bit	✓
		Idle States	✓
		Intel 64	✓
		Intel Virtualization Technology (VT-x)	✓
		Intel Virtualization Technology for Directed I/O (VT-d)	✓
		Intel VT-x with Extended Page Tables (EPT)	✓

Operational conditions

Operating temperature (T-T) $0 - 40 \,^{\circ}\text{C}$ Operating relative humidity (H-H) -20 - 70%Storage temperature (T-T) $5 - 95 \,^{\circ}\text{C}$

