POLY OBi VVX 450 12-Line IP Phone and PoE-enabled

Brand : POLY

Product code: 89B60AA

Product name : OBi VVX 450 12-Line IP Phone and PoEenabled

- Hear every nuance on the VVX 450 with Poly HD Voice technology. And reduce distracting background noise with Poly Acoustic Fence technology.

- IT will appreciate zero-touch provisioning and web-based management capabilities that take the headache out of telephony deployment and support.

- Your phones stay cleaner for longer with integrated Microban® antimicrobial product protection^[1] actively reducing the growth of bacteria 24/7.

OBi VVX 450 12-Line IP Phone and PoE-enabled

POLY OBi VVX 450 12-Line IP Phone and PoE-enabled:

Go pro without the price tag

When you want the best small business 12-line phone system for your money, the VVX 450 is full of good surprises. Handle high volume calls easily with the sleek, color display — and be confident conversations will always sound great.

| Design | | Network | |
|--|--|---|---|
| Product type * Handset type | IP Phone Wired handset | Security algorithms Syslog | 802.1x RADIUS, HTTPS, TLS |
| Product colour * | Black | Technical details | |
| Phone features | | Warranty period | 1 year(s) |
| Lines quantity * | 12 lines | Ports & interfaces | |
| Call waiting Distinctive ring | 4 | USB 2.0 ports quantity | 2 |
| Speed dialling | · | Ethernet LAN (RJ-45) ports | 2 |
| Call hold | 4 | Certificates | |
| Call forwarding | ∢ | Sustainability certificates | ENERGY STAR |
| Conference call Redialing Do not disturb function Call transfer | | Safety | UL 60950-1/62368-1, CE Mark, CAN/CSA C22.2 No 60950-1/62368-1-1, EN 60950-1/62368-1, IEC 60950-1/62368-1, AS/NZS 60950-1 |
| Display | | | FCC Part 15 (CFR 47) Class B ICES-003 Class B EN55032 Class B |
| Display Display diagonal Display resolution Touchscreen * | LED 10.9 cm (4.3") 480 x 272 pixels 🗙 | Certification | CISPR32 Class B VCCI Class B EN55024 EN61000-3-2; EN61000-3-3 NZ Telepermit Korea KCC3 UAE TRA Russia CU3 Brazil ANATEL3 Australia RCM South Africa |
| Audio | | | ICASA3 Saudi Arabia CITC China CCC3 RoHS Complian TAA |
| Speakerphone * | ✓ G.711, G.722, G.722.1, G.729ab, OPUS, iLBC | Power | |
| Voice codecs | | Power over Ethernet (PoE) * | 1 |
| Voice activity detection | 1 | AC adapter output voltage | 5 V |
| Comfort noise generation (CNG) | ✓ | AC adapter output current | 3 A |
| Network | | Operational conditions | |
| Ethernet LAN * Ethernet LAN interface type Ethernet LAN data rates | ✓ Gigabit Ethernet 10,100,1000 Mbit/s | Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) | 0 - 40 °C 5 - 95% -40 - 70 °C |
| Quality of Service (QoS) support | 1 | Weight & dimensions | |
| | | Width Depth Height | 240 mm 57 mm 230 mm |





Weight

1.04 kg

Packaging content

Number of handles included * AC adapter included 1 pc(s) 🗸









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.