POLY Studio X50 All-In-One Video Bar

Brand : POLY

Product code: 83Z44AA

Product name : Studio X50 All-In-One Video Bar

- Get your medium-sized conference rooms up and running in moments. No PC is required, and cloud service platform support is built right in. It's easy to install, and ideal for rooms up to 10 participants.
- Keep your eye on the action with intelligent camera framing and NoiseBlockAl technology – powered by machine learning. Get exquisite vocal pickup from our next gen mics. Share content over wired or wireless connections via dual monitors.
Studio X50 All-In-One Video Bar

POLY Studio X50 All-In-One Video Bar:

Simple video conferencing

Poly Studio X50 video bars simplify and enhance your hybrid meeting experience in medium-sized rooms – no matter what video collaboration software you use. Experience board-room quality audio and video, all optimized into one sleek bar.

POLY Studio X50 All-In-One Video Bar. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels, Maximum frame rate: 60 fps. Digital zoom: 5x. Wi-Fi, Bluetooth. Product colour: Black

Camera		Operational conditions	
Zoom capability Digital zoom Horizontal field of view	✓ 5x 110°	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C -40 - 70 °C 15 - 80%
Video		Storage relative humidity (H-H)	5 - 95%
HD type *	4K Ultra HD	Packaging content	
Maximum video resolution * Maximum frame rate *	3840 x 2160 pixels 60 fps	Mounting kit AC adapter included	4
Video formats supported	AVC, H.239, H.264, H.265	Performance	
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1400 x 1050 (SXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 3840 x 2160	Wi-Fi	1
		Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
		Bluetooth	4
Design		Bluetooth version	5.0
Product colour *	Black	Audio	
Ports & interfaces		Built-in microphone	4
HDMI ports quantity	3	Built-in speaker(s)	✓
HDMI version	1.4	Noise reduction	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2	Width	762 mm
ports quantity	2	Depth	102 mm
Line-in	✓	Height	102 mm
Line-out	4	Weight	2.54 kg





























0197961954531



0197961954555



0197961954562



0198122404155



197961954531

197961954555



197961954562



198122404155



197961954524

0197961954524

Disclamer. The mormation publiched here (the "Information) is pased on sources that can be considered reliable, typically the manufacturer, but this Information is provided 'As [3] and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party 45532 trail 24028307 & formation or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-JUN-2024. Prints or copies of Information are only valid on the printed Publication date