ASUS PRIME B760-PLUS D4 Intel B760 LGA 1700 ATX

Brand: ASUS Product code: 90MB1CW0-M1EAY0

Product name: PRIME B760-PLUS D4

- Intel® LGA 1700 Socket: Ready for 13th and 12th Gen Intel® processors
- Ultrafast Connectivity: PCle 5.0, three PCle 4.0 M.2, Realtek 2.5Gb Ethernet, USB 3.2 Gen 2x2 Type-C\$, front USB 3.2 Gen 1 Type-C\$ and Thunderbolt $^{\text{TM}}$ (USB4\$) header support
- Comprehensive Cooling: VRM heatsinks, M.2 heatsink, PCH heatsink, hybrid fan headers and Fan Xpert 2+
- ASUS OptiMem: Careful routing of traces and vias to preserve signal integrity for improved memory stability
- Aura $\stackrel{\circ}{\text{Sync}}$ RGB Lighting: Onboard Addressable Gen 2 headers and Aura RGB header for RGB LED strips, easily synced with Aura Sync-capable hardware

Prime B760-PLUS D4, an Intel B760 LGA 1700 ATX motherboard with PCIe 5.0, three PCIe 4.0 M.2 slots, DDR4, Realtek 2.5Gb Ethernet, DisplayPort, VGA, HDMI, SATA 6 Gbps, USB 3.2 Gen 2x2 Type-C, front USB 3.2 Gen 1 Type-C, Thunderbolt (USB4) support, Aura Sync





Processor			Internal I/O	
Processor manufacturer *		Intel	Thunderbolt headers	1
Processor socket *		LGA 1700	12V power connector	4
Compatible processor series *		Intel® Celeron®, Intel® Pentium® Gold, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9 LGA 1700	RGB LED pin header	✓
			Rear panel I/O ports	
Cumported processor cockets			USB 2.0 ports quantity *	2
Supported processor sockets Memory		LGA 1700	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Supported memory types * Number of memory slots * Memory slots type	DDR4-SDRAM 4 DIMM		USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2
Memory channels Non-ECC Supported memory clock speeds	Dual-channel ✓ 2133,2400,2666,2800,2933,3000, MHz	.3200,3333,3400,3466,3600,3733,4000,4266,4400,4600,4800,5000,5066	USB 3.2 Gen 2x2 Type-C ports quantity	1
Supported memory clock speed (max)	5066 MHz		Ethernet LAN (RJ-45) ports *	1
Maximum internal memory * Unbuffered memory	128 GB ✓		VGA (D-Sub) ports quantity *	1
Storage controllers			HDMI ports quantity *	1
Supported storage drive types HDD & SSD		HDD & SSD	HDMI version	2.1
Supported storage drive interfaces *		M.2, SATA III	DisplayPorts quantity	1
Number of HDDs supported		4	DisplayPort version	1.4
Number of storage drives supported		7	Headphone outputs	1
RAID support		✓	Line-in	4
RAID levels		0, 1, 5, 10	Network	
Graphics			Ethernet LAN	1
Parallel processing technology support *		Not supported	Ethernet interface type Wi-Fi *	2.5 Gigabit Ethernet
Internal I/O			Features	
USB 2.0 connecto	rs *	2	Motherboard chipset *	Intel B760
USB 3.2 Gen 1 (3.1 Gen 1) connectors *		2	Audio output channels * Component for *	7.1 channels PC
Number of SATA III connectors *		4	Motherboard form factor *	ATX
S/PDIF out connector		✓	Motherboard chipset family *	Intel
Front panel audio connector		✓	Windows operating systems	
Front panel connector		✓	supported	Windows 10 x64, Windows 11
ATX Power connector (24-pin) ✓		✓	• •	

Internal I/O		Expansion slots	
CPU fan connector Number of chassis fan connectors Peripheral (Molex) power connectors (4-pin)	3 1 4 1 4	PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 5.x) slots Number of M.2 (M) slots	2 1 1 3
EPS power connector (8-pin) Number of COM connectors TPM connector		BIOS BIOS type * BIOS memory size	UEFI AMI 128 Mbit
		Weight & dimensions	
		Width Depth	305 mm 244 mm
		Packaging content	
		Cables included	SATA

