

Verbatim GNC-240 GaN Charger 240W with 1 x USB-C 140W / 1 x USB-C 100W / 1 x USB-C 65W / 1 x USB-A QC 3.0 (EU/UK/US)

Brand : Verbatim

Product code: 32205

Product name : GNC-240 GaN Charger 240W with 1 x USB-C 140W / 1 x USB-C 100W / 1 x USB-C 65W / 1 x USB-A QC 3.0 (EU/UK/US)



GNC-240 GaN Wall Charger 240W with 1 x USB-C 140W / 1 x USB-C 100W / 1 x USB-C 65W / 1 x USB-A QC 3.0 (EU/UK/US)

Verbatim GNC-240 GaN Charger 240W with 1 x USB-C 140W / 1 x USB-C 100W / 1 x USB-C 65W / 1 x USB-A QC 3.0 (EU/UK/US):

240W 4-in-1 Charging

Verbatim's 140W GaN Wall Charger combines two USB-C PD 140W ports, one USB-C PD 20W port and one USB-A QC 3.0 port in a sleek, palm sized design. Ideal for the office, home or travelling to power your laptop, tablet, smartphone, gaming devices, and more.

With its foldable US prongs and replaceable EU and UK plugs, it's the ultimate travel companion.

Safe and Reliable

The GaN charger is made with high-quality, flame-resistant materials and features four safety protection systems, including over-current protection, over-voltage protection, short circuit protection, and over-temperature protection to ensure your safety while charging.



Performance		Power	
Charger compatibility *	Universal	Compatible power plug types	EU, UK, US
Power source type *	AC	Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Width	36.1 mm
USB Type-C ports quantity	3	Depth	90.5 mm
Fast charging	✓	Height	65 mm
Fast charging technology	Quick Charge 3.0	Weight	414 g
Charger type *	Indoor	Packaging data	
Programmable power supply (PPS)	✓	Quantity per pack	1 pc(s)
USB Power Delivery	✓	Package type	Hanging box
USB Power Delivery up to	240 W	Package width	47 mm
Power protection features	Over current, Over voltage, Overheating, Short circuit	Package depth	110 mm
Country of origin	China	Package height	131.5 mm
Design		Package weight	520 g
Product colour *	Black, Grey	Operational conditions	
Housing material	Acrylonitrile butadiene styrene (ABS), Polycarbonate (PC)	Operating temperature (T-T)	-10 - 40 °C
Plug and Play	✓	Storage temperature (T-T)	-20 - 80 °C
Gallium nitride (GaN) transistors	✓	Operating relative humidity (H-H)	5 - 90%
Power		Packaging content	
Input voltage	100 - 240 V	AC adapter included	✓
Input frequency	50/60 Hz	Technical details	
Input current	2.8 A	Sustainability compliance	✓
Maximum power	240 W	Sustainability certificates	REACH, RoHS
Maximum output voltage	28 V	Compliance certificates	REACH, RoHS
Minimum output voltage	3.3 V	Logistics data	
Port 1 output power	140 W	Customs product code (TARIC)	85366990
Port 2 output power	100 W	Master (outer) case width	280 mm

Power		Logistics data	
Port 3 output power	65 W	Master (outer) case length	305 mm
Port 4 output power	60 W	Master (outer) case height	302 mm
Output current (5V)	3 A	Master (outer) case gross weight	11.2 kg
Output current (9V)	3 A	Products per master (outer) case	20 pc(s)
Output current (12V)	3 A	Shipping (inner) case width	25.5 cm
Output current (15V)	3 A	Shipping (inner) case length	25.5 cm
Output current (20V)	5 A	Shipping (inner) case height	13.1 cm
Port 1 output current	5 A	Shipping (inner) case gross weight	5.4 kg
Port 2 output current	5 A	Products per shipping (inner) case	10 pc(s)
Port 3 output current	5 A		
Port 4 output current	5 A		



0023942322054



023942322054



(01)20023942322058



(01)50023942322059

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.