Viewsonic IFP6552-2F Signage Display Digital signage flat panel 165.1 cm (65") LCD 450 cd/m² 4K Ultra HD Black Touchscreen Built-in processor Android

Brand : Viewsonic

Product code: IFP6552-2F

Product name : IFP6552-2F

- Seamless plug-and-play connectivity with triple USB-C ports
- Intuitive Android™ 13 customizable launcher with draggable apps and widgets
- Advanced security controls and compliance standards that safeguard your data
- Enhanced collaboration with integrated myViewBoard software powered by Octa-core CPU

Enterprise Device Licensing Agreement (EDLA) Certified ViewBoard 65" 4K Interactive Display, TFT, 16:9, 8GB, 91.41W, 1502.7 x 948.66 x 122.18 mm

Viewsonic IFP6552-2F. Product design: Digital signage flat panel. Display diagonal: 165.1 cm (65"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 450 cd/m², HD type: 4K Ultra HD, Touchscreen. Operating system installed: Android. Product colour: Black

Display

Panel type	TFT
LED backlight	✓
Display diagonal *	165.1 cm (65")
Display technology *	LCD
Display resolution *	3840 x 2160 pixels
Display brightness *	450 cd/m²
HD type *	4K Ultra HD
Touchscreen *	✓
Touchscreen technology	Ultra Fine Touch (UFT)
Number of simultaneous touchpoints	40
Number of simultaneous touchpoints (Windows)	40
Number of simultaneous touchpoints (Android)	20
Native aspect ratio	16:9
Response time	7 ms
Contrast ratio (typical)	4000:1
Contrast ratio (dynamic)	5000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Rated lifetime	50000 h
Surface hardness	7H

Ports & interfaces

HDMI ports quantity *	4
HDMI version	2.0/2.1
HDMI input ports quantity	33
HDMI output ports quantity	1
VGA (D-Sub) input ports	1
DisplayPorts quantity *	1
DisplayPorts in	1
USB port *	✓
USB ports quantity	9
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)
USB connector type	USB Type-A, USB Type-B, USB Type-C
USB 2.0 Type-B ports quantity	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	5

Ports & interfaces

USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
Ethernet LAN *	✓
Ethernet LAN (RJ-45) ports	2
RS-232 interface	✓

Audio

Built-in speaker(s) *	✓
Number of built-in speakers	2
RMS rated power	20 W

Design

Product design *	Digital signage flat panel
Placement supported *	Indoor
Product colour *	Black
Screen shape	Flat
VESA mounting *	✓
Panel mounting interface	500 x 400 mm

Performance

Purpose *	Commercial

Power

Power consumption (typical) *	91.41 W
Power consumption (standby) *	0.5 W
AC input voltage	100-240 V

Computer system

Built-in processor *	✓
Internal memory	64 GB
Operating system installed	Android
Operating system version	Android 13

Weight & dimensions

Display width	1502.7 mm
Display depth	122.2 mm
Display height	948.7 mm
Display weight	59 kg

Packaging data

Package width	1618 mm
Package depth	225 mm
Package height	1060 mm
Package weight	149.9 kg

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%

0766907023183

766907023183