QNAP

QNAP TS-H1277AXU-RP NAS Rack (2U) Ethernet LAN Black E-2136

Brand : QNAP **Product code:** TS-H1277AXU-RP-R7-32G

Product name: TS-H1277AXU-RP



AMD Ryzen $^{\tiny{\text{\tiny TM}}}$ 7000 Series processors, DDR5, and M.2 PCle Gen 5

QNAP TS-H1277AXU-RP NAS Rack (2U) Ethernet LAN Black E-2136:

Powered by AMD Ryzen™ 7000 Series processors based on the cutting-edge AMD socket AM5 platform, the ZFS-based TS-h1277AXU-RP storage and backup solution unleashes superb performance and enterprise-level potential. With a revolutionary multi-core processor, DDR5 RAM, M.2 PCIe Gen 5, and redundant power supplies, the TS-h1277AXU-RP delivers excellent performance, ultra-large bandwidth, and trusted reliability for performance-demanding Tier 2 storage, virtualization, 4K video editing, and PB-level storage applications.



Storage		Performance	
Storage drive capacity *	14 TB	Device class *	Large Enterprise Business
Storage drive interface *	Serial ATA II, Serial ATA III	Backup function *	✓
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Backup features	Cloud, iSCSI LUN
Storage drive sizes supported	2.5,3.5"	Buzzer	✓
RAID support *	✓	Multilingual support	✓
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	Snapshot	✓
Online RAID migration	✓	Web-based management	✓
Online RAID expansion	✓	Security algorithms	256-bit AES, FIPS 140-2, TLS
RAID rebuild	✓	Access Control List (ACL)	✓
Hot-swap drive bays	✓	Reset button	✓
Supported file systems	FAT32, HFS+, NTFS, ZFS, exFAT,	On/off switch	✓
	ext3, ext4	Built-in FTP server	✓
Storage drives installed * Total installed storage capacity *	√ 168 TB	Browser supported	Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Number of storage drives installed	· 12	System log	✓
Number of storage drives supported	l ₁₂	Hot spare	✓
*		Disk scan	✓
Installed storage drive type *	HDD	S.M.A.R.T. support	✓
Supported storage drive types *	HDD & SSD	Share folder	CIFS/SMB
Disk roaming	1	Software	
Processor		Operating system installed *	OuTC have
		Operating system installed *	QuTS hero
Processor manufacturer *	Intel	Operating system version	h5.0.0
Processor manufacturer * Processor family *	Intel Intel Xeon E	, , ,	h5.0.0
		Operating system version	•
Processor family *	Intel Xeon E	Operating system version Windows operating systems	h5.0.0
Processor family * Processor model * Processor frequency * Processor boost frequency	Intel Xeon E E-2136 3.3 GHz 4.5 GHz	Operating system version Windows operating systems supported	h5.0.0 Windows 10, Windows 7, Windows 8 ✓
Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache	Intel Xeon E E-2136 3.3 GHz 4.5 GHz 6 12	Operating system version Windows operating systems supported Linux operating systems supported	h5.0.0 Windows 10, Windows 7, Windows 8 ✓
Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache Bus type	Intel Xeon E E-2136 3.3 GHz 4.5 GHz 6 12 12 MB DMI3	Operating system version Windows operating systems supported Linux operating systems supported Mac operating systems supported	h5.0.0 Windows 10, Windows 7, Windows 8 Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows
Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache	Intel Xeon E E-2136 3.3 GHz 4.5 GHz 6 12	Operating system version Windows operating systems supported Linux operating systems supported Mac operating systems supported Server operating systems supported Power Power	h5.0.0 Windows 10, Windows 7, Windows 8 Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 Built-in
Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache Bus type CPU configuration (max) Memory	Intel Xeon E E-2136 3.3 GHz 4.5 GHz 6 12 12 MB DMI3	Operating system version Windows operating systems supported Linux operating systems supported Mac operating systems supported Server operating systems supported Power Power Power supply location Power supply unit (PSU) capacity	h5.0.0 Windows 10, Windows 7, Windows 8 Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 Built-in 500 W
Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache Bus type CPU configuration (max)	Intel Xeon E E-2136 3.3 GHz 4.5 GHz 6 12 12 MB DMI3	Operating system version Windows operating systems supported Linux operating systems supported Mac operating systems supported Server operating systems supported Power Power Power supply location Power supply unit (PSU) capacity Number of power supply units	h5.0.0 Windows 10, Windows 7, Windows 8 Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 Built-in
Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache Bus type CPU configuration (max) Memory Internal memory type	Intel Xeon E E-2136 3.3 GHz 4.5 GHz 6 12 12 MB DMI3 1	Operating system version Windows operating systems supported Linux operating systems supported Mac operating systems supported Server operating systems supported Power Power Power supply location Power supply unit (PSU) capacity	h5.0.0 Windows 10, Windows 7, Windows 8 Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 Built-in 500 W
Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache Bus type CPU configuration (max) Memory Internal memory type Maximum RAM supported	Intel Xeon E E-2136 3.3 GHz 4.5 GHz 6 12 12 MB DMI3 1 DDR4 32 GB	Operating system version Windows operating systems supported Linux operating systems supported Mac operating systems supported Server operating systems supported Power Power Power supply location Power supply unit (PSU) capacity Number of power supply units Redundant power supply (RPS)	h5.0.0 Windows 10, Windows 7, Windows 8 Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 Built-in 500 W 2
Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache Bus type CPU configuration (max) Memory Internal memory type Maximum RAM supported Memory slots	Intel Xeon E E-2136 3.3 GHz 4.5 GHz 6 12 12 MB DMI3 1 DDR4 32 GB	Operating system version Windows operating systems supported Linux operating systems supported Mac operating systems supported Server operating systems supported Power Power Power supply location Power supply unit (PSU) capacity Number of power supply units Redundant power supply (RPS) support	h5.0.0 Windows 10, Windows 7, Windows 8 Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 Built-in 500 W 2 United Server 2016, Windows Server 2019
Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache Bus type CPU configuration (max) Memory Internal memory type Maximum RAM supported Memory slots Internal memory *	Intel Xeon E E-2136 3.3 GHz 4.5 GHz 6 12 12 MB DMI3 1 DDR4 32 GB 4 32 GB	Operating system version Windows operating systems supported Linux operating systems supported Mac operating systems supported Server operating systems supported Power Power Power supply location Power supply unit (PSU) capacity Number of power supply units Redundant power supply (RPS) support Power consumption (typical)	h5.0.0 Windows 10, Windows 7, Windows 8 Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 Built-in 500 W 2

Network		Weight & dimensions	
Ethernet LAN *	✓	Width *	482 mm
Ethernet LAN data rates	1000,10000 Mbit/s	Depth *	562 mm
Ethernet LAN data rate supported	10000 Mbit/s	Height *	88.3 mm
(max) DHCP client		Packaging content	
DHCP client DHCP server	1	Cables included	AC, LAN (RJ-45)
Jumbo frames support	4	Power cables quantity	2
iSCSI support	4	Number of screws	84
Wake-on-LAN ready	,	Processor special features	
Dynamic DNS (DDNS)	,	Embedded options available	×
Ports & interfaces	•	Enhanced Intel SpeedStep	^
		Technology	✓
USB port *	✓	Execute Disable Bit	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	4	Idle States	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-C	3	Intel 64	✓
ports quantity	2	Intel Enhanced Halt State	✓
Fiber ports quantity	2	Intel Secure Key Technology version	1.00
Fiber optic connector	SFP+	Intel Trusted Execution Technology	1
Ethernet LAN (RJ-45) ports *	6	Intel TSX-NI	1
PCI Express x4 (Gen 3.x) slots	2	Intel TSX-NI version	1.00
PCI Express x8 (Gen 3.x) slots	1	Intel Virtualization Technology (VT-x)	✓
Design Chassis type *	Rack (2U)	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Cooling type *	Active	Intel VT-x with Extended Page	,
Product colour	Black	Tables (EPT)	~
Number of fans	2 fan(s)	Operational conditions	
Fan diameter	6 cm	Operating temperature (T-T)	0 - 40 °C
LED indicators	HDD, LAN, Status	Operating relative humidity (H-H)	5 - 95%
Performance		Storage temperature (T-T)	-20 - 70 °C
Type *	NAS	Storage relative humidity (H-H)	5 - 95%
		Logistics data	
		Harmonized System (HS) code	84714100



4711103084670

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.