PHILIPS

Philips V Line 271V8AW/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD White

Brand : Philips Product family: V Line Product code: 271V8AW/00

Product name: 271V8AW/00

271V8AW LCD monitor

Philips V Line 271V8AW/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD White:

Philips V line wide-view monitor gives viewing beyond boundaries, great value with essential features. Adaptive-Sync delivers smooth video display. Features like anti-glare, LowBlue mode and flicker-free for easy-on-the-eyes.

Philips V Line 271V8AW/00. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: White





| Display | | Ergonomics | |
|------------------------------|------------------------------------|-----------------------------------|--|
| Display diagonal * | 68.6 cm (27") | VESA mounting * | 1 |
| Display resolution * | 1920 x 1080 pixels | Panel mounting interface | 100 x 100 mm |
| HD type * | Full HD | Cable lock slot * | ✓ |
| Native aspect ratio * | 16:9 | Cable lock slot type | Kensington |
| Display technology * | LCD | Tilt adjustment | ✓ |
| Panel type * | IPS | Tilt angle range | -5 - 20° |
| Backlight type | W-LED | | Simplified Chinese, Traditional |
| Touchscreen * | × | | Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, |
| Display brightness (typical) | 250 cd/m ² | On Screen Display (OSD) languages | Greek, Hungarian, Italian, Japanese, |
| Anti-glare screen | ✓ | | Korean, Polish, Portuguese, Russian |
| Screen shape * | Flat | | Swedish, Turkish, Ukrainian |
| Contrast ratio (typical) * | 1000:1 | Plug and Play | ✓ |
| Maximum refresh rate * | 75 Hz | LED indicators | Operation, Stand-by |
| Viewing angle, horizontal | 178° | Power | |
| Viewing angle, vertical | 178° | Power consumption (typical) * | 35.39 W |
| Display number of colours * | 16.7 million colours | Power consumption (standby) * | 0.5 W |
| Response time (fast) | 4 ms | Power consumption (off) | 0.3 W |
| Pixel pitch | 0.311 x 0.311 mm | AC input voltage | 100 - 240 V |
| Pixel density | 82 ppi | AC input frequency | 50/60 Hz |
| Horizontal scan range | 30 - 83 kHz | Power supply type | Internal |
| Vertical scan range | 56 - 76 Hz | Operational conditions | |
| Viewable size, horizontal | 59.8 cm | • | |
| Viewable size, vertical | 33.6 cm | Operating temperature (T-T) | 0 - 40 °C |
| Display diagonal (metric) | 68.6 cm | Storage temperature (T-T) | -20 - 60 °C |
| DDC/CI | ✓ | Operating relative humidity (H-H) | 20 - 80% |
| Haze rate | 25% | Operating altitude | 0 - 3658 m |
| Surface hardness | 3H | Non-operating altitude | 0 - 12192 m |
| Display sRGB | ✓ | Packaging content | |
| Performance | | Stand included | ✓ |
| NVIDIA G-SYNC * | × | Cables included | HDMI, Power |
| AMD FreeSync * | × | Manual | 1 |
| VESA Adaptive Sync support | ✓ | Weight & dimensions | |
| Component video sync | Separate sync, Sync-on-green (SOG) | Width (with stand) | 613 mm |
| Flicker-free technology | ✓ | Depth (with stand) | 231 mm |
| Low Blue Light technology | ✓ | Height (with stand) | 456 mm |
| | | Weight (with stand) | 3.74 kg |

| | Weight & dimensions | |
|--|--|--|
| speaker(s) * ✓ Width (without stand) camera * X Depth (without stand) er of speakers 2 Height (without stand) Weight (without stand) | Depth (without stand) | 613 mm 50 mm 363 mm 3.28 kg |
| White | Packaging data | - |
| ····iice | Package width | 663 mm |
| 1 / 1 | Package depth Package height Package weight | 131 mm 464 mm 5.41 kg |
| 1.4 | Other features | |
| / / | Exterior finish type Picture enhancement Recyclable packaging material | Textured SmartImage 100% |
| 1.4 | Regulatory Approvals EasyRead mode LowBlue mode Mean time between failures (MTRF) | CE Mark; FCC; ICES-003; CB; EAC; TUV Ergo; TUV/GS |
| | White | Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) Packaging data Package width Package depth Package height Package weight A Other features Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals EasyRead mode |



8712581804398

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.