iiyama

iiyama ProLite T2752MSC-W1 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Touchscreen White

Brand: iiyama Product family: ProLite Product code: T2752MSC-W1

Product name: T2752MSC-W1

27", 10 point touch, 1920 x 1080, 16:9, 1000:1

iiyama ProLite T2752MSC-W1 computer monitor 68.6~cm (27") 1920~x 1080~pixels Full HD LED Touchscreen White:

27" Optical Bonded PCAP 10pt touchscreen monitor with IPS panel technology, edge-to-edge glass design and anti-fingerprint coating

The ProLite T2752MSC-W1 with its Full HD (1920x1080) resolution and with IPS panel technology offers exceptional colors and wide viewing angles. The Optical Bonded Projective Capacitive (PCAP) 10-point touch technology ensures a seamless and accurate touch response and a lower light reflection, in addition, the display is protected against humidity and potential moisture development. A special Nano coating ensures a smoother touch and less resistance in the swipe. It makes the screen less static and susceptible to dirt, dust and fingerprints. A perfect choice for a vast array of applications.

IPS TECHNOLOGY

IPS technology offers higher contrast, darker blacks and much better viewing angles than standard TN technology. The screen will look good no matter what angle you look at it.





| Display | | Ports & interfaces | |
|---|---|--|--|
| Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Touchscreen technology Touch technology | 68.6 cm (27") 1920 x 1080 pixels Full HD 16:9 LED IPS ✓ Projected capacitive system Multi-touch | USB Type-A downstream ports quantity USB Touch port HDMI * HDMI ports quantity DisplayPorts quantity Audio output HDCP Network | 3 |
| Number of simultaneous touchpoints | 10 | Ethernet LAN | x |
| Display brightness (peak) | 400 cd/m ² | Ergonomics | |
| Display brightness (typical) Response time Screen shape * Aspect ratio Contrast ratio (typical) * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Horizontal scan range Viewable size, horizontal Viewable size, vertical Display diagonal (metric) | 360 cd/m ² 5 ms Flat 16:9 1000:1 178° 178° 16.7 million colours 0.311 x 0.311 mm 30 - 83 kHz 59.8 cm 33.6 cm 68.6 cm | VESA mounting * Panel mounting interface Wall mountable Cable lock slot * Cable lock slot type Tilt adjustment Tilt angle range On Screen Display (OSD) languages Number of OSD languages Plug and Play LED indicators | 100 x 100 mm Kensington 5 - 90° German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Portuguese, Russian 10 |
| Display brightness | 255 cd/m² | Power | |
| Performance NVIDIA G-SYNC * AMD FreeSync * Windows operating systems supported Linux operating systems supported | × × ✓ | Energy efficiency class (SDR) * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency Energy efficiency scale | E 30 W 1.5 W 0.3 W 100 - 240 V 50 Hz A to G |

| Multimedia | | Packaging content | |
|--|--|--|--------------------|
| Built-in speaker(s) * Built-in camera * Number of speakers RMS rated power 1 W Design | × | Cables included Quick start guide | AC, HDMI, USB ✓ |
| | | Weight & dimensions | |
| | Width (with stand) Depth (with stand) | 614 mm 239.5 mm | |
| Market positioning * Busine Product colour * White | Business White | Height (with stand) Weight (with stand) | 403 mm 6.7 kg |
| Glass thickness Certification | 2.2 mm CE, TÜV-Bauart, ErP, CU | Sustainability | |
| Ports & interfaces | CE, 10V-bauart, Err, Co | European Product Registry for Energy Labelling (EPREL) code | 1824494 |
| Built-in USB hub * | ilt-in USB hub * ✓ | Logistics data | |
| USB hub version Number of upstream ports | 3.2 Gen 1 (3.1 Gen 1) | Harmonized System (HS) code | 85285210 |
| | 1 | Other features | |
| | | Full HD | ✓ |



4948570123001

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.