SAMSUNG

Samsung Galaxy A55 5G 16.8 cm (6.6") Hybrid Dual SIM Android 14 USB Type-C 8 GB 128 GB 5000 mAh Blue

Brand : Samsung **Product family:** Galaxy **Product code:** SM-A556BLBAEUB

Product name: A55 5G

- Awesome Camera
- Awesome Performance
- Awesome Durability

Galaxy A55 5G

Samsung Galaxy A55 5G . Display diagonal: 16.8 cm (6.6"), Display resolution: 1080 x 2340 pixels. Processor frequency: 2 GHz, Processor family: Samsung Exynos. RAM capacity: 8 GB, Internal storage capacity: 128 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Hybrid Dual SIM. Operating system installed: Android 14. Battery capacity: 5000 mAh.

Product colour: Blue. Weight: 213 g



Display		Camera	
Screen shape Display technology marketing name Panel type Display glass type Gorilla Glass version Display resolution *	16.8 cm (6.6") Flat Super AMOLED AMOLED Gorilla Glass Gorilla Glass Victus+ 1080 x 2340 pixels 16 million colours	Camera High Dynamic Range (HDR) mode Time lapse mode Image stabilizer Image stabilizer type Night mode Panorama Macro photography	✓ ✓ Optical Image Stabilization (OIS) ✓ ✓
Maximum refresh rate Display brightness Maximum display brightness (Outdoor) Pixel density Brand specific technologies	120 Hz 1000 cd/m² 1650 cd/m² 389 ppi Always-on display	Network SIM card capability * Mobile network generation * SIM card type * 3G standards * 4G standard *	Hybrid Dual SIM 5G NanoSIM + eSIM UMTS, WCDMA LTE-TDD & LTE-FDD
Processor		5G standard *	Sub6 FDD, Sub6 TDD
Processor family * Processor cores Processor boost frequency Processor frequency *	Samsung Exynos 8 2.75 GHz 2 GHz	Wi-Fi * Wi-Fi standards Bluetooth *	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Storage		Bluetooth version	5.3
User memory RAM capacity * Internal storage capacity * Compatible memory cards * Maximum memory card size	109.5 GB 8 GB 128 GB MicroSD (TransFlash) 1 TB	Wi-Fi Direct MIMO Modulation Ports & interfaces	√ √ 1024-QAM
-	110	USB port *	✓
Camera Rear camera sensor size	1/1.56"	USB connector type USB version	USB Type-C 2.0
Second rear camera sensor size	1/3.06" 1/5"	Design	
Third rear camera sensor size Rear camera resolution (numeric) * Second rear camera resolution (numeric)	50 MP 12 MP	Form factor * Product colour * Colour name	Bar Blue Awesome Iceblue
Third rear camera resolution (numeric)	5 MP	International Protection (IP) code Housing material	IP67 Glass, Metal
Rear camera aperture number	1.8	Performance	
Second rear camera aperture number	2.2	Fast charging Fingerprint reader	1
Third rear camera aperture number		Face recognition	<i>'</i>
Rear camera pixel size Second rear camera pixel size	1 μm 1.12 μm		

CameraThird rear camera pixel size1.12 μmGPS (satellite)✓Rear camera field of view (FOV) angle84°GLONASS BeiDou✓Second rear camera field of view (FOV) angle123°Galileo Quasi-Zenith Satellite System (QZSS)✓Third rear camera field of view (FOV) angle78°Position location *✓Digital zoom10xPosition location *✓Front camera type *Single cameraMultimediaFront camera sensor size1/2.74"Audio systemDolby AtmosFront camera resolution (numeric) *32 MPJGA, AAC, AMR, AWB, FLAC, IM	
Rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Third rear camera field of view (FOV) angle Third rear camera field of view (FOV) angle Third rear camera field of view (FOV) angle Digital zoom Front camera type * Front camera sensor size I/2.74" GIONASS BeiDou V Quasi-Zenith Satellite System (QZSS) Position location * Multimedia Front camera sensor size I/2.74" Audio system Dolby Atmos 3GA, AAC, AMR, AWB, FLAC, IM	
angle Second rear camera field of view (FOV) angle Third rear camera field of view (FOV) angle Third rear camera field of view (FOV) angle Digital zoom Front camera type * Front camera sensor size Front camera resolution (numeric) * 32 MP BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location * Multimedia Audio system Dolby Atmos 3GA, AAC, AMR, AWB, FLAC, IM	
Second rear camera field of view (FOV) angle 123° Galileo Quasi-Zenith Satellite System (QZSS) Position location * Front camera sensor size 1/2.74" Audio system Pront camera resolution (numeric) * 32 MP Second rear camera field of view Qasi-Zenith Satellite System (QZSS) Position location * Position location * Multimedia Audio system Dolby Atmos 3GA, AAC, AMR, AWB, FLAC, IM	
(FOV) angle Third rear camera field of view (FOV) angle Digital zoom Front camera type * Front camera sensor size Front camera resolution (numeric) * 32 MP Quasi-Zenith Satellite System (QZSS) Position location * Multimedia Audio system Dolby Atmos 3GA, AAC, AMR, AWB, FLAC, IM	
Third rear camera field of view (FOV) angle Digital zoom Front camera type * Front camera sensor size Front camera resolution (numeric) * 32 MP (QZSS) Position location * Multimedia Audio system Dolby Atmos 3GA, AAC, AMR, AWB, FLAC, IM	
Digital zoom 10x Front camera type * Single camera Multimedia Front camera sensor size 1/2.74" Audio system Dolby Atmos Front camera resolution (numeric) * 32 MP 3GA, AAC, AMR, AWB, FLAC, IM	
Front camera sensor size 1/2.74" Audio system Dolby Atmos Front camera resolution (numeric) * 32 MP 3GA, AAC, AMR, AWB, FLAC, IM	
Front camera resolution (numeric) * 32 MP 3GA, AAC, AMR, AWB, FLAC, IM	
	iΥ,
Front camera aperture number 2.2 Audio formats supported M4A, Mid, MIDI, MP3, MXMF, OC	
OGG, OTA, RTTTL, RTX, WAV, X	
Front camera field of view (FOV) angle Video formats supported 3G2, 3GP, AVI, FLV, M4V, MKV, WEBM	MP4,
Rear camera flash * ✓ Software	
Flash type LED Platform * Android	
Video capture resolution (max) 3840 x 2160 pixels Operating system installed * Android 14	
Maximum frame rate 240 fps Battery	
1280x720@30fps,	
Resolution at capture speed 1920x1080@30fps, 1920x1080@60fps, Battery capacity * 5000 mAh	
3840x2160@30fps	
Rear camera type * Triple camera Sensors	
Auto focus Proximity sensor	
Accelerometer ✓	
Ambient light sensor ✓	
Gyroscope ✓	
Geomagnetic sensor ✓	
Hall sensor ✓	
Weight & dimensions	
Width 77.4 mm	
Depth 8.2 mm	
Height 161.1 mm	
Weight * 213 g	
Weight * 213 g Packaging content	
j j	



8806095467399

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.