



DELL UltraSharp U3425WE computer monitor 86.7 cm (34.1") 3440 x 1440 pixels Wide Quad HD LCD Black, Silver

Brand : DELL

Product family: UltraSharp

Product code: DELL-U3425WE

Product name : U3425WE



- 86.7cm (34.14") Wide Quad HD 3440 x 1440 LED IPS

- 8ms, 21:9, 300cd/m², 2000:1

- USB, HDMI, DisplayPort

86.7cm (34.14") Wide Quad HD 3440 x 1440 LED IPS, 21:9, 300cd/m², 1.07B, 8ms, 178°/178°, 2000:1

DELL UltraSharp U3425WE computer monitor 86.7 cm (34.1") 3440 x 1440 pixels Wide Quad HD LCD Black, Silver:

34-inch curved Thunderbolt™ hub monitor made for clear focus and greater comfort. Featuring 5-Star Eye Comfort and 120Hz refresh rate.

DELL UltraSharp U3425WE. Display diagonal: 86.7 cm (34.1"), Display resolution: 3440 x 1440 pixels, HD type: Wide Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black, Silver



Display		Ports & interfaces	
Display diagonal *	86.7 cm (34.1")	HDCP version	1.4/2.2
Display resolution *	3440 x 1440 pixels	Network	
HD type *	Wide Quad HD	Wi-Fi	✗
Native aspect ratio *	21:9	Ergonomics	
Display technology *	LCD	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Backlight type	LED	Wall mountable	✓
Touchscreen *	✗	Cable management	✓
Display brightness (typical)	300 cd/m ²	Cable lock slot *	✓
Response time	8 ms	Cable lock slot type	Kensington
Anti-glare screen	✓	Height adjustment *	✓
Screen shape *	Curved	Height adjustment	15 cm
Screen curvature rating	1900R	Pivot	✗
Supported graphics resolutions	640 x 480 (VGA), 720 x 480, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1600 x 1200, 1920 x 1080 (HD 1080), 2560 x 1440, 3440 x 1440	Swivelling	✓
		Swivel angle range	-30 - 30°
		Tilt adjustment	✓
		Tilt angle range	-5 - 21°
Supported video modes	480p, 576p, 720p, 1080i, 1080p	On Screen Display (OSD)	✓
Contrast ratio (typical) *	2000:1	Plug and Play	✓
Maximum refresh rate *	120 Hz	LED indicators	✓
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	F
Display number of colours *	1.07 billion colours	Energy efficiency class (HDR) *	Not available
Response time (fast)	5 ms	Energy consumption (SDR) per 1000 hours *	32 kWh
Pixel pitch	0.2325 x 0.2325 mm	Power consumption (typical) *	31.5 W
Pixel density	110 ppi	Power consumption (standby) *	0.5 W
Horizontal scan range	25 - 185 kHz	Power consumption (max)	250 W
Vertical scan range	48 - 120 Hz		

Display		Power	
Viewable size, horizontal	80 cm	Power consumption (off)	0.3 W
Viewable size, vertical	33.5 cm	AC input voltage	100 - 240 V
Viewable size diagonal	86.7 cm	AC input frequency	50/60 Hz
High Dynamic Range (HDR) supported	✗	Input current	3.2 A
Surface hardness	3H	Power supply type	Internal
Colour gamut standard	DCI-P3	Energy efficiency scale	A to G
Colour gamut	98%	Operational conditions	
sRGB coverage (typical)	100%	Operating temperature (T-T)	0 - 40 °C
Performance		Storage temperature (T-T)	-20 - 60 °C
NVIDIA G-SYNC *	✗	Operating relative humidity (H-H)	10 - 80%
AMD FreeSync *	✗	Storage relative humidity (H-H)	5 - 90%
Flicker-free technology	✓	Operating altitude	0 - 5000 m
Low Blue Light technology	✓	Non-operating altitude	5000 - 12192 m
Multimedia		Packaging content	
Built-in speaker(s) *	✓	Stand included	✓
Built-in camera *	✗	Cables included	AC, DisplayPort, HDMI, USB Type-C to USB Type-C
Number of speakers	2	Power adapter included	✓
RMS rated power	10 W	Remote control included	✗
Design		Stylus included	✗
Market positioning *	Business	Quick start guide	✓
Product colour *	Black, Silver	Weight & dimensions	
Front bezel colour	Black	Width (with stand)	813.5 mm
Detachable stand	✓	Depth (with stand)	240.4 mm
Feet colour	Silver	Height (with stand)	542.8 mm
Heavy metals free	Hg (mercury)	Weight (with stand)	7.78 kg
Ports & interfaces		Width (without stand)	813.5 mm
Built-in USB hub *	✓	Depth (without stand)	105.1 mm
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Height (without stand)	359.1 mm
USB upstream port type	USB Type-C	Weight (without stand)	10.4 kg
Number of USB Type-C upstream ports quantity	2	Bezel width (side)	9.78 mm
USB Type-A downstream ports quantity	5	Bezel width (top)	1.04 cm
USB Type-C downstream ports quantity	3	Bezel width (bottom)	1.39 cm
USB Type-C DisplayPort Alternate Mode	✓	Packaging data	
USB Power Delivery	✓	Package weight	15.1 kg
USB Power Delivery up to	90 W	Sustainability	
HDMI *	✓	Sustainability compliance	✓
HDMI ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
HDMI version	2.1	Doesn't contain	PVC/BFR
DisplayPorts quantity	1	European Product Registry for Energy Labelling (EPREL) code	1777749
DisplayPort version	1.4	Technical details	
Thunderbolt 4 ports quantity	2	Compliance certificates	RoHS
Headphone out *	✓	Other features	
Headphone outputs	1	Ethernet LAN (RJ-45) ports	1
HDCP	✓		



5397184821503



0884116452034



884116452034

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.