ASUS ProArt PA24ACRV computer monitor 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LCD Black

Brand : ASUS Product family: ProArt Product code: 90LM08Y0-

B01M70

Product name : ProArt

PA24ACRV

- 23.8-inch QHD (2560 x 1440) LED backlight display with IPS 178° wide viewing angle panel
- International color standard 95% DCI-P3 and 100% sRGB wide color gamut
- Calman Verified with factory calibrated for excellent Delta E < 2 color accuracy
- Extensive connectivity including DP over USB-C™ with 96W Power Delivery, DisplayPort (MST), HDMI and USB hub
- Built-in Ambient Light Sensor synchronizes display brightness and color temperature with environment light changes
- Ergonomic design with tilt, swivel, pivot and height adjustments for a comfortable viewing experience
- Green Sustainability: paper packaging and energy-efficient environmental standards ProArt Display PA24ACRV Professional Monitor 24-inch (23.8-inch viewable), IPS, QHD (2560 x 1440), 95% DCI-P3, Color Accuracy Δ E < 2, Calman Verified, USB-C PD 96W, VESA DisplayHDR 400, VESA MediaSync, Ergonomic Stand, Green Sustainability



SUS ProArt








Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (peak) Display brightness (typical)	60.5 cm (23.8") 2560 x 1440 pixels Quad HD 16:9 LCD IPS LED 400 cd/m² 350 cd/m²	USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs HDCP HDCP version	96 W 1 2.0 2 1.4 1 2.2
Response time	5 ms ✓ Flat 1000:1 3000:1 75 Hz 178° 178° 16.7 million colours 0.2058 x 0.2058 mm 123 ppi 52.7 cm 29.6 cm 15 - 135 kHz 48 - 75 Hz	Ergonomics	
Anti-glare screen Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Viewable size, horizontal Viewable size, vertical Digital horizontal frequency Digital vertical frequency		VESA mounting * Panel mounting interface Wall mountable Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range	100 x 100 mm Kensington 13 cm -90 - 90° -30 - 30° -5 - 23°
Display diagonal (metric)	61 cm	Power	
High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology	✓ DisplayHDR 400, High Dynamic Range 10 (HDR10)	Energy efficiency class (SDR) * Energy efficiency class (HDR) *	E G

Display		Power	
Colour gamut standard Colour gamut	DCI-P3 95%	Energy consumption (SDR) per 100 hours *	⁰ 18 kWh
sRGB coverage (typical)	100%	Energy consumption (HDR) per 1000 hours *	39 kWh
Performance		Power consumption (typical) *	15 W
Flicker-free technology	✓	Power consumption (PowerSave)	0.5 W
Low Blue Light technology	✓	AC input voltage	100 - 240 V
Multimedia		AC input frequency	50/60 Hz
Built-in speaker(s) *	1	Energy efficiency scale	A to G
Built-in camera *	×	Weight & dimensions	
Number of speakers	2	Width (with stand)	539.6 mm
RMS rated power	4 W	Depth (with stand)	197.2 mm
Design		Height (with stand)	515.1 mm
Market positioning * Product colour * Feet colour	Photo editing Black Silver	Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	5.6 kg 539.6 mm 44.6 mm 322.2 mm
Ports & interfaces		Weight (without stand)	3.9 kg
Built-in USB hub *	✓	Packaging data	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package width	620 mm
Number of USB Type-C upstream ports quantity	1	Package depth	127 mm
USB Type-A downstream ports quantity	3	Package height Package weight	390 mm 8.1 kg
USB Type-C downstream ports	1	Package type	Box
quantity	-	Sustainability	
USB Type-C DisplayPort Alternate Mode	✓	Sustainability compliance	√
USB Power Delivery	1	Sustainability certificates	EPEAT Gold, Forest Stewardship Council (FSC) Mix, TCO





4711387308127

0197105308138



197105308138

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.