



DELL P Series P2725HE computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: P Series

Product code: DELL-P2725HE

Product name : P2725HE

- 68.6cm (27") Full HD 1920 x 1080 LED IPS

- 8ms, 16:9, 300cd/m², 1500:1

- USB, HDMI, DisplayPort

68.6cm (27") Full HD 1920 x 1080 LED IPS, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL P Series P2725HE computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black:

Connect to productivity. Certified by TÜV for 4-star eye comfort, this 27-inch FHD hub monitor offers enhanced visual comfort and offers up to 90W of power delivery.

DELL P Series P2725HE. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black




Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	DisplayPort version	1.4
Display resolution *	1920 x 1080 pixels	Headphone out *	✗
HD type *	Full HD	HDCP	✓
Native aspect ratio *	16:9	HDCP version	1.4
Display technology *	LCD	AC (power) in	✓
Panel type *	IPS	Ergonomics	
LED backlight	✓	VESA mounting *	✓
Backlight type	LED	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Cable management	✓
Display brightness (typical)	300 cd/m ²	Cable lock slot *	✓
Response time	8 ms	Cable lock slot type	Kensington
Anti-glare screen	✓	Height adjustment *	✓
Screen shape *	Flat	Height adjustment	15 cm
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	Pivot	✓
		Pivot angle	-90 - 90°
		Swivelling	✓
		Swivel angle range	-45 - 45°
Supported video modes	480p, 576p, 720p, 1080p	Tilt adjustment	✓
Contrast ratio (typical) *	1500:1	Tilt angle range	-5 - 21°
Maximum refresh rate *	100 Hz	On Screen Display (OSD)	✓
Viewing angle, horizontal	178°	Plug and Play	✓
Viewing angle, vertical	178°	LED indicators	✓
Display number of colours *	16.7 million colours	Power	
Response time (fast)	5 ms	Power consumption (typical) *	16.2 W
Pixel pitch	0.3114 x 0.3114 mm	Power consumption (standby) *	0.4 W
Pixel density	81.57 ppi	Power consumption (max)	180 W
Horizontal scan range	30 - 110 kHz	Power consumption (off)	0.3 W
Vertical scan range	48 - 100 Hz	AC input voltage	100 - 240 V
Viewable size, horizontal	59.8 cm		

Display		Power	
Viewable size, vertical	33.6 cm	AC input frequency	50/60 Hz
Viewable size diagonal	68.6 cm	Input current	2 A
Surface hardness	3H	Operational conditions	
sRGB coverage (typical)	99%	Operating temperature (T-T)	0 - 40 °C
Dell ComfortView technology	✓	Storage temperature (T-T)	-20 - 60 °C
Performance		Operating relative humidity (H-H)	10 - 80%
NVIDIA G-SYNC *	✗	Storage relative humidity (H-H)	5 - 90%
AMD FreeSync *	✗	Operating altitude	0 - 5000 m
Flicker-free technology	✓	Non-operating altitude	0 - 12192 m
Low Blue Light technology	✓	Packaging content	
Windows operating systems supported	Windows 10, Yes	Stand included	✓
Mac operating systems supported	MacOS	Weight & dimensions	
Multimedia		Width (with stand)	610.7 mm
Built-in speaker(s) *	✗	Depth (with stand)	192.3 mm
Built-in camera *	✗	Height (with stand)	384.6 mm
Design		Weight (with stand)	6.01 kg
Product colour *	Black	Width (without stand)	610.7 mm
Front bezel colour	Black	Depth (without stand)	50 mm
Feet colour	Grey	Height (without stand)	354.7 mm
Ports & interfaces		Weight (without stand)	4.36 kg
Built-in USB hub *	✓	Bezel width (side)	6.4 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Bezel width (top)	6.4 mm
Number of USB Type-C upstream ports quantity	1	Bezel width (bottom)	1.2 cm
USB Type-A downstream ports quantity	3	Packaging data	
USB Type-C downstream ports quantity	1	Package weight	8.67 kg
USB Type-C DisplayPort Alternate Mode	✓	Sustainability	
USB Power Delivery	✓	Sustainability compliance	✓
USB Power Delivery up to	90 W	Sustainability certificates	ENERGY STAR, TCO
HDMI *	✓	Doesn't contain	Arsenic, Mercury, PVC/BFR
HDMI ports quantity	1	Brand-specific features	
HDMI version	1.4	Dell Display Manager (DDM) compatibility	✓
DisplayPorts quantity	2	Technical details	
		Compliance certificates	RoHS, TÜV mark
		Other features	
		RJ-45 ports quantity	1



5397184821763



0884116468769



884116468769

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.