

Logitech Rally Bar Huddle + Tap IP video conferencing system 6 person(s) Ethernet LAN Group video conferencing system



Brand : Logitech

Product code: 991-000482

Product name : Rally Bar Huddle + Tap IP

4K, PTZ, 120° FOV, 83 dB, THD 2%, 48 kHz, 90 Hz - 16 kHz, -36 dB, 549.6 x 76 x 78.9 mm, 1.8 kg

[Logitech Rally Bar Huddle + Tap IP video conferencing system 6 person\(s\) Ethernet LAN Group video conferencing system:](#)


Rally Bar Huddle + Tap IP

Full solution featuring an all-in-one video bar and touch controller with PoE connectivity. Ideal for huddle and small rooms up to 6 people.

Logitech Rally Bar Huddle + Tap IP. Product type: Group video conferencing system, Number of persons: 6 person(s). HD type: 4K Ultra HD. Digital zoom: 4x. Ethernet LAN, Wi-Fi. Bluetooth. Display: IPS, Display diagonal: 25.6 cm (10.1"), Display resolution: 1280 x 800 pixels. Product colour: Graphite

Performance		Display	
Number of persons *	6 person(s)	Display resolution	1280 x 800 pixels
Bluetooth	✓	Contrast ratio (typical)	1000:1
Product colour *	Graphite	Touchscreen	✓
Camera cable length (max)	2.2 m	Touchscreen type	Capacitive
Product type *	Group video conferencing system	Viewing angle, horizontal	85°
Pan range	-48 - 48°	Viewing angle, vertical	85°
Tilt angle range	-32 - 32°	Display brightness	400 cd/m ²
PTZ control	✓	Oleophobic coating	✓
Video		Microphone	
HD type *	4K Ultra HD	Microphone sensitivity	-36 dB
Audio		Microphone frequency	90 - 16000 Hz
Built-in speaker(s)	✓	Number of microphones	6
Line-out impedance	4 Ω	Features	
Output voltage Total Harmonic Distortion (THD)	2%	Telepresence *	✗
Audio beamforming	✓	Motion sensor	✓
Sample rates	0 - 48 kHz	Cable lock slot	✓
Driver diameter	5.5 cm	Cable lock slot type	Kensington
Speaker power	8 W	Computer system	
Ports & interfaces		VESA mounting	✓
HDMI output ports quantity	1	Operational conditions	
HDMI input ports quantity	1	Operating temperature (T-T)	0 - 40 °C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Operating relative humidity (H-H)	10 - 90%
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Storage temperature (T-T)	-25 - 70 °C
Network		Power	
Ethernet LAN *	✓	Power source type	AC
Ethernet LAN data rates	10,100,1000 Mbit/s	AC input voltage	100 - 240 V
Wi-Fi	✓	Current	2.1 A
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 5 (802.11ac)	DC input voltage	19 V
Security algorithms	128-bit AES	Weight & dimensions	
Camera		Interface module dimensions (W x D x H)	246.2 x 171.3 x 56.1 mm
Camera type	Single camera	Interface module weight	1 kg
Zoom capability	✓	Width	549.6 mm
Digital zoom	4x	Depth	76 mm
Horizontal field of view	113°	Height	78.9 mm
		Weight	1.8 kg

Camera		Packaging content	
Vertical field of view	80°	Cables included	AC, HDMI, USB
Diagonal field of view	120°	Power cable length	2.5 m
Privacy camera	✓	HDMI cable length	2 m
Privacy type	Privacy shutter	AC adapter included	✓
Display		Mounting kit	✓
Display	IPS	Packaging content	Rally Bar Huddle Multi-Mount Power supply AC power cord HDMI cable USB cable
Display diagonal	25.6 cm (10.1")		



5099206119031

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-JUN-2024. Prints or copies of Information are only valid on the printed Publication date