

Samsung QMC QM32C Digital signage flat panel 81.3 cm (32") LCD Wi-Fi 400 cd/m² Full HD Black Built-in processor Tizen 7.0 24/7

Brand : Samsung

Product family: QMC

Product code:
LH32QMCEPGCXEN

Product name : QM32C



Samsung QMC QM32C. Product design: Digital signage flat panel. Display diagonal: 81.3 cm (32"), Display technology: LCD, Display resolution: 1920 x 1080 pixels, Display brightness: 400 cd/m², HD type: Full HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Tizen 7.0. Product colour: Black

Display		Design	
Panel type	IPS	Bezel width (top)	1.15 cm
LED backlight	✓	Bezel colour	Charcoal Black
Display diagonal *	81.3 cm (32")	Mounting type	Wall
Display technology *	LCD	Performance	
Display resolution *	1920 x 1080 pixels	Operating hours (hours/days)	24/7
Display brightness *	400 cd/m ²	HDCP	✓
HD type *	Full HD	HDCP version	2.2
Touchscreen *	✗	Power	
Response time	8 ms	Power consumption (typical) *	55 W
Contrast ratio (typical)	1200:1	Power consumption (sleep)	0.5 W
Dynamic contrast ratio marketing name	Mega Contrast	AC input voltage	100-240 V
Viewing angle, horizontal	178°	AC input frequency	50-60 Hz
Viewing angle, vertical	178°	Computer system	
Pixel pitch	0.36375 x 0.36375 mm	Computer system *	✓
Horizontal scan range	30 - 81 kHz	Computer system type	System on Chip (SoC)
Vertical scan range	48 - 75 Hz	Built-in processor *	✓
Haze rate	1%	Operating system installed	Tizen 7.0
Pixel frequency (max)	148.5 MHz	Weight & dimensions	
RGB colour space	NTSC	Display width	727.3 mm
Ports & interfaces		Display depth	28.5 mm
HDMI ports quantity *	3	Display height	421.9 mm
HDMI version	1.4	Display weight	5.2 kg
HDMI input ports quantity	3	Packaging data	
DVI port *	✗	Package width	817 mm
USB port *	✓	Package depth	119 mm
USB ports quantity	2	Package height	507 mm
Ethernet LAN *	✓	Package weight	6.9 kg
Ethernet LAN (RJ-45) ports	1	Operational conditions	
Wi-Fi *	✓	Operating temperature (T-T)	0 - 40 °C
RS-232 interface	✓	Operating relative humidity (H-H)	10 - 80%
Infrared data port	✓	Certificates	
Remote (IR) input	1	Certification	Class B 60950-1, 62368-1
Design		Technical details	
Product design *	Digital signage flat panel	Audio out (mini jack)	1
Placement supported *	Indoor		
Product colour *	Black		
Screen shape	Flat		
VESA mounting *	✓		

Design

Panel mounting interface	100 x 100 mm
Bezel width (bottom)	1.15 cm
Bezel width (side)	1.15 cm

Other features

Bluetooth	✓
Flash memory	8000 MB
RS-232 input ports	1
RS-232 output ports	1
RJ-45 input ports	1
Optional features	STN-L3200C



8806095205007

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-JUN-2024. Prints or copies of Information are only valid on the printed Publication date