## POLY Savi 8210 UC Microsoft Teams Certified DECT 1880-1900 MHz USB-A Headset

Brand : POLY

Product code: 8D3F1AA

Product name : Savi 8210 UC Microsoft Teams Certified DECT 1880-1900 MHz USB-A Headset

Being able to talk for a long time on a single charge means work gets done. And with the freedom to roam up to 590 ft/180 m means you can keep the calls going, even away from the desk <sup>[1]</sup>.
Today's enterprise and contact center professionals work on a range of devices. Savi 8200 Office Series headset systems have 3-way connectivity – computer, desk phone and mobile phone – for convenient conferencing on up to two devices at once.

Savi 8210 UC Microsoft Teams Certified DECT 1880-1900 MHz USB-A Headset

POLY Savi 8210 UC Microsoft Teams Certified DECT 1880-1900 MHz USB-A Headset:

## Power through the noise

Hearing every word clearly on a call is not a nice-to-have, it is a must-have. With the Poly Savi 8200 Office series, you can tune out noise and nearby conversations with noise-canceling microphone plus close conversation limiting.





Performance		Headphones	
	Head-band Office/Call center Monaural	Headphone frequency Impedance Headphone sensitivity Driver unit Noise canceling	20 - 20000 Hz 32 Ω 118 dB 3.2 cm
	Volume +, Volume -	Microphone	
Protection features DECT connectable Hearing protection technologies	Button Bump resistant ✓ SoundGuard DIGITAL ✓	Microphone type * Folding microphone Microphone noise-canceling	Built-in ✓ ✓
		Battery	
Ports & interfacesConnectivity technology *Wireless3.5 mm connectorXUSB connectivityXBluetooth✓Bluetooth version4.2Wireless range180 mWireless range (line of sight)40 mWireless range (typical building)135 m	× × ✓	Battery technology Battery capacity Rechargeable battery Talk time Battery recharge time Standby time	Lithium Polymer (LiPo) 490 mAh ✓ 13 h 3 h 50 h
		Weight & dimensions	
	Weight Packaging data	115 g	
Headphones		Package type	Box
Ear coupling *	Supraaural	Packaging content Carrying case Cables included Base station	✓ USB Type-A to USB Type-C ✓

## Other features


2.5 mm connector

×

















Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.