Gigabyte A520M H Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, 4+3 Phases Pure Digital VRM, up to 5100MHz DDR4 (OC), PCIe 3.0 x4 M.2, GbE LAN, USB 3.2 Gen 1

Brand : Gigabyte Product code: A520M H

Product name: A520M H Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, 4+3 Phases Pure Digital VRM, up to 5100MHz DDR4 (OC), PCIe 3.0 x4 M.2, GbE LAN, USB 3.2 Gen 1

AMD A520 Ultra Durable Motherboard with Pure Digital VRM Solution, GIGABYTE Gaming LAN with Bandwidth Management, PCle 3.0 x4 M.2, RGB FUSION 2.0, Smart Fan 5, Q-Flash Plus, Anti-Sulfur Resistors Design

Gigabyte A520M H Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, 4+3 Phases Pure Digital VRM, up to 5100MHz DDR4 (OC), PCle 3.0 x4 M.2, GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor			Rear panel I/O ports	
Processor manufact Processor socket *	urer *	AMD Socket AM4 3rd Generation AMD Ryzen™ 3, 3rd	HDMI ports quantity * HDMI version DVI-D ports quantity *	1 2.1 1
Compatible process	or series *	eneration AMD Ryzen™ 7, 3rd eneration AMD Ryzen™ 9, 3rd Gen MD Ryzen™ Threadripper™, AMD yzen Threadripper Pro 3rd Gen	Headphone outputs Microphone in USB connector type	1 ✓ USB Type-A
Maximum number of SMP rocessors		1	Network Ethernet LAN	,
Supported processo	or sockets	Socket AM4	Ethernet interface type	Gigabit Ethernet
Maximum internal memory		64 GB	Wi-Fi *	x
supported by proces	5501		Features	
Supported memory types * Number of memory slots * Memory slots type Memory channels ECC Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities Unbuffered memory Storage controller Supported storage (MHz 5100 MHz 64 GB 1GB, 8GB, 16GB rs drive types drive interfaces * pported	3400,3466,3600,3733,3866,4000,4133,4266,4400,4600,4800,5100 HDD & SSD M.2, PCI Express 3.0, SATA III 4 5	Motherboard chipset * Audio chip Audio output channels * Product colour PC health monitoring Component for * Motherboard form factor * Motherboard chipset family * Cooling type Power source type Windows operating systems supported	AMD A520 Realtek ALC887 7.1 channels Black CPU, Fan, LED, Power supply, Temperature, Voltage PC micro ATX AMD Active ATX Windows 10 x64, Windows 11 x64
RAID support		✓	Expansion slots	
RAID levels		0, 1, 10	PCI Express x1 (Gen 3.x) slots	2
Graphics			PCI Express x16 (Gen 3.x) slots	1
Parallel processing technology support *		Not supported	Number of M.2 (M) slots BIOS	1
Maximum resolution HDCP Discrete graphics su		4096 x 2160 pixels ✓	BIOS type * BIOS memory size ACPI version Clear CMOS jumper	UEFI AMI 128 Mbit 5.0 ✓

al I/O		BIOS	
2.0 connectors *	2	Clear CMOS button	✓
3.2 Gen 1 (3.1 Gen 1) ectors *	1	Desktop Management Interface (DMI) version	2.7
mber of SATA III connectors *	4	System Management BIOS	2.7
tal number of SATA connectors	4	(SMBIOS) version	=.,
ont panel audio connector	✓	Logistics data	
ont panel connector	✓	Country of origin	China
ΓX Power connector (24-pin)	✓	Products per shipping (inner) case	1 pc(s)
mber of EATX power connectors	1	Battery	
ower fan connector	✓	•	2 -
PU fan connector	✓	Battery weight	3 g
nassis intrusion connector	✓	Lithium weight per battery	0.07 g
S power connector (8-pin)	✓	Number of battery cells	1
PM connector	✓	Battery technology	Lithium-Manganese Dioxi (LiMnO2)
erial port headers	1	Battery type	CR2032
V power connector	4	7 7.	
B LED pin header	1	Packaging data	
ear panel I/O ports		Package width	265 mm
SB 2.0 ports quantity *	2	Package depth	235 mm
SB 3.2 Gen 1 (3.1 Gen 1) Type-A	4	Package height	52 mm
orts quantity *	4	Package weight	740 g
thernet LAN (RJ-45) ports *	1	Weight & dimensions	
S/2 ports quantity	1	Width	244 mm
		Depth	205 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Bundled software	Norton® Internet Securit version) Realtek® 8118 (LAN Bandwidth Control U
		Technical details	
		Warranty period	3 year(s)



4719331809683

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.