## Gigabyte Z790 AORUS XTREME X ICE Motherboard - Supports Intel 14th Gen CPUs, LGA 1700, 24+1+2 phases VRM, up to 8266MHz DDR5 (OC), 1xPCle 5.0 + 4xPCle 4.0 M.2, Wi-Fi 7, 10GbE LAN, USB 3.2 Gen 2x2


**Brand :** Gigabyte Product code: Z790 AORUS XTREME X ICE

**Product name :** Z790 AORUS XTREME X ICE Motherboard - Supports Intel 14th Gen CPUs, LGA 1700, 24+1+2 phases VRM, up to 8266MHz DDR5 (OC), 1xPCle 5.0 + 4xPCle 4.0 M.2, Wi-Fi 7, 10GbE LAN, USB 3.2 Gen 2x2

Intel Z790, 4 x DDR5, 8266 MHz, Wi-Fi 7, 2 x RJ-45, 4 x SATA, E-ATX

Gigabyte Z790 AORUS XTREME X ICE Motherboard - Supports Intel 14th Gen CPUs, LGA 1700, 24+1+2 phases VRM, up to 8266MHz DDR5 (OC), 1xPCle 5.0 + 4xPCle 4.0 M.2, Wi-Fi 7, 10GbE LAN, USB 3.2 Gen 2x2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor		Rear panel I/O ports		
Processor manufacturer * Processor socket *		Intel LGA 1700 Intel® Celeron®, Intel® Core™ i3,	Thunderbolt ports quantity WiFi-AP antenna jack USB connector type	2 2 USB Type-A, USB Type-C
Compatible processor series *		Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	Network	332 . ) pe / ( 332 . ) pe 3
Maximum number of SMP			Ethernet LAN	✓
processors		1	Ethernet interface type	2.5 Gigabit Ethernet, 10 Gigabit Ethernet
Supported proce	essor sockets	LGA 1700	LAN controller	Aquantia AQC107
Memory Supported memory types *	DDR5-SDRAM		Wi-Fi *	1
Number of memory slots * Memory slots type	4 DIMM		Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Memory channels ECC Non-ECC Supported memory clock speeds Supported memory clock speed	MHz	30,6200,6400,6600,6800,7000,7200,7400,7600,7800,7900,7950,8000,8200,826	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7 (802.11be)
(max)  Maximum internal memory *	8266 MHz 192 GB		WLAN controller model	Qualcomm QCNCM865
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB	B, 48GB	Bluetooth	✓
Unbuffered memory	V Nors		Bluetooth version	5.3
Storage controllers			Features	
Supported storage drive types Supported storage drive interfaces  Number of HDDs supported Number of storage drives supported RAID support		4	Motherboard chipset * Audio chip Audio output channels * Product colour	Intel Z790 Express ESS ES9280AC + ESS ES9080 7.1 channels White
RAID levels		0, 1, 10	PC health monitoring	Fan, Noise, Temperature, Voltage, Water cooling
Graphics			Component for *	PC
Parallel processing technology support *		Not supported	Motherboard form factor * Motherboard chipset family *	Extended ATX Intel
Maximum resolution HDCP		5120 x 2880 pixels ✓	Windows operating systems supported	Windows 11 x64
DirectX version		12.0	Expansion slots	
Internal I/O		PCI Express x16 (Gen 3.x) slots	1	
USB 2.0 connectors *		1	PCI Express x16 (Gen 5.x) slots	1
USB 3.2 Gen 1 (2 connectors *	3.1 Gen 1)	2	Number of M.2 (M) slots	5

Internal I/O		BIOS	
USB 3.2 Gen 2x2 connectors	2 4 ✓	BIOS type *	UEFI AMI
Number of SATA III connectors *		BIOS memory size	256 Mbit
Front panel audio connector		ACPI version	5.0
Front panel connector	✓	Clear CMOS jumper	✓
ATX Power connector (24-pin)	<b>√</b> 2	Clear CMOS button	✓
Number of EATX power connectors		Desktop Management Interface	2.7
CPU fan connector	✓	(DMI) version	
Number of chassis fan connectors	3	System Management BIOS (SMBIOS) version	2.7
EPS power connector (8-pin)	✓		
TPM connector	✓	Logistics data	
Thunderbolt headers	2	Country of origin	Taiwan
12V power connector	✓	Products per shipping (inner) case	1 pc(s)
RGB LED pin header	✓	Battery	
Rear panel I/O ports		Battery weight	3 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	10	Lithium weight per battery	0.07 g
ports quantity *		Number of battery cells	1
Ethernet LAN (RJ-45) ports *	2	Battery technology	Lithium-Manganese Dioxide
Headphone outputs	1		(LiMnO2)
Microphone in	✓	Battery type	CR2032
S/PDIF out port	1	Packaging data	
Digital audio optical out		Package width	417 mm
		Package depth	378 mm
		Package height	127 mm
		Weight & dimensions	
		Width	305 mm
		Depth	285 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	<b>4</b>
		Antenna included	· •
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331862268

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.