

## j5create JCDP392-FN interface hub USB 3.2 Gen 1 (3.1 Gen 1) Type-C 5000 Mbit/s Black

**Brand :** j5create

**Product code:** JCDP392-FN

**Product name :** JCDP392-FN

j5create JCDP392-FN. Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, Hub interfaces: HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C. Data transfer rate: 5000 Mbit/s, Supported graphics resolutions: 1920 x 1080 (HD 1080), 3840 x 2160, Maximum resolution (HDMI): 3840 x 2160 pixels. Input voltage: 100 - 240 V, Input current: 1.5 A, AC input frequency: 50 - 60 Hz. Width: 129 mm, Depth: 19.5 mm, Height: 105 mm. Quantity per pack: 1 pc(s), Package width: 193 mm, Package depth: 125 mm



Ports & interfaces		Weight & dimensions	
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Weight	276.5 g
Hub interfaces *	HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Packaging data	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Quantity per pack	1 pc(s)
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Package width	193 mm
HDMI ports quantity	1	Package depth	125 mm
Ports quantity *	4	Package height	58 mm
USB Type-C DisplayPort Alternate Mode	✓	Package weight	536 g
Features		Package type	Box
Data transfer rate *	5000 Mbit/s	Packaging content	
Supported graphics resolutions	1920 x 1080 (HD 1080), 3840 x 2160	Packaging content	1 - JCDP392 90W Built-in USB-C™ Travel Dock 1 - USB-C™ to USB-C™ 3.1 Cable (1.97 ft/60 cm) 1 - Detachable power cord length and plug type varies by region
Maximum resolution (HDMI)	3840 x 2160 pixels	Operational conditions	
Product colour	Black	Maximum operating temperature	25 °C
Housing material	Aluminium	Storage temperature (T-T)	-10 - 65 °C
LED indicators	✓	Operating relative humidity (H-H)	0 - 85%
Plug and Play	✓	Storage relative humidity (H-H)	0 - 85%
Country of origin	Taiwan	Logistics data	
Compatible products	Available USB-C™ port that supports DisplayPort™ Alt Mode and USB™ Power Delivery 2.0 / 3.0.	Master (outer) case width	280 mm
Power		Master (outer) case length	430 mm
Input voltage	100 - 240 V	Master (outer) case height	235 mm
Input current	1.5 A	Master (outer) case gross weight	7.46 kg
AC input frequency	50 - 60 Hz	Products per master (outer) case	12 pc(s)
Output voltage	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A	Shipping (inner) case width	21.2 cm
System requirements		Shipping (inner) case length	26.9 cm
Windows operating systems supported	✓	Shipping (inner) case height	13 cm
		Shipping (inner) case gross weight	2.32 kg
		Products per shipping (inner) case	4 pc(s)

**System requirements**

Mac operating systems supported ✓

**Technical details**

Warranty period 2 year(s)

**Weight & dimensions**

Width	129 mm
Depth	19.5 mm
Height	105 mm



4712795083743



(01)24712795083747

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.