## SAMSUNG

## Samsung Galaxy A34 5G 16.8 cm (6.6") Hybrid Dual SIM USB Type-C 6 GB 128 GB 5000 mAh Violet

**Brand :** Samsung **Product family:** Galaxy **Product code:** SM-A346BLVAEUB

**Product name:** A34 5G

- 6.6" Display
- Clean Design
- OIS Camera

Galaxy A34 5G

Samsung Galaxy A34 5G . Display diagonal: 16.8 cm (6.6"), Display resolution: 1080 x 2340 pixels. RAM capacity: 6 GB, Internal storage capacity: 128 GB. Rear camera resolution (numeric): 48 MP, Rear camera type: Triple camera. SIM card capability: Hybrid Dual SIM. Battery capacity: 5000 mAh. Product colour: Violet. Weight: 199 g





Display		Network		
Display diagonal * Screen shape Display technology marketing name Panel type	16.8 cm (6.6") Flat Super AMOLED OLED	5G bands supported Wi-Fi Direct MIMO Near Field Communication (NFC)	2600,70 MHz ✓	0,2100,3500,800,2300,3700,1800,900,2500
Display resolution *	1080 x 2340 pixels	Ports & interfaces		
Display number of colours Maximum refresh rate	16 million colours 120 Hz	USB port * USB connector type		<b>√</b> USB Type-C
Processor		USB version		2.0
Processor cores	8	Headphone connectivity		USB Type-C
Storage		Design		
User memory RAM capacity * Internal storage capacity * Compatible memory cards * Maximum memory card size	101 GB 6 GB 128 GB MicroSD (TransFlash) 1 TB	Form factor * Product colour * Colour name International Protection (IP) co	code	Bar Violet Awesome Violet IP67 Water resistant, Dust resistant
Memory card slot type	Hybrid slot	Performance		
Camera	40 MD	Fast charging Fingerprint reader		<b>√</b>
Rear camera resolution (numeric) * Second rear camera resolution (numeric)	48 MP 8 MP	Navigation		•
Third rear camera resolution (numeric)	5 MP	GPS (satellite)		<b>√</b>
		GLONASS		<b>√</b>
Rear camera aperture number	1.8	BeiDou		<b>V</b>
Second rear camera aperture number	1.8 2.2	BeiDou Galileo Quasi-Zenith Satellite System	n	<b>√</b> <b>√</b> <b>√</b>
Second rear camera aperture number Third rear camera aperture number	1.8 2.2 2.4	BeiDou Galileo	1	√ √ √
Second rear camera aperture number Third rear camera aperture number Digital zoom	1.8 2.2 2.4 10x	BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location *	ו	√ √ √
Second rear camera aperture number Third rear camera aperture number Digital zoom Front camera type *	1.8 2.2 2.4 10x Single camera	BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location * Multimedia		
Second rear camera aperture number Third rear camera aperture number Digital zoom Front camera type * Front camera resolution (numeric) *	1.8 2.2 2.4 10x Single camera 13 MP	BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location * Multimedia Speakers		stereo
Second rear camera aperture number Third rear camera aperture number Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Video capture resolution (max)	1.8 2.2 2.4 10x Single camera 13 MP 2.2  ✓ 3840 x 2160 pixels	BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location * Multimedia		
Second rear camera aperture number Third rear camera aperture number Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash *	1.8 2.2 2.4 10x Single camera 13 MP 2.2 ✓	BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location * Multimedia Speakers Audio system		stereo Dolby Atmos 3GA, RTTTL, RTX, MP3, AAC, AWB, WAV, MXMF, IMY, OGA, OGG, XMF,

Camera		Software	
Al scene recognition	✓	Platform *	Android
Network		Battery	
SIM card capability * Mobile network generation * SIM card type * 3G standards * 4G standard * 5G standard * Wi-Fi *	generation * 5G  NanoSIM  UMTS, WCDMA  LTE-TDD & LTE-FDD  Sub6 TDD, Sub6 FDD   802.11a, 802.11g, Wi-Fi 5 (802.11ac), 802.11b, Wi-Fi 4 (802.11n)  on 5.3  orted 900,850,1900,2100 MHz	Battery capacity * Talk time (4G) Browsing time (Wi-Fi) Browsing time (4G) Continuous audio playback time Continuous video playback time	5000 mAh 35 h 22 h 22 h 84 h 21 h
Wi-Fi standards Bluetooth * Bluetooth version 3G bands supported 4G bands supported		Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Gyroscope  Geomagnetic sensor  Hall sensor	1 1 1 1
		Weight & dimensions Width Depth	78.1 mm 8.2 mm
		Height Weight *	161.3 mm 199 g



8806094813883

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.