## Viewsonic PX749-4K data projector Standard throw projector 4000 ANSI lumens 2160p (3840x2160) 3D White

**Brand : Viewsonic** Product code: PX749-4K

**Product name:** PX749-4K

- Designed for Xbox for the ultimate gaming experience
- Immersive audiovisual enjoyment with 4K HDR and Harman-tuned speaker
- Up-to-300" screen size with 4,000 ANSI Lumens to maximize fun at home
- 4.2 ms Ultra-Fast Input & 240 Hz high refresh rate
- Direct big-screen streaming via USB-C
- Flexible installation: 1.3x optical zoom, warping adjustment and side projection capabilities
- 4K, 4000 ANSI, 12000:1, 1.07 B, 1.3X, 240W UHP Lamp, 10W, RJ45, HDMI, RS232, USB, 100-240 V, 3 kg



Projector		Ports & interfaces	
Smart projector *  Screen size compatibility *  Projection distance  Projector brightness *  Projector native resolution *  Contrast ratio (typical) *  Number of colours  Horizontal scan range  V 762 - 7620 mm (30 - 300° 700° 700° 700° 700° 700° 700° 700°	✓ 762 - 7620 mm (30 - 300")	12V trigger ports quantity AC (power) in	1 🗸
		Network	
	2160p (3840x2160) 12000:1 16:9	Smart TV * Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi *	<b>X</b> 1 <b>X</b>
		Storage	
	23 - 240 Hz	Card reader integrated *	×
Keystone correction, horizontal	-40 - 40°	Features	
Keystone correction, vertical <b>Light source</b>	-40 - 40°	Noise level (economic mode) HDCP	28 dB ✓
Light source type * Service life of light source * Service life of light source (economic mode) Lamp type Lamp power	Lamp 4000 h 20000 h UHP 240 W	On Screen Display (OSD)	✓ Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish,
Lamps quantity	1 lamp(s)	Number of OSD languages	24
Lens system		HDCP version	1.4/2.2
Focus * Focal length range	Manual 12 - 15.6 mm	Noise level *	33 dB
Aperture range (F-F)	1.94 - 2.12	Multimedia	
Zoom capability Zoom type	<b>√</b> Manual	Built-in speaker(s) * RMS rated power	<b>√</b> 10 W
Digital zoom	2x	Design	
Optical zoom Throw ratio Offset	1.3x 1.13 - 1.47 120%	Market positioning * Product type * Product colour *	Home cinema Standard throw projector White
Video		Display	
Analog signal format system *	NTSC, PAL	Built-in display *	X
Full HD * 3D *	1	Power	
Supported video modes	480i, 480p, 720p, 1080i, 1080p, 2160p	Power source * Power consumption (typical) *	AC 310 W
Ports & interfaces		Power consumption (standby) *	0.5 W
HDMI connector type	Full-size	AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
HDMI version Service port type	2.0 USB Type-A	Operational conditions	
USB 2.0 ports quantity *	2	Operating temperature (T-T)	0 - 40 °C

Ports & interfaces		Weight & dimensions	
USB 2.0 Type-A ports quantity	1	Width	312 mm
USB 2.0 Type-C ports quantity	1	Depth	222 mm
Serial interface type *	RS-232	Height	108 mm
PC Audio out	✓	Weight *	3 kg
HDMI ports quantity *	2	Package width	415 mm
DVI port *	×	Package depth	297 mm
12V trigger	<b>✓</b>	Package height	168 mm
		Package weight	3.9 kg
		Packaging content	
		Remote control included *	✓
		Cables included	AC, USB Type-C
		Quick start guide	✓
		Warranty card	✓
		Technical details	
		Image lag time	4.2 ms





766907020076

0766907020076

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.