



LG 29WP500-B computer monitor 73.7 cm (29") 2560 x 1080 pixels UltraWide Full HD Black

Brand : LG

Product code: 29WP500-B.AEK

Product name : 29WP500-B

29" UltraWide Full HD 2560x1080 IPS, 21:9, 75Hz, 250cd/m², HDR 10/HDR Effect, HDMI, Headphone out, 688.5 x 405.0 x 223.8 mm, 4.5 kg

LG 29WP500-B. Display diagonal: 73.7 cm (29"), Display resolution: 2560 x 1080 pixels, HD type: UltraWide Full HD, Response time: 5 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	73.7 cm (29")	HDMI ports quantity	2
Display resolution *	2560 x 1080 pixels	Headphone out *	✓
HD type *	UltraWide Full HD	Ergonomics	
Native aspect ratio *	21:9	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Tilt adjustment	✓
Display brightness (typical)	250 cd/m ²	On Screen Display (OSD)	✓
Response time	5 ms	Power	
Screen shape *	Flat	Power consumption (typical) *	22 W
Contrast ratio (typical) *	1000:1	Power consumption (standby) *	0.5 W
Maximum refresh rate *	75 Hz	Power consumption (max)	25 W
Viewing angle, horizontal	178°	Power consumption (off)	0.3 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.7 million colours	AC input frequency	50/60 Hz
Pixel pitch	0.2626 x 0.2628 mm	Power supply type	External
Display diagonal (metric)	73 cm	Packaging content	
High Dynamic Range (HDR) supported	✓	Stand included	✓
High Dynamic Range (HDR) technology	HDR Effect, High Dynamic Range 10 (HDR10)	Weight & dimensions	
Colour gamut standard	sRGB	Width (with stand)	688.5 mm
sRGB coverage (typical)	99%	Depth (with stand)	223.8 mm
Performance		Height (with stand)	405 mm
AMD FreeSync *	✓	Weight (with stand)	4.5 kg
AMD FreeSync type	FreeSync	Width (without stand)	688.5 mm
Brand specific technologies	Black Stabilizer, Crosshair, DAS Mode, Super+ Resolution	Depth (without stand)	76.9 mm
Flicker-free technology	✓	Height (without stand)	313.4 mm
Smart modes	Energy saving	Weight (without stand)	4 kg
Design		Packaging data	
Market positioning *	Business	Package width	822 mm
Product colour *	Black	Package depth	159 mm
Illuminated stand	✗	Package height	413 mm
Feet colour	Black	Package weight	6.6 kg
		Package type	Box

Ports & interfaces

HDMI *

**Sustainability**

Sustainability certificates

RoHS

Technical details

Compliance certificates

RoHS

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-JUN-2024. Prints or copies of Information are only valid on the printed Publication date