



BenQ VS20 InstaShow wireless presentation system HDMI Desktop

Brand : BenQ

Product code: 9H.JRS78.N1E

Product name : VS20 InstaShow

BenQ VS20 InstaShow. Form factor: Desktop, Product colour: Black. Supported graphics resolutions: 800 x 600 (SVGA), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1360 x 768 (WXGA), 1400 x 1050 (SXGA+),..., Supported video modes: 720p, 1080p, Maximum frame rate: 60 fps. Antenna type: External, Antenna gain level (max): 5 dBi. Wi-Fi standards: Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi data rate (max): 867 Mbit/s, Top Wi-Fi standard: Wi-Fi 5 (802.11ac). Interface: HDMI



Design		Ports & interfaces	
Form factor *	Desktop	USB 2.0 ports quantity	1
Product colour	Black	Micro-USB ports quantity	2
LED indicators	✓	DC-in jack	✓
Features		Power	
Supported graphics resolutions	800 x 600 (SVGA), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1360 x 768 (WXGA), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Power source type *	DC
Supported video modes	720p, 1080p	Output voltage	12 V
Maximum frame rate	60 fps	Input current	3 A
Number of simultaneously connected devices (max)	32	Power consumption (max)	11 W
Security updates end date	31/12/2026	System requirements	
Antenna		Windows operating systems supported	✓
Antenna type	External	Mac compatibility	✓
Antenna gain level (max)	5 dBi	Mac operating systems supported	✓
Antennas quantity	4	Linux operating systems supported	✓
Network		Operational conditions	
Wi-Fi standards	Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Operating temperature (T-T)	0 - 40 °C
Wi-Fi data rate (max)	867 Mbit/s	Operating relative humidity (H-H)	10 - 80%
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)	Storage temperature (T-T)	-10 - 60 °C
Frequency band	5 GHz	Storage relative humidity (H-H)	5 - 90%
Ethernet LAN	✓	Weight & dimensions	
Ethernet LAN data rates	10,100 Mbit/s	Weight	630 g
Security algorithms	128-bit AES, SSID, WPA2, WPA2-PSK	Packaging content	
Maximum operating distance	20 m	AC adapter included	✓
Ports & interfaces		Cables included	HDMI
Interface *	HDMI	Quick start guide	✓
HDMI input ports quantity	1		
Number of HDMI outputs	1		

Ports & interfaces

HDMI version 2.0



4718755088889



0840046048754



840046048754

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.