

## Epson EcoTank ET-4810 Inkjet A4 4800 x 1200 DPI 33 ppm Wi-Fi



**Brand :** Epson

**Product family:** EcoTank

**Product code:** C11CK57401

**Product name :** ET-4810

- A4 multifunction printer with ADF and fax Print, copy, scan & fax
- Ultra-low-cost printing Save up to 90% on printing costs
- Up to 72 cartridges in one set of inks Print up to 4,300 pages in black and 7,300 pages in colour<sup>3</sup>
- Hassle-free ink tank system Enjoy mess-free refills with key-lock bottles and front-facing tanks
- Epson Smart Panel app Set up, monitor, print, scan and more, all from your smart device

4800 x 1200 DPI, 20 ppm, 100 - 240 V, 50/60 Hz

Epson EcoTank ET-4810. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 20 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Black

| Printing  |                              | Paper handling                                    |   |
|---|------------------------------|---|---|
| Print technology *                                  | Inkjet                       | ISO A-series sizes (A0...A9) *                    | A4, A5, A6  |
| Printing *  | Colour printing              | ISO B-series sizes (B0...B9)                      | B5, B6  |
| Maximum resolution *                                | 4800 x 1200 DPI              | Non-ISO print media sizes                         | Legal, Letter   |
| Print speed (black, normal quality, A4/US Letter) * | 33 ppm                       | Envelopes sizes                                   | 10, C6, DL  |
| Print speed (colour, normal quality, A4/US Letter)  | 20 ppm                       | Photo paper sizes                                 | 9x13,10x15,13x18  |
| Print speed (ISO/IEC 24734) black                   | 15 ppm                       | Paper tray media weight                           | 64 - 300 g/m <sup>2</sup>   |
| Print speed (ISO/IEC 24734) colour                  | 8 ppm                        |   |   |
| Copying   |                              | Ports & interfaces                                |   |
| Copying *   | Colour copying               | USB port  | ✓   |
| Scanning  |                              | Network   |   |
| Scanning *  | Colour scanning              | Wi-Fi *   | ✓   |
| Optical scanning resolution *                       | 1200 x 2400 DPI              | Ethernet LAN *                                    | ✓   |
| Maximum scan area                                   | 216 x 297 mm                 | Security algorithms                               | 64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA3-SAE                      |
| Scanner type *                                      | ADF scanner                  | Mobile printing technologies                      | Apple AirPrint, Epson Connect, Mopria Print Service   |
| Scan technology                                     | CIS                          |   |   |
| Fax   |                              | Design  |   |
| Faxing *  | Colour faxing                | Product colour *                                  | Black   |
| Fax transmission speed                              | 3 sec/page                   | Market positioning *                              | Home & office   |
| Modem speed   | 33.6 Kbit/s                  | Built-in display *                                | ✓   |
| Fax memory  | 100 pages                    | Display   | LCD   |
| Auto-redialing                                      | ✓                            | Colour display                                    | ✓   |
| Features  |                              | Power   |   |
| Number of print cartridges *                        | 4                            | Power consumption (copying)                       | 12 W  |
| Printing colours *                                  | Black, Cyan, Magenta, Yellow | Power consumption (ready)                         | 7.1 W   |
|   |                              | Power consumption (sleep)                         | 0.9 W   |
|   |                              | Power consumption (off)                           | 0.2 W   |
|   |                              | Energy Star Typical Electricity Consumption (TEC) | 0.14 kWh/week   |
|   |                              | AC input voltage                                  | 100 - 240 V   |
|   |                              | AC input frequency                                | 50 - 60 Hz  |
| Input & output capacity                             |                              | System requirements                               |   |
| Total number of input trays *                       | 1                            | Windows operating systems supported               | Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Vista                                  |
| Total input capacity *                              | 100 sheets                   | Mac operating systems supported                   | Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura |
| Total output capacity *                             | 100 sheets                   | Server operating systems supported                | Windows Server 2003 R2, Windows Server 2012 R2, Windows Server 2016                           |
| Auto document feeder (ADF)                          | ✓                            |   |   |
| Auto document feeder (ADF) input capacity           | 30 sheets                    |   |   |
| Paper handling                                      |                              |   |   |
| Maximum ISO A-series paper size *                   | A4                           |   |   |
| Paper tray media types *                            | Photo paper, Plain paper     |   |   |

#### **Weight & dimensions**

|        |        |
|--------|--------|
| Width  | 375 mm |
| Depth  | 347 mm |
| Height | 237 mm |
| Weight | 5.2 kg |



8715946706702

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.