



TP-Link 5G AX3000 Wi-Fi 6 Telephony Router

Brand : TP-Link

Product code: NX510V

Product name : 5G AX3000 Wi-Fi 6 Telephony Router

1 GHz Dual-Core CPU, 3 x 10/100/1000 Mbps RJ45, 2.4/5 GHz, 802.11ax, 3G/4G/5G, 99 x 99 x 192mm TP-Link 5G AX3000 Wi-Fi 6 Telephony Router. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 3000 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Cabling technology: 10/100/1000Base-T(X). Mobile network generation: 5G, 3G standards: DC-HSDPA, HSDPA, HSPA+, HSUPA, WCDMA, 4G standard: LTE-TDD & LTE-FDD. Product type: Tabletop router, Product colour: White, LED indicators: LAN, LTE, Status



WAN connection		Management features	
Ethernet WAN *	✓	Quality of Service (QoS) support	✓
DSL WAN *	✓	Security	
SIM card slot *	✓	Parental control	✓
3G/4G USB modem compatibility *	✓	Design	
WAN connection type	RJ-45	Product colour	White
Wireless LAN features		LED indicators	LAN, LTE, Status
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Product type *	Tabletop router
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Packaging content	
WLAN data transfer rate (max) *	3000 Mbit/s	Cables included	LAN (RJ-45)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	AC adapter included	✓
WLAN data transfer rate (first band)	574 Mbit/s	Quick start guide	✓
WLAN data transfer rate (second band)	2402 Mbit/s	Antenna	
Network		Antenna design *	Internal & external
Ethernet LAN *	✓	Features	
Ethernet LAN interface type *	Gigabit Ethernet	Built-in processor	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Processor frequency	1000 MHz
Cabling technology	10/100/1000Base-T(X)	Processor cores	2
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11g, IEEE 802.11k, IEEE 802.11n, IEEE 802.11r, IEEE 802.11v	Certification	CE, RoHS
Port forwarding	✓	Power	
Dynamic DNS (DDNS)	✓	Power source type *	AC
Mobile network		AC input voltage	100 - 240 V
Mobile network generation	5G	AC input frequency	50/60 Hz
3G standards	DC-HSDPA, HSDPA, HSPA+, HSUPA, WCDMA	Output voltage	12 V
4G standard	LTE-TDD & LTE-FDD	Output current	2 A
Ports & interfaces		Operational conditions	
Ethernet LAN (RJ-45) ports *	3	Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-40 - 70 °C
		Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	5 - 90%

Ports & interfaces		Weight & dimensions	
USB port *	✘	Width	99 mm
DC-in jack	✔	Depth	99 mm
		Height	192 mm



4897098686874

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-JUN-2024. Prints or copies of Information are only valid on the printed Publication date