

ViewSonic IFP7550-5F interactive whiteboard 190.5 cm (75") 3840 x 2160 pixels Touchscreen Black HDMI

Brand : Viewsonic

Product code: IFP7550-5F

Product name : IFP7550-5F



- Ultra Fine Touch Technology offering up to 40-point touch for a pen-on-paper writing experience
- myViewBoard Whiteboard software with engaging classroom tools
- Screen share via USB-C or wirelessly via myViewBoard Display and ViewBoard Cast with Airplay and Chromecast
- Intuitive remote device control and multimedia broadcast with myViewBoard Manager
- Android 11 OS powered by an octa-core CPU for optimized efficiency and security

75", 16:9, UHD 3840x2160, 8GB, 64GB, HDMI, RS232, OPS, WiFi, RJ45, USB, 15W x 2 + 16W x 1, Android 11
ViewSonic IFP7550-5F. Display diagonal: 190.5 cm (75"), Working area: 1650.24 x 928.26 mm, Display brightness: 400 cd/m². Operating system installed: Android 11, Processor architecture: ARM Cortex-A73, Processor frequency: 1.5 GHz. Speaker power: 20 W, Subwoofer RMS power: 15 W. Ethernet LAN data rates: 10,100 Mbit/s. Interface: HDMI, USB connector type: USB Type-A, USB Type-B, Headphone connectivity: 3.5 mm

| Display | | Ports & interfaces | |
|------------------------------------|-----------------------|---|------------------------|
| Display diagonal * | 190.5 cm (75") | USB connector type | USB Type-A, USB Type-B |
| Display brightness | 400 cd/m ² | HDMI ports quantity | 3 |
| Display number of colours | 1.07 billion colours | HDMI version | 2.0 |
| Display resolution | 3840 x 2160 pixels | RGB ports quantity | 1 |
| HD type | 4K Ultra HD | Ethernet LAN (RJ-45) ports | 1 |
| Panel type | LCD | OPS slot | 1 |
| LED backlighting type | Direct-LED | Headphone connectivity | 3.5 mm |
| Native aspect ratio | 16:9 | RS-232 ports | 1 |
| Contrast ratio (typical) | 1200:1 | Ergonomics | |
| Contrast ratio (dynamic) | 5000:1 | Product colour | Black |
| Response time | 8 ms | VESA mounting | ✓ |
| Touchscreen * | ✓ | Panel mounting interface | 800 x 400 mm |
| Touch technology | Multi-touch | Mean time between failures (MTBF) | 30000 h |
| Touchscreen type | Infrared | cTUVus, FCC/ICES003, Energy Star 8.0, EMC/CE, CB/LVD, GOST-R/EAC, UkrSEPRO, EPEAT, Mexico NOM, Mexico Energy, UKCA, UK-EEL, BSMI, BIS, LBL(Low Blue Light Certification), Flicker Free, Green BOM, RoHS, ErP-Eco, REACH, SCIP, WEEE, TPCH, Packing waste, CA65, PAIA | |
| Number of simultaneous touchpoints | 20 | Certification | |
| Touch resolution | 32768 x 32768 pixels | Power | |
| Viewing angle, horizontal | 178° | Power consumption (typical) | 135 W |
| Viewing angle, vertical | 178° | Power consumption (off) | 0.5 W |
| Working area * | 1650.24 x 928.26 mm | AC input voltage | 100 - 240 V |
| Computer system | | Operational conditions | |
| Operating system installed | Android 11 | Operating temperature (T-T) | 0 - 40 °C |
| Built-in processor | ✓ | Operating relative humidity (H-H) | 10 - 90% |
| Processor architecture | ARM Cortex-A73 | Weight & dimensions | |
| Processor frequency | 1.5 GHz | Width * | 1710 mm |
| Processor cores | 4 | Depth | 90 mm |
| Maximum internal memory | 64 GB | Height * | 1020 mm |
| RAM capacity | 8 GB | Weight | 53.9 kg |
| Audio | | Packaging data | |
| Built-in speaker(s) * | ✓ | Package width | 1930 mm |
| Number of built-in speakers | 2 | Package depth | 280 mm |
| Speaker power | 20 W | | |
| Built-in subwoofer | ✓ | | |
| Subwoofer RMS power | 15 W | | |
| Projector | | | |
| Built-in projector * | ✗ | | |

| Network | | Packaging data | |
|---|---------------|----------------------------|---------------|
| Ethernet LAN | ✓ | Package height | 1140 mm |
| Ethernet LAN data rates | 10,100 Mbit/s | Package weight | 71.9 kg |
| Ports & interfaces | | Quantity per pack | 1 pc(s) |
| Interface | HDMI | Packaging content | |
| HDCP | ✓ | Cables included | AC, HDMI, USB |
| HDCP version | 2.2 | Remote control included | ✓ |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity | 4 | Mounting kit | ✓ |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A Touch ports quantity | 2 | Batteries included | ✓ |
| USB 2.0 ports quantity | 3 | Mounting brackets included | ✓ |
| | | Quick start guide | ✓ |
| | | Stylus included | ✓ |
| | | Logistics data | |
| | | Country of origin | China |



0766907022223



766907022223

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.