



**Fujitsu LIFEBOOK U9313X Intel® Core™ i7 i7-1370P Hybrid (2-in-1)  
33.8 cm (13.3") Touchscreen Full HD 16 GB LPDDR5-SDRAM 512  
GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Silver, White**

**Brand :** Fujitsu

**Product family:** LIFEBOOK

**Product code:**  
VFY:U9X13MF7DMGB

**Product name :** U9313X



Intel Core i7-1370P (24MB Cache), 16GB LPDDR5-SDRAM, 512GB SSD, 33.8 cm (13.3") Full HD 1920 x 1080 IPS Touch, Intel Iris Xe Graphics, LAN, WLAN, Webcam, Windows 11 Pro 64-bit

Fujitsu LIFEBOOK U9313X Intel® Core™ i7 i7-1370P Hybrid (2-in-1) 33.8 cm (13.3") Touchscreen Full HD 16 GB LPDDR5-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Silver, White:

**Ultra-slim and lightweight Convertible**

The very slim and light housing make it very comfortable to carry the device. Thanks to its convertibility, it can be immediately turned from a Notebook to a Tablet - and back



**Security at its best**

No compromises in security and data protection - the integrated PalmSecure™ sensor turns your unique palm vein pattern into your personal key

**Excellent connectivity and usability**

All ports are full-sized - even the LAN port. No adapters, that can be lost and cause additional costs, needed

**Convenient mobility supporting usage on the go**

Highest productivity on business trips without empty batteries or waste of time



<b>Design</b>		<b>Camera</b>	
Product type *	Hybrid (2-in-1)	Infrared (IR) camera	✓
Product colour *	Silver, White	Rear camera	✓
Form factor *	Convertible (Folder)	Rear camera resolution (numeric)	13 MP
Housing material	Magnesium	<b>Network</b>	
<b>Display</b>		Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)
Display diagonal *	33.8 cm (13.3")	Wi-Fi standards	Wi-Fi 6E (802.11ax)
Display resolution *	1920 x 1080 pixels	WLAN controller model	Intel Wi-Fi 6E AX211
Touchscreen *	✓	WLAN controller manufacturer	Intel
HD type	Full HD	Ethernet LAN	✓
Panel type	IPS	Ethernet LAN data rates	10,100,1000 Mbit/s
LED backlight	✓	Bluetooth	✓
Native aspect ratio	16:9	Bluetooth version	5.2
Display brightness	400 cd/m <sup>2</sup>	<b>Ports &amp; interfaces</b>	
Contrast ratio (typical)	1500:1	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
<b>Processor</b>		Ethernet LAN (RJ-45) ports	1
Processor manufacturer *	Intel	HDMI ports quantity *	1
Processor family *	Intel® Core™ i7	HDMI version	2.0
Processor generation	13th gen Intel® Core™ i7	Thunderbolt 4 ports quantity	2
Processor model *	i7-1370P	Intel® Thunderbolt 4	✓
Processor cores	14	Combo headphone/mic port	✓
Processor boost frequency	5.2 GHz	USB Power Delivery	✓
Performance cores	6	<b>Performance</b>	
Efficient cores	8	Electronic compass	✓
Performance-core Max Turbo Frequency	5.2 GHz	Ambient light sensor	✓
Efficient-core Max Turbo Frequency	3.9 GHz	Accelerometer	✓
Processor cache	24 MB	Gyroscope	✓
Processor cache type	Smart Cache		
Processor base power	28 W		

<b>Processor</b>		<b>Keyboard</b>	
Maximum turbo power	64 W	Numeric keypad *	✗
<b>Memory</b>		Keyboard backlit	✓
Internal memory *	16 GB	<b>Software</b>	
Internal memory type	LPDDR5-SDRAM	Operating system architecture	64-bit
Maximum internal memory *	32 GB	Operating system installed *	Windows 11 Pro
<b>Storage</b>		<b>Battery</b>	
Total storage capacity *	512 GB	Battery technology	Lithium Polymer (LiPo)
Storage media *	SSD	Number of battery cells	4
Total SSDs capacity	512 GB	Battery capacity *	64 Wh
Number of SSDs installed	1	Battery life (max)	14 h
SSD capacity	512 GB	Fast charging	✓
Optical drive type *	✗	<b>Power</b>	
Card reader integrated	✓	AC adapter power	65 W
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC	AC adapter frequency	50/60 Hz
<b>Graphics</b>		AC adapter input voltage	100 - 240 V
Discrete graphics card model *	Not available	<b>Security</b>	
On-board graphics card *	✓	Cable lock slot	✓
Discrete graphics card *	✗	Cable lock slot type	Kensington
On-board graphics card family	Intel Iris Xe Graphics	Smart card reader	✓
On-board graphics card model *	Intel Iris Xe Graphics	<b>Operational conditions</b>	
<b>Audio</b>		Operating temperature (T-T)	5 - 35 °C
Audio chip	Realtek ALC257	Storage temperature (T-T)	-10 - 60 °C
Number of built-in speakers	2	Operating relative humidity (H-H)	20 - 80%
Built-in microphone	✓	Storage relative humidity (H-H)	20 - 80%
Number of microphones	2	<b>Weight &amp; dimensions</b>	
<b>Camera</b>		Width	308.6 mm
Front camera	✓	Depth	209 mm
Front camera resolution (numeric)	2 MP	Height	16.9 mm
		Weight *	990 g

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-JUN-2024. Prints or copies of Information are only valid on the printed Publication date