

Viewsonic LS740W data projector Standard throw projector 5000 ANSI lumens WXGA (1200x800) White



Brand : Viewsonic

Product code: LS740W

Product name : LS740W

- 3rd generation laser phosphor technology with up to a 30,000-hour lifespan
 - 5,000 ANSI Lumens offering bright images in any environment
 - Up to 300" ultra large screen with lower cost-per-inch
 - Compact size and light weight reducing cost of transportation and installation
 - Installation flexibility: 1.3x optical zoom, H/V keystone, 360° projection, and portrait mode
- Full HD, 4200 ANSI, 3000000:1, 1.07 B, 2, 15W x2, RJ45, HDMI, Audio-out, RS232, USB, 100-240 V, 4.5 kg
Viewsonic LS740W. Projector brightness: 5000 ANSI lumens, Projector native resolution: WXGA (1200x800), Contrast ratio (typical): 3000000:1. Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Fixed focal length: 7.51 mm, Zoom type: Manual. Analog signal format system: NTSC, PAL, SECAM, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI connector type: Full-size, Service port type: USB Type-A

Projector		Network	
Smart projector *	✗	Wi-Fi *	✗
Screen size compatibility *	1016 - 7620 mm (40 - 300")	Storage	
Projection distance	0.43 - 3.25 m	Card reader integrated *	✗
Projector brightness *	5000 ANSI lumens	Features	
Projector native resolution *	WXGA (1200x800)	Interactive *	✗
Contrast ratio (typical) *	3000000:1	Noise level (economic mode)	29 dB
Native aspect ratio *	16:9	HDCP	✓
Number of colours	1.07 billion colours	On Screen Display (OSD)	✓
Horizontal scan range	15 - 102 kHz	On Screen Display (OSD) languages	Danish, German, Hungarian, Arabic, Dutch, Norwegian, English, Indonesian, Swedish, Spanish, Italian, Polish, Thai, Japanese, Portuguese, Turkish, Romanian, Simplified Chinese, Finnish, Korean, Russian, Vietnamese, Traditional Chinese, French, Greek, Czech, Slovak
Vertical scan range	23 - 120 Hz	Number of OSD languages	27
Keystone correction, horizontal	-15 - 15°	HDCP version	1.4/2.2
Keystone correction, vertical	-15 - 15°	Noise level *	32 dB
Light source		Multimedia	
Light source type *	Laser	Built-in speaker(s) *	✓
Service life of light source *	20000 h	RMS rated power	30 W
Service life of light source (economic mode)	30000 h	Number of built-in speakers	2
Lens system		Design	
Focus *	Manual	Market positioning *	Business
Fixed focal length	7.51 mm	Product type *	Standard throw projector
Fixed aperture	2.8	Product colour *	White
Zoom capability	✓	Cable lock slot	✓
Zoom type	Manual	Cable lock slot type	Kensington
Digital zoom	2x	Display	
Throw ratio	0.49	Built-in display *	✗
Offset	132%	Power	
Video		Power source *	AC
Analog signal format system *	NTSC, PAL, SECAM	Power consumption (typical) *	245 W
Full HD *	✓	Power consumption (standby) *	0.5 W
3D *	✗	AC input voltage	100 - 240 V
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p	AC input frequency	50 - 60 Hz
Ports & interfaces			
HDMI connector type	Full-size		
HDMI version	2.0		
Service port type	USB Type-A		
USB 2.0 ports quantity *	1		

Ports & interfaces		Operational conditions	
USB 2.0 Type-A ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Serial interface type *	RS-232	Weight & dimensions	
PC Audio out	✓	Width	337 mm
HDMI ports quantity *	2	Depth	265 mm
DVI port *	✗	Height	131.5 mm
AC (power) in	✓	Weight *	4.5 kg
Network		Package width	496 mm
Smart TV *	✗	Package depth	195 mm
Ethernet LAN *	✓	Package height	387 mm
Ethernet LAN (RJ-45) ports	1	Package weight	6.6 kg
Packaging content			
		Remote control included *	✓
		Quick start guide	✓
		Warranty card	✓
Technical details			
		Image lag time	49.9 ms
Logistics data			
		Quantity per pack	1 pc(s)



0766907022599



766907022599

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.