Canon

Canon PIXMA TS7450i BK inkjet printer Colour 4800 x 1200 DPI A4 Wi-Fi

Brand : Canon **Product family:** PIXMA **Product code:** 5449C008

Product name : PIXMA TS7450i
BK

Canon PIXMA TS7450i Wireless Colour 3-in-One Inkjet Photo Printer

Canon PIXMA TS7450i BK inkjet printer Colour 4800 x 1200 DPI A4 Wi-Fi:

The Canon PIXMA TS7450i is the perfect fit for versatile home use and effective home working: print, scan and copy from any device. It's so easy to connect and operate using the Canon PRINT app: this all-in-one home printer offers mobile printing at its best. Stylish, affordable and simple to use, the PIXMA TS7450i offers the ability to print on many kinds of media from your computer, tablet or smartphone: print on photo paper, iron-on transfers, magnetic paper or restickable paper. With ADF technology, you can scan and copy multiple sheets in double-quick time, making home working faster and simpler. When work is over, the PIXMA TS7450i is as inventive as you are; it's ideal for artistic endeavours with children, or even for the big kid in you. This printer is compatible with the PIXMA Print Plan, a monthly subscription for inks based on pages printed.

Features

Duplex printing *	✓
Duplex printing mode	Auto
Printing colours *	Black, Cyan, Magenta, Yellow
Ink tank system	✗
Ink type	Dye-based ink
Colour *	✓
Number of print cartridges *	2

Printing

Print resolution black	4800 x 1200 DPI
Print speed (colour, draft quality, A4/US Letter)	6.8 ppm
Maximum resolution *	4800 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	13 ppm
Borderless printing	✓

Input & output capacity

Input capacity for envelopes (primary tray)	100 sheets
Total number of input trays *	2
Total input capacity *	100 sheets
Maximum number of input trays *	2
Multi-Purpose tray	✓
Manual feeder	✓
Maximum input capacity	200 sheets
Maximum output capacity	99 sheets

Power

Power consumption (max)	14 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

System requirements

Recommended system requirements	Display: 1024 x 768 XGA Installation: Internet, CD-ROM(Windows)
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8.1
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura

Weight & dimensions

Width	403 mm
Depth	364 mm
Height	206 mm
Weight	8.2 kg

Packaging data

Cartridge(s) included	✓
Cables included	AC
Power cord included	✓
Manual	✓
Package width	281 mm
Package depth	477 mm
Package height	526 mm

Paper handling

Paper handling	Plain Paper, Canon High Resolution Paper (HR-101N), Canon Pro Platinum (PT-101), Canon Plus Glossy II (PP-201), Canon Pro Luster (LU-101), Canon Plus Semi-gloss (SG-201), Canon ""Everyday Use"" (GP-501), Canon Matte (MP-101), T-Shirt Transfer Envelopes Removable Photo Stickers (RP-101), Magnetic Photo Paper (MG-101), Cardstock, Canon Red Label Superior (WOP111), Canon Oce Office Colour Paper (SAT213), Double sided Matte (MP-101D), Light Fabric Iron-on transfers (LF-101), Dark Fabric Iron-on transfers (DF-101)
Custom media sizes	width 55mm - 215.9 mm, length 89mm - 676mm
Maximum print size	215.9 x 676 mm
Maximum ISO A-series paper size *	A4
Paper tray media types *	Art paper, Glossy paper, High resolution paper, Iron-On Transfers, Matte paper, Photo paper, Plain paper, Recycled paper, Semi-glossy paper
ISO A-series sizes (A0...A9) *	A4, A5
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Legal, Letter
Envelopes sizes	Com-10, DL
Paper tray media weight	64 - 105 g/m²

Ports & interfaces

USB port *	✓
USB 2.0 ports quantity	1
PictBridge	✓
Direct printing	✓

Network

Ethernet LAN *	✗
Wi-Fi *	✓
Wi-Fi Direct *	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Near Field Communication (NFC)	✗
Bluetooth	✗
Security algorithms	WEP, WPA-PSK, WPA2-PSK
Mobile printing technologies	Apple AirPrint, Canon Easy-PhotoPrint, Canon PRINT Business, Mopria Print Service, PIXMA Cloud Link

Design

Market positioning *	Home & office
Product colour *	Black
Built-in display *	✓
Display	OLED
Control type	Buttons
Country of origin	Vietnam

Power

Power consumption (printing) *	14 W
Power consumption (off)	0.3 W
Power consumption (standby)	0.9 W
Power consumption (ready)	0.9 W

Packaging data

Package weight	10.2 kg
Packaging content	PIXMA TS7450i Inkjet Printer, Black FINE cartridges Sample of three 13 x 13 cm PP-201 high quality photo paper

Technical details

Expanded Polystyrene (EPS) packaging weight	194 g
Paper packaging weight	1.14 kg
Plastic packaging weight	110 g

Logistics data

Master (outer) case gross weight	10.2 kg
Master (outer) case length	477 mm
Master (outer) case width	281 mm
Master (outer) case height	526 mm
Products per master (outer) case	1 pc(s)
Products per pallet (UK)	32 pc(s)
Pallet weight (UK)	329.9 kg
Pallet length (UK)	113.2 cm
Pallet width (UK)	96.2 cm
Pallet height (UK)	2.11 m
UK Trade Tariff code	8443310000

Other features

Scanner features	Flatbed, ADF and CIS colour
All-in-one functions	Copy, Print, Scan
Scan speed (black, normal quality)	Colour: RGB each 16bit/8bit; Greyscale: 16 bit / 8 bit
Compatible ink types, supplies	PG-560 (Black), CL-561 (Colour), PG-560XL (Black), CL-561XL (Colour)
Printer smart software features	MP Driver including Scanning Utility, Easy-PhotoPrint Editor (download)
Duplex print options	A4, A5, B5, Letter - plain paper
Colour printing technology	Inkjet
Maximum scan size	216 x 297 mm
Optical scanning resolution	1200 x 2400 DPI
Print technology	Inkjet
Maximum number of copies	99 copies
Functions	Wi-Fi, Print, Copy, Scan, Cloud
Copy speed (colour, normal quality, A4)	4 cpm
Wireless technology	Canon PRINT Inkjet/SELPHY app, Easy-PhotoPrint Editor, PIXMA Cloud Link, Canon Print Service Plugin (Android), Apple AirPrint, Wireless Direct, WLAN PictBridge, Mopria (Android)
Maximum scan resolution	1200 x 2400 DPI

4549292192520