## Samsung QBC QB24C Digital signage flat panel 60.5 cm (23.8") LED Wi-Fi 250 cd/m<sup>2</sup> Full HD Black Built-in processor Tizen 7.0 16/7

Brand : Samsung

Product family: QBC

Product code: LH24QBCEBGCXEN

## Product name : QB24C

23.8", ADS, FHD (1920 x 1080), 250 nit, 1000:1, 178/178, 14 ms, WiFi, Bluetooth, RJ-45, HDCP, HDMI, RS232, AC 100-240V, 50/60Hz, 547.9 x 334.4 x 31.8 mm, 3 kg

Samsung QBC QB24C. Product design: Digital signage flat panel. Display diagonal: 60.5 cm (23.8"), Display technology: LED, Display resolution: 1920 x 1080 pixels, Display brightness: 250 cd/m<sup>2</sup>, HD type: Full HD. Wi-Fi. Operating hours (hours/days): 16/7. Operating system installed: Tizen 7.0. Product colour: Black





Display		Design	
Panel type	ADS	Bezel width (top)	1.79 cm
Display diagonal *	60.5 cm (23.8")	Bezel colour	Black
Display technology *	LED	Performance	
Display resolution *	1920 x 1080 pixels	Purpose *	Universal
Display brightness *	250 cd/m <sup>2</sup>	Operating hours (hours/days)	16/7
HD type *	Full HD	HDCP	<b>↓</b>
Touchscreen *	×	HDCP version	2.2
Response time	14 ms		
Contrast ratio (typical)	1000:1	Power	
Dynamic contrast ratio marketing name	Mega Contrast	Power consumption (typical) * Power consumption (sleep)	38.5 W 0.5 W
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°	AC input voltage	100-240 V
Pixel pitch	0.2745 x 0.2745 mm	AC input frequency	50-60 Hz
Horizontal scan range	56 - 84.5 kHz	Computer system	
Vertical scan range	48 - 75 Hz	Computer system *	1
Haze rate	25%	Computer system type	System on Chip (SoC)
RGB colour space	NTSC	Built-in processor *	1
Colour gamut	72%	Operating system installed	Tizen 7.0
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	1	Display width	547.9 mm
HDMI version	1.4	Display depth	31.8 mm
HDMI input ports quantity	1	Display height	334.4 mm
DVI port *	×	Display weight	3 kg
USB port *	1	Packaging data	
USB ports quantity	1	Package width	620 mm
Ethernet LAN *	1	Package depth	122 mm
Ethernet LAN (RJ-45) ports	1	Package height	419 mm
Wi-Fi *	1	Package volume	4100 cm³
RS-232 interface	1		
	•	Operational conditions	
Infrared data port	4	Operational conditions	0 - 40 °C
Remote (IR) input	•	Operating temperature (T-T)	0 - 40 °C 10 - 80%
•	4	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 10 - 80%
Remote (IR) input Design Product design *	1 Digital signage flat panel	Operating temperature (T-T) Operating relative humidity (H-H) Certificates	10 - 80%
Remote (IR) input Design Product design * Product colour *	1 Digital signage flat panel Black	Operating temperature (T-T) Operating relative humidity (H-H) <b>Certificates</b> Certification	
Remote (IR) input Design Product design * Product colour * Screen shape	1 Digital signage flat panel Black Flat	Operating temperature (T-T) Operating relative humidity (H-H) Certificates Certification Technical details	10 - 80% Class B
Remote (IR) input Design Product design * Product colour * Screen shape VESA mounting *	Digital signage flat panel Black Flat	Operating temperature (T-T) Operating relative humidity (H-H) <b>Certificates</b> Certification	10 - 80%
Remote (IR) input Design Product design * Product colour * Screen shape	1 Digital signage flat panel Black Flat	Operating temperature (T-T) Operating relative humidity (H-H) Certificates Certification Technical details	10 - 80% Class B

## Design

Bezel width (side)

9.4 mm

## Other features

Bluetooth
Flash memory
RS-232 input ports
RJ-45 input ports

✓
8000 MB
1
1



8806095204994

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.