Samsung Galaxy Tab S9 FE 5G Samsung Exynos LTE 128 GB 27.7 cm (10.9") 8 GB Wi-Fi 6 (802.11ax) Android 13 Grey

Brand : Samsung

Product family: Galaxy Tab S9 Product code: SM-

X516BZAAEUB

Product name : FE

- 10.9" 90Hz LCD Display

- The families most useful S Pen
- Powerful Exynos 1380 processor for fast multi-tasking

SM-X516BZAAEUB

Samsung Galaxy Tab S9 FE. Display diagonal: 27.7 cm (10.9"), Display resolution: 2304 x 1440 pixels, Display technology: LCD. Internal storage capacity: 128 GB. Processor family: Samsung Exynos, Processor model: 1380. Internal memory: 8 GB. Rear camera resolution (numeric): 8 MP, Front camera resolution (numeric): 12 MP. Top Wi-Fi standard: Wi-Fi 6 (802.11ax). Assisted GPS (A-GPS). Card reader integrated. Weight: 524 g. Operating system installed: Android 13. Product colour: Grey





. **.**..

Display		Battery	
Display diagonal * Display resolution * Display technology Panel type Display brightness Display glass type Anti-glare screen Pixel density HD type Native aspect ratio Display number of colours Processor	27.7 cm (10.9") 2304 x 1440 pixels LCD TFT 600 cd/m ² Gorilla Glass X 249 ppi WUXGA+ 16:10 16 million colours	Battery included Battery capacity * Number of battery cells Battery voltage Battery weight Fast charging Battery recharge time Battery life (max) Continuous video playback time Continuous audio playback time Browsing time (Wi-Fi) Browsing time (4G)	 8000 mAh 2 10 V 117.5 g 1.48 h 18 h 18 h 113 h 16 h 16 h
Processor manufacturer *	Samsung	Rechargeable battery Battery level indicator	4
Processor family * Processor model *	Samsung Exynos 1380	Power	
Processor cores Processor code	8 1380	AC adapter power	45 W
Memory		Weight & dimensions	25.4.2
Internal memory *	8 GB	Width Depth	254.3 mm 6.5 mm
	0 GD	Height	165.8 mm
Storage Internal storage capacity * Card reader integrated * Compatible memory cards Maximum memory card size	128 GB ✓ MicroSD (TransFlash) 1 TB	Weight Package width Package depth Package height Package weight	524 g 273.9 mm 184.5 mm 21.4 mm 790 g
Graphics		Packaging content	
Graphics card	Mali-G68	Keyboard included	×
Audio		Stylus pen	4
Built-in speaker(s) Built-in microphone Number of built-in speakers Speakers manufacturer	2 AKG	Cables included Headphones included Quick start guide Warranty card	USB ★ ✓
Audio system	Dolby Atmos	Supplier features	
		Number of packages	1

Camera			Logistics data	
Rear camera		1	Products per shipping (inner) case	1 pc(s)
Rear camera type *		Single camera	Shipping (inner) cases per master (outer) case	10 pc(s)
Rear camera resolution (numeric) *		8 MP	Shipping (inner) case length	27.4 cm
Rear camera aperture number		1.9	Shipping (inner) case width	18.4 cm
Built-in camera Bear camera field of view (EOV)		1	Shipping (inner) case height	2.14 cm
Rear camera field of view (FOV) angle		75°	Quantity per pack	1 pc(s)
Digital zoom		4x	Pallet net height	120 cm
Auto focus		1	Pallet net length	115.8 cm
Panorama		1	Pallet net width	80 cm
Rear camera flash		×	Pallet net weight	412 kg
Video recording		4	Pallet weight (US)	412 kg
Maximum video resolution		3840 x 2160 pixels	Layers per pallet (US)	5 pc(s)
Resolution at capture speed		3840x2160@30fps	Master (outer) cases per pallet layer	10 pc(s)
Face detection		1	(US)	
Front camera *		4	Products per pallet (US)	500 pc(s)
Second camera resolution		12 MP	Pallet gross width	120 cm
Front camera resolution (numeric)		12 MP	Pallet gross length	80 cm
Front camera aperture number		2.4	Pallet gross height	115.8 cm
Front camera field of view (F	OV)	120°	Pallet gross weight Products per pallet	412 kg
angle			Products per pallet laver	500 pc(s)
Network	5G		Products per pallet layer Layers per pallet	100 pc(s) 5 pc(s)
Mobile network generation Mobile network connection *	5G ✔		Master (outer) cases per pallet layer	•
4G standard	LTE		Master (outer) case width	282 mm
Bluetooth	√		Master (outer) case length	226 mm
Bluetooth version Top Wi-Fi standard *	5.3 Wi-Fi 6 (8	802.11ax)	Master (outer) case height	201 mm
Wi-Fi standards	802.11a,	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5	Master (outer) case gross weight	8.24 kg
Wi-Fi Direct	(802.11a	ic), Wi-Fi 6 (802.11ax)	Products per master (outer) case	10 pc(s)
Near Field Communication (NFC)	x		Harmonized System (HS) code	8471300000
4G LTE	1			
			Other features	
3G bands supported	850,900,	1900,2100 MHz 850,900,1500,1800,1900,2100,2300,2500,2600	Other features	4200
	850,900, 700,800, MHz	850,900,1500,1800,1900,2100,2300,2500,2600	Bluetooth profiles	A2DP
3G bands supported	850,900, 700,800, MHz		Bluetooth profiles SIM card support	×
3G bands supported 4G bands supported	850,900, 700,800, MHz 700,800,	850,900,1500,1800,1900,2100,2300,2500,2600	Bluetooth profiles SIM card support Package dimensions (WxDxH)	X 273.9 x 184.5 x 21.4 mm
3G bands supported 4G bands supported 5G bands supported	850,900, 700,800, MHz 700,800, MHz	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight	X 273.9 x 184.5 x 21.4 mm 8.7 g
3G bands supported 4G bands supported 5G bands supported Dual SIM support	850,900, 700,800, MHz 700,800, MHz	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH)	X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type	850,900, 700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type	X 273.9 x 184.5 x 21.4 mm 8.7 g
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces	850,900, 700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off)	X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit	850,900, 700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off)	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in	850,900, 700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright)	<pre>X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m²</pre>
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity	850,900, 700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 × Bluetooth	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers	<pre>X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo</pre>
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port	850,900, 700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 × Bluetooth	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi	X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port	850,900, 700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 × Bluetooth ×	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control	X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantif Microphone in Headphone connectivity Combo headphone/mic port Design Device type *	850,900, 700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor *	850,900, 700,800, MHz 700,800, MHz VanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 Sluetooth Mobile tablet Slate	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantif Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP)	850,900, 700,800, MHz 700,800, MHz VanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) of Performance	850,900, 700,800, MHz 700,800, MHz VanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time	 × 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h
3G bands supported 4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Device type * Form factor * Product colour * International Protection (IP) Assisted GPS (A-GPS) *	850,900, 700,800, MHz 700,800, MHz VanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT
3G bands supported 4G bands supported 5G bands supported SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Device type * Form factor * Product colour * International Protection (IP) Assisted GPS (A-GPS) * GLONASS	850,900, 700,800, MHz 700,800, MHz VanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels
3G bands supported 4G bands supported 5G bands supported SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Device type * Form factor * Product colour * International Protection (IP) Assisted GPS (A-GPS) * GLONASS BeiDou	850,900, 700,800, MHz 700,800, MHz VanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg
3G bands supported 4G bands supported 5G bands supported 5G bands supported SIM card type Ports & interfaces USB 2.0 Type-C ports quantia Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite)	850,900, 700,800, MHz 700,800, MHz VanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓
3G bands supported 4G bands supported 5G bands supported 5IM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo	850,900, 700,800, MHz 700,800, MHz NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included Batteries included	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg
3G bands supported 4G bands supported 5G bands supported 5G bands supported SIM card type Ports & interfaces USB 2.0 Type-C ports quantia Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite)	850,900, 700,800, MHz 700,800, MHz NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included Batteries included	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓
3G bands supported 4G bands supported 5G bands supported 5IM card type Ports & interfaces USB 2.0 Type-C ports quantia Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) of Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo Quasi-Zenith Satellite Syster	850,900, 700,800, MHz 700,800, MHz NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof	 × 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓
3G bands supported 4G bands supported 5G bands supported SIM card type Ports & interfaces USB 2.0 Type-C ports quantia Microphone in Headphone connectivity Combo headphone/mic port Device type * Form factor * Product colour * International Protection (IP) Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo Quasi-Zenith Satellite Syster	850,900, 700,800, MHz 700,800, MHz NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓
3G bands supported 4G bands supported 5G bands supported SIM card type Ports & interfaces USB 2.0 Type-C ports quantia Microphone in Headphone connectivity Combo headphone/mic port Device type * Form factor * Product colour * International Protection (IP) Assisted GPS (A-GPS) * GLONASS BeiDou Galileo Quasi-Zenith Satellite Syster Accelerometer	850,900, 700,800, MHz 700,800, MHz NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓
3G bands supported4G bands supported5G bands supportedSIM card typePorts & interfacesUSB 2.0 Type-C ports quantinMicrophone inHeadphone connectivityCombo headphone/mic portDevice type *Form factor *Product colour *International Protection (IP) *GLONASSBeiDouGalileoQuasi-Zenith Satellite SysterQuasi-Zenith Satellite SysterAmbient light sensor	850,900, 700,800, MHz 700,800, MHz NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof RAM capacity Colour	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓
3G bands supported 4G bands supported 5G bands supported SIM card type Ports & interfaces USB 2.0 Type-C ports quantin Microphone in Headphone connectivity Combo headphone/mic port Device type * Form factor * Product colour * International Protection (IP) Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo Quasi-Zenith Satellite Syster (QZSS) Accelerometer Ambient light sensor Gyroscope	850,900, 700,800, MHz 700,800, MHz NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓
3G bands supported 4G bands supported 5G bands supported SIM card type Ports & interfaces USB 2.0 Type-C ports quantine Microphone in Headphone connectivity Combo headphone/mic port Device type * Form factor * Product colour * International Protection (IP) Assisted GPS (A-GPS) * GLONASS BeiDou Galileo Quasi-Zenith Satellite System QZSS) Accelerometer Ambient light sensor Gyroscope Hall sensor	850,900, 700,800, MHz 700,800, MHz NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof RAM capacity Colour	 X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓

Security		Technical details	
Fingerprint reader	√	Integrated sensors	Accelerometer, Camera, Gyroscope
Password protection	√		Tablet, USB-C Cable, S Pen, Quick
Face recognition	1	Packaging content	Start Guide, Warranty Card, Ejection Pin
Software		Screen lock	4
Platform *	Android		
Operating system version	13		
Operating system installed *	Android 13		



8806095163321

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.