## SAMSUNG

## Samsung Galaxy Tab S9 FE S9 FE Samsung Exynos 256 GB 27.7 cm (10.9") 8 GB Wi-Fi 6 (802.11ax) Android 13 Grey

**Brand :** Samsung **Product family:** Galaxy Tab S9 **Product code:** SM-FE X510NZAEEUB

**Product name:** S9 FE

- 10.9" 90Hz LCD Display
- The families most useful S Pen
- Powerful Exynos 1380 processor for fast multi-tasking

SM-X510NZAEEUB

Samsung Galaxy Tab S9 FE S9 FE. Display diagonal: 27.7 cm (10.9"), Display resolution: 2304 x 1440 pixels. Internal storage capacity: 256 GB. Processor frequency: 2.4 GHz, Processor family: Samsung Exynos. Internal memory: 8 GB. Rear camera resolution (numeric): 8 MP, Rear camera type: Single camera, Front camera. Top Wi-Fi standard: Wi-Fi 6 (802.11ax). Weight: 523 g. Operating system installed: Android 13. Product colour: Grey





	Weight & dimensions	
27.7 cm (10.9") 2304 x 1440 pixels TFT 600 cd/m² Gorilla Glass  249 ppi 16:10	Width Depth Height Weight Package width Package depth Package height Package weight	165.8 mm 254.3 mm 6.5 mm 523 g 273.9 mm 184.5 mm 21.4 mm
16 million colours	Packaging content	
Samsung Samsung Exynos 8 2 GHz 2.4 GHz	Keyboard included Stylus pen Cables included Headphones included Quick start guide Warranty card	X  ✓ USB Type-C  X  ✓
1300		
8 GB		1
0 00		
256 GB MicroSD (TransFlash) 1 TB	Shipping (inner) cases per master (outer) case Shipping (inner) case length	1 pc(s) 10 pc(s) 27.4 cm
	Shipping (inner) case width	18.4 cm
Mali-G68		2.14 cm 1 pc(s)
	Pallet net height	120 cm
✓ ✓ 2 AKG	Pallet net length Pallet net width Pallet net weight Pallet weight (US)	115.8 cm 80 cm 412 kg 412 kg
		5 pc(s)
✓ Single camera 8 MP ✓ 4x	Master (outer) cases per pallet layer (US) Products per pallet (US) Pallet gross width Pallet gross length Pallet gross height Pallet gross weight	10 pc(s) 500 pc(s) 120 cm 80 cm 115.8 cm 412 kg
	2304 x 1440 pixels TFT 600 cd/m² Gorilla Glass  249 ppi 16:10 16 million colours  Samsung Samsung Exynos 8 2 GHz 2.4 GHz 1380  8 GB  256 GB MicroSD (TransFlash) 1 TB  Mali-G68   ✓ Single camera 8 MP ✓ 4x	27.7 cm (10.9")  2304 x 1440 pixels  TFT  Height  600 cd/m²  Weight  Gorilla Glass  Package width  Package depth  249 ppi  16:10  Package weight  16:10  Packaging content  Keyboard included  Samsung  Stylus pen  Samsung Exynos  Cables included  8  Headphones included  2 GHz  Quick start guide  Quick start guide  Varranty card  380  Supplier features  Number of packages  8 GB  Logistics data  Products per shipping (inner) case sper master (outer) case  MicroSD (TransFlash)  1 TB  Shipping (inner) case height  Alii-G68  Quantity per pack  Pallet net height  Pallet net weight  AKG  Pallet weight (US)  Amser (outer) cases per pallet layer (US)  Single camera  Products per spliet (US)  Amser (outer) cases per pallet (US)  Mater (outer) cases per pallet (US)  Manter (outer) cases per pallet (US)  Amser (outer) cases per pallet (US)  Pallet gross width  Pallet gross height

Camera   Camera   Comparison   Camera   Comparison   Camera   Ca
Face detection
Front camera
Master (outer) cases per pallet layer   10 pc(s)
Network         Master (outer) case width         287 mm           Mobile network connection *         X         Master (outer) case length         226 mm           Bluetooth         Y         Master (outer) case length         201 mm           Bluetooth version         5.3         Products per master (outer) case         10 pc(s)           Top Wi-Field Communication (NFC)         Wi-Fiel (802.11ax)         Products per master (outer) case         10 pc(s)           Ports & Interfaces         Other features           Microphone in         X         SIM card support         X           Headphone connectivity         Blue tooth         SIM card support         X           Headphone fright         X         Pen weight         8.7 g         X           Design         Dimensions (MxDxH)         273.9 x 184.5 x 21.4 mm         X           Design         Mobile tablet         Battery scharge time (off)         8.7 g         X           Device type *         Mobile tablet         Battery type         Built-in Lithium-ion         165.8 x 254.3 x 6.5 mm           Device type *         Mobile tablet         Battery recharge time (off)         1.5 h         1.5 h           Profundact colou*         Grey         LCD brightness (Ac adaptor, bright)         600 cd/m²         600 cd/m
Master (outer) case length  Waster (outer) case height  Bluetooth  Waster (outer) case height  Do Wi-Fi standard*  Wi-Fi 6 (802.11ax)  Near Field Communication (NFC)  Near Field Communic
Mobile network connection *         X         Master (outer) case pingst         201 mm           Bluetooth version         5.3         Master (outer) case gross weight         8.23 kg           Top Wi-Fi standard *         Wi-Fi 6 (802.11ax)         Harmonized System (HS) code         8471300000           Portice Features         Description of the Standard *         Commonication (NFC)         X           Posts & Interfaces         Microphone in         X         SIME control of the standard *         A2DP           Headphone connectivity         Bluetooth         X         SIME control of the standard *         X         A2DP           Design         Device type *         Mobile tablet         Battery type         Built-in Lithium-ion           Device type *         Mobile tablet         Battery type         Built-in Lithium-ion           Postion form factor*         Slate         Battery type         Built-in Lithium-ion           Portice type *         Mobile tablet         Battery type         Built-in Lithium-ion           Device type *
Blueboth
Bluebooth version 5.3 Near Field Communication (NFC)    Ports & Interfaces  Microphone in
Harmonized System (HS) code   8471300000
Ports & interfaces  Microphone in
Bluetooth profiles   SIM card support   SIM card
Microphone in Headphone connectivity Bluetooth Package dimensions (WxDxH) 273.9 x 184.5 x 21.4 mm Pen weight 8.7 g  Design Dimensions (WxDxH) 165.8 x 254.3 x 6.5 mm  Device type * Mobile tablet Battery type Built-in Lithium-ion Peroduct colour Grey LCD brightness (AC adaptor, bright) 1.5 h  Peroduct colour IP68 Speakers stereo  Performance Wi-Fi Volume control Buttons  Accelerometer Volume control Buttons  Display viewable area (HxV) 234.87 x 146.79 mm  Ambient light sensor V Rechargeable V Seable C GBB  Proximity sensor V Maximum RAM supported 6 GB  Position location Vietnam Display type TFT  Security Resolution 2304 x 1440 pixels  Pisperprint reader V Package weight Valed Vietnam Valed Package weight Valed Vietnam Valed Valed Vietnam Valed Vietnam Valed Vietnam Valed Vietnam Valed Vietnam Valed Vietnam Valed Valed Vietnam Valed Valed Vietnam Valed Vietnam Valed Valed Vietnam Valed Valed Vietnam Valed Valed Vietnam Valed
Headphone connectivity Combo headphone/mic port  Nen weight Pen weight Battery type Dimensions (WxDxH) Design  Device type * Mobile tablet Battery type Built-in Lithium-ion Battery type Built-in Lithium-ion Buttons Battery type Built-in Lithium-ion Buttons Butto
Design Design  Mobile tablet Battery yek Form factor F
Design         Dimensions (WxDxH)         165.8 x 254.3 x 6.5 mm           Device type *         Mobile tablet         Battery type         Built-in Lithium-ion           Form factor *         Slate         Battery recharge time (off)         1.5 h           Product colour *         Grey         LCD brightness (AC adaptor, bright)         600 cd/m²           International Protection (IP) code         IP68         Speakers         stereo           Performance         Wi-Fi         ✓         Wumer           Accelerometer         ✓         Volume control         Buttons           Ambient light sensor         ✓         Buttons         Buttons           Orientation sensor         ✓         Rechargeable         ✓         Buttons           Orientation sensor         ✓         Maximum RAM supported         G GB           Proximity sensor         ✓         Maximum RAM supported         G GB           Position location *         ✓         Charging time         1.5 h           Country of origin         Vietnam         Display type         TFT           Security         Resolution         2304 x 1440 pixels           Fingerprint reader         ✓         Package weight         0.789 kg           Password protection         <
Form factor * Slate Battery recharge time (off) 1.5 h Product colour * Grey LCD brightness (AC adaptor, bright) 600 cd/m² stereo Formance
Form factor * Slate Sattery recharge time (off) 1.5 h Product colour * Grey LCD brightness (AC adaptor, bright) 600 cd/m² International Protection (IP) code IP68 Speakers stereo  Performance VI
International Protection (IP) code   Performance   Accelerometer   Accelerometer   Ambient light sensor   Gyroscope   Orientation sensor   Proximity sensor   Position location * Vietnam   Country of origin   Vietnam   Display viewable area (HxV)   Accelerometer   Accelerometer, Camera, Gyroscope   Accelerometer   Acceler
Performance  Accelerometer  Accelerometer  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor  Position location*  Country of origin  Vietnam  Country of origin  Vietnam  Accelerometer  Volume control  Buttons  234.87 x 146.79 mm  Accelerometer  Acceleromet
Accelerometer Accelerometer Accelerometer Ambient light sensor Gyroscope Gyroscope Orientation sensor V Maximum RAM supported Froximity sensor Position location * Country of origin Country of
Accelerometer Ambient light sensor Ambient light sensor Gyroscope  V Rechargeable V USB cable C C Orientation sensor Proximity sensor Position location * Country of origin Vietnam  Security Fingerprint reader Password protection Face recognition V Software Platform * Android Operating system version Operating system installed * Android 13  Battery Battery technology * Battery technology * Battery capacity *  Display tyee Maximum RAM supported G GB C C Maximum RAM supported G G B C C C Charging time Display type TFT Resolution Phase weight Password protection Package weight Package wei
Ambient light sensor Gyroscope  Gyroscope  Orientation sensor  Orientation sen
Rechargeable VISB cable Orientation sensor VISB cable VIS cable VI
Orientation sensor Orientation sensor Proximity sensor Position location * Country of origin Vietnam  Security Fingerprint reader Password protection Pasce recognition  Android Operating system version Operating system installed * Android 13  Battery Battery Battery technology * Battery capacity  Vietnam  USB cable Maximum RAM supported 6 GB  Total storage capacity 256 GB  Charging time 1.5 h Display type TFT Resolution 2304 x 1440 pixels Package weight 0.789 kg Power cord included  Face recognition Vaterproof Wateries included Vaterproof Waterproof Vaterproof Vaterproof Vaterproof Vaterial Aluminium, Glass Samsung Battery Battery technology * Battery technology * Battery capacity * Trodo mAh Technical details Integrated sensors Accelerometer, Camera, Gyroscope
Prosition location * Country of origin Vietnam Vietnam Vietnam Vietnam Country of origin Vietnam Vietn
Position location * Country of origin Vietnam  Charging time Display type TFT Resolution 2304 x 1440 pixels  Package weight 0.789 kg Password protection Power cord included Face recognition Valenam  Software  Platform * Android Operating system version 13 Operating system installed * Android 13  Battery  Battery technology * Battery technology * Battery capacity * Number of battery cells  Password protection Android Android Android Android Android Android Android 13 Android Android 13 Android 13 Android Android Android Android 13 Android Androi
Country of origin  Vietnam  Display type  Resolution  Package weight  Package weight  Power cord included  Face recognition  Value proof  Patteries included  Patteries included  Vaterproof  Waterproof  Patterproof  Patter vechnology *  Battery capacity *  Number of battery cells  Poisplay type  TFT  Resolution  2304 x 1440 pixels  D.580  TOTA  Power cord included  Value proof  Waterproof  Waterproof  RAM capacity  Colour  Material  Manufacturer  Pawer plug type  No plug  Power plug type  No plug  Pattery voltage  Accelerometer, Camera, Gyroscope  Battery voltage
Resolution 2304 x 1440 pixels  Fingerprint reader
Fingerprint reader  Password protection  Power cord included  Face recognition  Software  Platform *  Android  Operating system version  Operating system installed *  Android 13  Android 13  Battery  Battery  Battery  Battery technology *  Battery capacity *  Number of battery cells  Battery voltage  Package weight  Power cord included  Waterproof  Waterproof  Waterproof  RAM capacity  RAM capacity  RAM capacity  Waterial  Aluminium, Glass  Manufacturer  Samsung  No plug  Power plug type  No plug  Pechnical details  Integrated sensors  Accelerometer, Camera, Gyroscope
Password protection  Face recognition  Matteries included  Face recognition  Materinal  Platform *  Operating system version  Operating system installed *  Android 13  Material  Material  Material  Manufacturer  Battery technology *  Battery capacity *  Number of battery cells  Battery voltage  Power cord included  Material  Matteries included  Materiol  Waterproof  RAM capacity  RAM capacity  Material  Material  Manufacturer  Samsung  No plug  Material  No plug  Material  Manufacturer  Samsung  No plug  Material details  Number of battery cells  Accelerometer, Camera, Gyroscope
Face recognition  Software  Platform * Android RAM capacity 8 GB Operating system version 13 Operating system installed * Android 13  Battery  Battery  Battery technology * Lithium-lon (Li-lon) Power plug type No plug  Battery capacity * 7760 mAh  Number of battery cells  Battery voltage 10 V  Dustproof Wateries included  V Waterproof RAM capacity RAM capacity Aluminium, Glass Aluminium, Glass Manufacturer Samsung No plug  Technical details Integrated sensors Accelerometer, Camera, Gyroscope
Dustproof Waterproof Platform * Android Operating system version Operating system installed * Android 13  Battery Battery technology * Lithium-lon (Li-lon) Battery capacity * Number of battery cells Battery voltage  Dustproof Waterproof RAM capacity RAM capacity Material Material Manufacturer Manufacturer Samsung No plug  Technical details Integrated sensors Accelerometer, Camera, Gyroscope
Platform * Android RAM capacity 8 GB Operating system version 13 Operating system installed * Android 13  Battery Battery technology * Lithium-lon (Li-lon) Power plug type No plug Battery capacity * 7760 mAh Number of battery cells Battery voltage 10 V  Waterproof RAM capacity 8 GB Colour Material Aluminium, Glass Manufacturer Samsung No plug  Pechnical details Integrated sensors Accelerometer, Camera, Gyroscope
Operating system version 13 Colour  Material Manufacturer  Battery technology * Battery capacity * Number of battery cells  Battery voltage  13 Colour Material Manufacturer  Power plug type No plug  Technical details Integrated sensors  Accelerometer, Camera, Gyroscope
Operating system installed * Android 13  Battery  Battery technology * Lithium-lon (Li-lon)  Battery capacity * 7760 mAh  Number of battery cells  Battery voltage  10 V  Colour  Material Aluminium, Glass  Samsung  No plug  Technical details  Integrated sensors  Accelerometer, Camera, Gyroscope
Material Aluminium, Glass  Battery  Battery technology * Lithium-lon (Li-lon) Power plug type No plug  Battery capacity * 7760 mAh  Number of battery cells 2  Battery voltage 10 V  Material Aluminium, Glass  Samsung  No plug  Technical details  Integrated sensors Accelerometer, Camera, Gyroscope
Battery technology * Lithium-lon (Li-lon) Power plug type No plug  Battery capacity * 7760 mAh  Technical details  Number of battery cells 2  Battery voltage 10 V  Accelerometer, Camera, Gyroscope
Battery capacity * 7760 mAh  Technical details  Number of battery cells 2  Battery voltage 10 V  Technical details  Integrated sensors Accelerometer, Camera, Gyroscope
Number of battery cells 2 Integrated sensors Accelerometer, Camera, Gyroscope
Battery voltage 10 V Integrated sensors Accelerometer, Camera, Gyroscope
Dattery Voltage TO V Tablet HSB.C Cable S Pen Ouick
Start Guide, Warranty Card
Fast Charging Screen lock ✓  Battery recharge time 1.5 h
Battery life (max) 18 h
Continuous video playback time 18 h
Continuous audio playback time 113 h
Rechargeable battery



8806095163574

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.