Samsung SM-X610NZAAEUB tablet Samsung Exynos 128 GB 31.5 cm (12.4") 8 GB Wi-Fi 6 (802.11ax) Android 13 Grey

Brand : Samsung Product code: SM-X610NZAAEUB

Product name: SM-X610NZAAEUB

- 12.4" 90Hz LCD Display
- The families most useful S Pen
- Powerful Exynos 1380 processor for fast multi-tasking

SM-X610NZAAEUB

Samsung SM-X610NZAAEUB. Display diagonal: 31.5 cm (12.4"), Display resolution: 2560 x 1600 pixels. Internal storage capacity: 128 GB. Processor frequency: 2.4 GHz, Processor family: Samsung Exynos. Internal memory: 8 GB. Rear camera resolution (numeric): 8 MP, Rear camera type: Dual camera, Front camera. Top Wi-Fi standard: Wi-Fi 6 (802.11ax). Weight: 627 g. Operating system installed: Android 13. Product colour: Grey





Display		Battery	
Display diagonal * 31.	31.5 cm (12.4") 2560 x 1600 pixels	Battery level indicator	✓
Display resolution *		Weight & dimensions	
Panel type	TFT	Width	185.4 mm
Display brightness	600 cd/m²	Depth	285.4 mm
Display glass type	Gorilla Glass	Height	6.5 mm
Anti-glare screen	X 242 nni	Weight	627 g
Pixel density Native aspect ratio	243 ppi 16:10	Package width	305.1 mm
Display number of colours	16 million colours	Package depth	204.1 mm
	10 million colours	Package height	21 mm
Processor		Package weight	907 g
Processor manufacturer *	Samsung Evunos	Packaging content	
Processor family * Processor cores	Samsung Exynos 8	Keyboard included	×
Processor boost frequency	o 2 GHz	Stylus pen	✓
Processor frequency *	2.4 GHz	Cables included	USB Type-C
Processor code	1380	Headphones included	×
Mamani		Quick start guide	✓
Memory	0.00	Warranty card	✓
Internal memory *	8 GB	Supplier features	
Storage		Number of packages	1
Internal storage capacity *	128 GB	Logistics data	
Compatible memory cards	MicroSD (TransFlash)	Products per shipping (inner) case	1 pc(s)
Maximum memory card size	1 TB	Shipping (inner) cases per master	10 pc(s)
Graphics		(outer) case	·
Graphics card	Mali-G68	Shipping (inner) case length	30.5 cm 20.4 cm
Audio		Shipping (inner) case width Shipping (inner) case height	2.1 cm
Built-in speaker(s)	1	Quantity per pack	1 pc(s)
Built-in microphone	✓	Pallet net height	120 cm
Number of built-in speakers	2	Pallet net length	115.8 cm
Speakers manufacturer	AKG	Pallet net width	80 cm
Camera		Pallet net weight	454 kg
Rear camera	✓	Pallet weight (US)	454 kg
Rear camera type *	Dual camera	Layers per pallet (US)	5 pc(s)
Rear camera resolution (numeric) *	8 MP	Master (outer) cases per pallet layer (US)	8 pc(s)
Second rear camera resolution (numeric)	8 MP	Products per pallet (US)	400 pc(s)
Built-in camera	✓	Pallet gross width	120 cm
Digital zoom	4x	Pallet gross length	80 cm

Rear camera flash Maximum video resolution 3840 x 2160 pixels Pallet gross weight 454 kg Alexe detection 4 Products per pallet query Products per pallet layer 5 pc(s) Second camera resolution 12 MP Layers per pallet layer Master (outer) case length 20 mm Master (outer) case gross weight 9.39 kg Products per master (outer) case 10 pc(s) Harmonized System (HS) code 70 mount of the dead phone of the dead phone connectivity Microphone in X Bluetooth Microphone in X Bluetooth Silk card support Pen weight Pen weight 8.7 g Device type Mobile tablet Dimensions (WXDXH) Pen weight 8.7 g Device type Mobile tablet Dimensions (WXDXH) Mo	Camera		Logistics data	
Maximum video resolution		_		115.0
Products per pallet				
Front camera *		·		•
Second camera resolution 12 MP			• •	
Mobile network connection *		•	1 1 7	·
Mobile network connection	Second camera resolution	12 MP	• • •	• • •
Mobile network connection* Master (outer) case length 220 mm	Network		, , ,	·
Billetooth Master (outer) case lenight 220 mm	Mobile network connection *	×		
Bluetooth version 5.3 Master (outer) case height 7.00 master (outer) case pross well by 9.30 kg or 700 Wi-Fi standard * Wi-Fi 6 (802.11ax) Products per master (outer) case will by 9.30 kg or 700 Wi-Fi standard * Wi-Fi 6 (802.11ax) Products per master (outer) case 4.71300000 Ports 6 interfaces **Control on the connectivity Bluetooth Silk card support 2.73 which was a s	Bluetooth		, ,	
Top Wi-Fi standard * Wi-Fi 6 (802.11ax)	Bluetooth version	5.3	-	
Products per master (outer) case 10 pc(s) Parts & interfaces 10 pc(s) Ports & interfac		Wi-Fi 6 (802.11ax)		3
Harmonized System (HS) code 8471300000 Whereatures Microphone in X Bluetooth SIM card support X Package dimensions (WxDxH) 273,9 x 184,5 x 21.4 mm Pen weight 8,7 g Device type * Mobile tablet Dimensions (WxDxH) 185,4 x 285,4 x 6.5 mm Pen weight 8,7 g Device type * Mobile tablet Dimensions (WxDxH) 185,4 x 285,4 x 6.5 mm Pen weight 8,7 g Device type * Mobile tablet Dimensions (WxDxH) 185,4 x 285,4 x 6.5 mm Pen weight 15,5 h From factor * Slate Battery type Bulli-in Lithium-ion Product colour Grey Battery recharge time (off) 1,5 h International Protection (IP) code IP68 LCD brightness (AC adaptor, bright) 600 cd/m² Performance Speakers Stereo Wi-Fi Volume control Buttons Accelerometer Vi-Fi Volume control Buttons Accelerometer Vi-Fi Volume control Buttons Accelerometer Vi-Fi Vi-Fi Volume control Buttons Proximity sensor Vietnam Card Battery (WxF) 265,96 x 166,22 mm Rechargeable Vietnam Card Battery (WxF) 265,96 x 166,22 mm Rechargeable Vietnam Card Battery (WxF) 265,96 x 166,22 mm Rechargeable Vietnam Card Battery (WxF) 265,96 x 166,22 mm Rechargeable Vietnam Card Battery (WxF) 265,96 x 166,22 mm Rechargeable Vietnam Card Battery (WxF) 265,96 x 166,22 mm Rechargeable Vietnam Card Battery (WxF) 275,97 km Rechargeable Vietn	'			10 pc(s)
Microphone in X Bluetooth Profiles AZDP Headphone connectivity Bluetooth SIM card support X Package dimensions (WxDxH) 273.9 x 184.5 x 21.4 mm Pessign Device type * Mobile tablet Dimensions (WxDxH) 185.4 x 285.4 x 6.5 mm Device type * Mobile tablet Dimensions (WxDxH) 185.4 x 285.4 x 6.5 mm Device type * Mobile tablet Dimensions (WxDxH) 185.4 x 285.4 x 6.5 mm Perform factor * Slate Battery type Built-in Lithium-ion Product colour* Grey Battery recharge time (off) 1.5 h International Protection (IP) code IP68 LCD brightness (AC adaptor, bright) 600 cd/m² Accelerometer Speakers Speakers Stereo Wi-Fi Accelerometer Volume control Buttons Ambient light sensor Volume control Buttons Manibent light sensor Volume control Buttons Gyroscope Volume control Buttons Proximity sensor Volume control Buttons Proximity sensor Volume control Buttons Proximity sensor Volume control Buttons Maximum RAM supported BGB Chargeable CP Proximity Sensor Volume Control BGB Chargeable CP Proximity Sensor Volume Control BGB Chargeable CP Proximity Sensor Volume Control BGB Chargeapacity 1.28 GB Charging time 1.5 h Display type TFT Fingerprint reader V Resolution 2560 x 1600 pixels Password protection Volume Control Package weight 0,907 kg Password protection Volume Control Vol		-	Harmonized System (HS) code	8471300000
Headphone connectivity Combo headphone/mic port ** Design Debesign Device type * Mobile tablet Dimensions (WxDxH) Form factor * Slate Battery type Battery recharge time (off) Dishiness (AC adaptor, bright) Form factor * Slate Battery recharge time (off) Design Per weight Battery recharge time (off) Dishiness (AC adaptor, bright) Speakers Speakers Speakers Speakers Wi-Fi Volume control Buttons ACCelerometer Violume control Buttons Continuous suideo playback time Android Battery recharge time Battery recharge time Speakers Speakers Stereo Wi-Fi Volume control Buttons Accelerometer Violume control Buttons Speakers Stereo Wi-Fi Volume control Buttons Accelerometer Violume control Buttons Accelerometer Violume control Buttons Control Buttons Control Buttons Control Buttons Accelerometer Violume control Buttons Accelerometer Accelerom			Other features	
SiM card support	•		Bluetooth profiles	A2DP
Package dimensions (WXDXH) 27.9.184.5 x 21.4 mm Package dimensions (WXDXH) 27.9 mm Package dimensions (WXDXH) 28.5 mm Package	•		SIM card support	×
Design Pen weight 8.7 g Device type ** orwing Mobile tablet Dimensions (WxDxH) 18.5.4 x 285.4 x 6.5 mm Form factor * Slate Battery type Built-in Lithium-ion Product colour * Grey Battery recharge time (off) 1.5 h International Protection (IP) code IP68 LCD brightness (AC adaptor, bright) 600 cd/m² Performance Wil-Fi ✓ Accelerometer Accelerometer Vil-Fi ✓ Accelerometer Architection (IP) code Y Volume control Buttons Ambient light sensor Y Volume control Buttons Gyroscope Y Rechargeable Y Orientation sensor Y Rechargeable Y Proximity sensor Y Maximum RAM supported 8 GB Position location * Y Other state storage capacity 128 GB Country of origin Y estatema 128 GB 15 h Security For the storage capacity 128 GB 15 h Feature of prot	Combo headphone/mic port	×	Package dimensions (WxDxH)	273.9 x 184.5 x 21.4 mm
Device type * Mobile tablet Dimensions (WxDxH) 185.4 x 285.4 x 6.5 mm Form factor * Slate Battery type Built-in Lithium-ion Form factor * Grey Battery recharge time (off) 1.5 h International Protection (IP) code IP68 LCD brightness (AC adaptor, british) 600 cd/m² Performance Wii-Fi Volume control Buttons Accelerometer Volume control Buttons Ambient light sensor 4 Volume control Buttons Orientation sensor 4 USB cable C Orientation sensor 4 Maximum RAM supported 3 GB Position location * 4 Maximum RAM supported 3 GB Country of origin Vietnam Total storage capacity 128 GB Fingerprint reader 4 Resolution 2560 x 1600 pixels Password protection 4 Resolution 2560 x 1600 pixels Password protection 4 Package weight 0,907 kg Packer exopilition 4 Package weight 0,907 kg <td>Design</td> <td></td> <td></td> <td>8.7 g</td>	Design			8.7 g
Form factor* Slate Battery type Built-in Lithium-ion Product colour* Grey Battery recharge time (off) 1.5 h International Protection (IP) code IP68 LCD brightness (AC adaptor, brigh) 600 cd/m² Performance Speakers stereo Accelerometer V Volume control Buttons Ambient light sensor V Display viewable area (HxV) 265.96 x 166.22 mm Gyroscope V Rechargeable C Proximity sensor V USB cable C Proximity sensor V Maximum RAM supported 8 GB Position location* Vietnam Total storage capacity 128 GB Country of origin Vietnam Charging time 1.5 h Security 1 Sequence Power cord included V Password protection V Resolution 2560 x 1600 pixels Password protection V Power cord included V Patter ecognition V Power cord included V Patter in Lithium-	Device type *	Mobile tablet		•
Product colour * Grey Battery recharge time (off) 1.5 h International Protection (IP) code IP68 LCD brightness (AC adaptor, bright) 600 cd/m² Speakers stereo Wi-Fi	Form factor *			Built-in Lithium-ion
International Protection (IP) code IP68 LCD brightness (AC adaptor, bright) 600 cd/m² Speakers stereo ACcelerometer	Product colour *			
Performance Accelerometer Acc		•		
Accelerometer Ac				
Accelerometer Volume control Buttons Ambient light sensor Volume control Display viewable area (HxV) 265.96 x 166.22 mm Gyroscope Vorientation sensor Volume control Rechargeable Volume control Rechargeable Volume control Rechargeable Volume Control Rechargeable Volume Control Volume Volume Volume Volume Volume Volume Rechargeable Volume Volume Volume Rechargeable Volume Rechargeable Volume Rechargeable Volume Rechargeable Volume Resolution Rechargeable Volume Resolution Recharge capacity 128 GB Country of origin Vietnam Charging time 1.5 h Security Display type TFT Fingerprint reader Resolution 2560 x 1600 pixels Password protection Volume Recognition Power cord included Volume Recognition Recognition Recognition Volume Recognition Re	Performance		· ·	
Ambient light sensor Groycoscope Groycosco	Accelerometer	1		
Android Android Waterproof Android Waterproof Android System version 29 Lithium-lon (Li-lon) Battery technology * Lithium-lon (Li-lon) Battery capacity * Lithium-lon (Li-lon) Battery capacity * Lithium-lon (Li-lon) Battery voltage Battery voltage Battery voltage Battery veldage shared and some side and some s	Ambient light sensor	✓		
Orientation sensor Proximity sensor Position location * Country of origin Vietnam Charging time 1.5 h Charging capacity 128 GB Charging capacity 128 GB Charging time 1.5 h Charging time 1.5 h Charging time 1.5 h Charging capacity 128 GB Charging capacity 128 GB Charging capacity 128 GB Charging time 1.5 h Charging time 1.5 h Charging capacity 128 GB Charging content 128 GB Charging capacity 128 GB Charging time 128 GB Charging time 1.5 h Charging time 1.5 h Charging time 1.5 h Charging capacity 128 GB Charging content 131 h Charging time 131 h Charging time 1.5 h Charging capacity 128 GB Charging content 130 GB Charging content 131 h Charging time 1.5 h Charging capacity 128 GB Charging content 130 GB Charging capacity 128 GB Charging capacity 128 GB Charging time 1.5 h C	Gyroscope	✓	• •	
Proxition location *	Orientation sensor	✓	-	
Total storage capacity Country of origin Vietnam Country of origin Vietnam Country of origin Country Cou	Proximity sensor	✓		
Country of origin Vietnam Charging time Display type TFT Fingerprint reader Password protection Package weight Package weight Power cord included Package weight Package weight Power cord included Package weight Package weight Power cord included Power cord included Package weight Power cord included Power power cord included Power power cord included Power power cord included Power	Position location *	✓		
Fingerprint reader Fingerprint r	Country of origin	Vietnam	- · · · ·	
Fingerprint reader Password protection Package weight Power cord included Power cord i	Security			
Password protection Face recognition Fac	•	./	. , , , ,	
Face recognition Software Platform * Android Dustproof Augreproof Android Waterproof Waterial Aluminium, Glass Battery Battery Echnology * Lithium-lon (Li-lon) Manufacturer Samsung Battery capacity * 10090 mAh Power plug type No plug Number of battery cells 2 Technical details Battery voltage 10 V Integrated sensors Accelerometer, Camera, Gyroscope Battery weight Integrated sensors Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Start Guide, Warranty Card Start Guide, Warranty Card Continuous video playback time 20 h Continuous video playback time 20 h Continuous audio playback time 131 h				'
Batteries included Platform * Android Operating system version 13 Operating system installed * Android 13 Operating system version Waterproof Valerproof		4		
Platform * Android Waterproof	-	*		
Platform * Android Waterproof	Software			
Operating system version Operating system installed * Android 13 RAM capacity Colour Material Aluminium, Glass Battery technology * Lithium-lon (Li-lon) Battery capacity * 10090 mAh Power plug type Number of battery cells Battery voltage Battery weight Fast charging Battery recharge time 1.5 h Battery life (max) Continuous audio playback time 13 RAM capacity Ram c	Platform *	Android	•	
Operating system installed * Android 13 Colour Material Aluminium, Glass Battery technology * Lithium-lon (Li-lon) Manufacturer Samsung Battery capacity * 10090 mAh Power plug type No plug Number of battery cells 2 Battery voltage 10 V Battery weight 150 g Fast charging V Battery recharge time 1.5 h Battery recharge time 1.5 h Battery life (max) 20 h Continuous video playback time 20 h Continuous audio playback time 131 h	Operating system version	13	•	•
Battery technology * Lithium-lon (Li-lon) Manufacturer Samsung Battery capacity * 10090 mAh Power plug type No plug Number of battery cells 2 Battery voltage 10 V Battery weight 150 g Fast charging Packaging content Start Guide, Warranty Card Battery recharge time 1.5 h Battery life (max) 20 h Continuous video playback time 20 h Continuous audio playback time 131 h	Operating system installed *	Android 13	' '	
Battery technology * Lithium-lon (Li-lon) Manufacturer Samsung Battery capacity * 10090 mAh Power plug type No plug Number of battery cells 2 Battery voltage 10 V Battery weight 150 g Fast charging Packaging content Start Guide, Warranty Card Battery recharge time 1.5 h Battery life (max) 20 h Continuous video playback time 20 h Continuous audio playback time 131 h	Battery			
Battery capacity * 10090 mAh Power plug type No plug Number of battery cells 2 Battery voltage 10 V Battery weight 150 g Fast charging Packaging content Start Guide, Warranty Card Battery recharge time 1.5 h Battery life (max) 20 h Continuous video playback time 20 h Continuous audio playback time 131 h		Lithium Ion (Li Ion)		
Number of battery cells Battery voltage Battery weight Fast charging Battery recharge time Battery life (max) Continuous video playback time 2 Technical details Integrated sensors Packaging content Screen lock Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Screen lock Continuous video playback time 131 h	, ,,			_
Battery voltage Battery weight Battery weight Fast charging Battery recharge time Battery life (max) Continuous video playback time 10 V Integrated sensors Packaging content Screen lock Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Screen lock Continuous video playback time 20 h Continuous audio playback time 131 h				no piug
Battery weight 150 g Integrated sensors Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Screen lock Start Guide, Warranty Card Continuous video playback time 20 h Continuous audio playback time 131 h	•		Technical details	
Fast charging / Packaging content Start Guide, Warranty Card Battery recharge time 1.5 h Screen lock / Battery life (max) 20 h Continuous video playback time 20 h Continuous audio playback time 131 h	, ,		Integrated sensors	Accelerometer, Camera, Gyroscope
Battery recharge time 1.5 h Screen lock Footinuous video playback time 20 h Continuous audio playback time 131 h			Packaging content	
Battery life (max) 20 h Continuous video playback time 20 h Continuous audio playback time 131 h	5 5		rackaging content	Start Guide, Warranty Card
Continuous video playback time 20 h Continuous audio playback time 131 h			Screen lock	✓
Continuous audio playback time 131 h				
	• •			
Rechargeable battery				
	Rechargeable battery	✓		



8806095165066

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.