

## LG 55UN640S Signage Display Digital signage flat panel 139.7 cm (55") Wi-Fi 300 cd/m $^2$ 4K Ultra HD Blue Web OS

Brand: LG Product code: 55UN640S

Product name: 55UN640S

- Brightness(Typ.) : 300 nits

- Resolution : ULTRA HD (3,840 x 2,160) - Improved Design with Slim Depth

- webOS-based High Performance

- Easy Content Management / Group Management

- SuperSign Control+ (Free version) / CMS Compatibility

55" 4K UHD 3840 x 2160, 300 nits, HDR 10 Pro, DVB-T2/C/S2, Wi-Fi, Bluetooth, Hotel Mode, Soft AP, BEACON, webOS22

LG 55UN640S. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display resolution:  $3840 \times 2160$  pixels, Display brightness:  $300 \text{ cd/m}^2$ , HD type: 4K Ultra HD. Wi-Fi. Operating system installed: Web OS. Product colour: Blue







| Display                                      |                                     | Power                                   |             |
|--|-------------------------------------|---|-------------|
| Display diagonal *                           | 139.7 cm (55")                      | Power consumption (typical) *           | 128 W       |
| Display resolution *                         | 3840 x 2160 pixels                  | Power consumption (standby) *           | 0.5 W       |
| Display brightness *                         | 300 cd/m <sup>2</sup>               | Power consumption (max)                 | 155 W       |
| HD type *                                    | 4K Ultra HD                         | Energy efficiency class (SDR)           | G           |
| Touchscreen *                                | ×                                   | Energy efficiency class (HDR)           | G           |
| Native aspect ratio High Dynamic Range (HDR) | 16:9                                | Energy consumption (SDR) per 1000 hours | 79 kWh      |
| supported High Dynamic Range (HDR)           | ✓ High Dynamic Range 10 Pro (HDR10) | Energy consumption (HDR) per 1000 hours | 88 kWh      |
| technology                                   | Pro), Hybrid Log-Gamma (HLG)        | AC input voltage                        | 100 - 240 V |
| Ports & interfaces                           |                                     | AC input frequency                      | 50 - 60 Hz  |
| HDMI ports quantity *                        | 3                                   | Computer system                         |             |
| HDMI version                                 | 2.0                                 | Operating system installed              | Web OS      |
| USB port *                                   | ✓                                   | Operating system version                | webOS 22    |
| USB ports quantity                           | 1                                   | Weight & dimensions                     |             |
| USB version                                  | 2.0                                 | Display width                           | 1235 mm     |
| Ethernet LAN *                               | ✓                                   | Display width Display depth             | 57.5 mm     |
| Ethernet LAN (RJ-45) ports                   | 1                                   | Display height                          | 715 mm      |
| Wi-Fi *                                      | ✓                                   | Display weight                          | 14 kg       |
| Number of speaker outputs                    | 1                                   | Width (with stand)                      | 1235 mm     |
| RS-232C                                      | ✓                                   | Depth (with stand)                      | 232 mm      |
| Audio Return Channel (ARC)                   | ✓                                   | Height (with stand)                     | 772 mm      |
| RF input                                     | 2                                   | Weight (with stand)                     | 14.2 kg     |
| Audio  |                                     | Packaging data                          | - ··- ··9   |
| Built-in speaker(s) *                        | ✓                                   |   | 1360 mm     |
| RMS rated power                              | 20 W                                | Package width                           | 162 mm      |
| Design                                       |                                     | Package depth Package height            | 810 mm      |
| Product design *                             | Digital signage flat panel          |   |             |
| Placement supported *                        | Indoor                              | Package weight                          | 19 kg       |
| Product colour *                             | Blue                                | Packaging content                       |             |
| VESA mounting *                              | Jule ✓                              | Stand included                          | ✓           |
| Panel mounting interface                     | 300 x 300 mm                        | Remote control included                 | ✓           |
| Bezel width (bottom)                         | 1.99 cm                             | Remote control type                     | S-con       |
| Bezel width (side)                           | 1.28 cm                             | Cables included                         | Power       |
| Bezel width (top)                            | 1.28 cm                             |   |             |
| bezer width (top)                            | 1.20 (111                           |   |             |

| Performance                  |                       | Other features             |            |
|------------------------------|-----------------------|----------------------------|------------|
| Purpose *                    | Universal             | Bluetooth                  | 4          |
| TV tuner integrated          | ✓                     | Cable lock slot type       | Kensington |
| Analog signal format system  | PAL, SECAM            | Teletext function          | ✓          |
| Digital signal format system | DVB-C, DVB-S2, DVB-T2 | Hotel mode                 | ✓          |
| Browsing                     | ✓                     | Bluetooth Low Energy (BLE) | ✓          |



8806084506689

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.