



D-Link DGS-1210-28P 28-Port Gigabit PoE Smart Managed Switch including 4 Combo Ports



Brand : D-Link

Product code: DGS-1210-28P

Product name : D-Link DGS-1210-28P 28-Port Gigabit PoE Smart Managed Switch including 4 Combo Ports

24 x 10/100/1000 Mbps, 4 x SFP, 56 Gbps, 1U, 3.7 kg

D-Link DGS-1210-28P 28-Port Gigabit PoE Smart Managed Switch including 4 Combo Ports. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 28. Full duplex. MAC address table: 16000 entries, Switching capacity: 56 Gbit/s. Networking standards: IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE). Rack mounting, Form factor: 1U


Management features		Technical details	
Switch type *	Managed	Shipping (inner) case length	53.9 cm
Switch layer	L2	Shipping (inner) case net weight	14.8 kg
Quality of Service (QoS) support	✓	Products per shipping (inner) case	3 pc(s)
Ports & interfaces		Pallet gross weight (air)	401.7 kg
Basic switching RJ-45 Ethernet ports quantity *	28	Master (outer) cases per pallet (air)	24 pc(s)
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Products per pallet (air)	72 pc(s)
Gigabit Ethernet (copper) ports quantity	24	Pallet gross length	110 cm
SFP/SFP+ slots quantity	4	Pallet gross width	120 cm
SFP module slots quantity	4	Pallet height (air)	131.4 cm
Network		Pallet gross weight (sea)	652.9 kg
Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x	Master (outer) cases per pallet (sea)	40 pc(s)
Port mirroring	✓	Products per pallet (sea)	120 pc(s)
Full duplex	✓	Pallet height (sea)	2.1 m
Flow control support	✓	Shipping (inner) case gross weight	15.7 kg
Link aggregation	✓	Power	
Spanning tree protocol	✓	Power consumption (typical)	238.4 W
Number of VLANs	4094	Power over Ethernet (PoE)	
Data transmission		Power over Ethernet (PoE) *	✓
Switching capacity *	56 Gbit/s	Operational conditions	
MAC address table *	16000 entries	Operating temperature (T-T)	-5 - 50 °C
Maximum data transfer rate	1 Gbit/s	Storage temperature (T-T)	-20 - 70 °C
Security		Operating relative humidity (H-H)	0 - 95%
DHCP features	DHCP server, DHCP client	Storage relative humidity (H-H)	0 - 95%
Access Control List (ACL)	✓	Weight & dimensions	
IGMP snooping	✓	Width	440 mm
MAC address filtering	✓	Depth	250 mm
SSH/SSL support	✓	Height	44 mm
Design		Weight	3.7 kg
Rack mounting *	✓	Packaging data	
Stackable *	✗	Package width	365 mm
Form factor	1U	Package depth	521 mm
Number of fans	3 fan(s)	Package height	92 mm
Certification	FCC Class A CE Class A ICES-003 VCCI Class A C-Tick BSMI	Package weight	4.93 kg
Technical details		Logistics data	
Shipping (inner) case height	39.3 cm	Harmonized System (HS) code	85176990

Technical details

Shipping (inner) case width 29.5 cm



0790069373084




790069373084



0790069373060



790069373060



5054629306338



0790069373053



790069373053



0790069373046



790069373046

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.