

## Brother TD-2130N label printer Direct thermal 300 x 300 DPI 152.4 mm/sec Wired Ethernet LAN

Brand : Brother Product code: TD-2130N

Product name: TD-2130N


300 x 300 dpi, 63mm, 16MB SDRAM, 152.4mm/sec, USB 2.0, Ethernet LAN Brother TD-2130N. Print technology: Direct thermal, Maximum resolution: 300 x 300 DPI, Print speed: 152.4 mm/sec. Connectivity technology: Wired. Product colour: Black, Grey





Printing		Power	
Print technology *	technology * Direct thermal	AC adapter output current	6 A
Maximum resolution *		System requirements	
Print speed *	152.4 mm/sec	Minimum storage drive space	70 MB
Maximum printing width *	5.6 cm	Minimum RAM	128 MB
Vertical printing	✓		Windows 7 Home Basic, Windows 7
Paper handling			Home Basic x64, Windows 7 Home Premium, Windows 7 Home
Autocutter	•	Premiu Profes: Profes: Starter	Premium x64, Windows 7
Ribbon length Maximum label length	1 m 1 m		Professional, Windows 7 Professional x64, Windows 7
3	1 111		Starter, Windows 7 Starter x64,
Ports & interfaces			Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows
Connectivity technology *	Wired		8 Enterprise, Windows 8 Enterprise
Ethernet LAN *	<b>4</b>	Windows operating systems	x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista
USB port * USB 2.0 ports quantity	<b>√</b> 1	supported	Business, Windows Vista Business
RS-232 ports	1		x64, Windows Vista Enterprise, Windows Vista Enterprise x64.
Optional connectivity	Bluetooth, Wireless LAN		Windows Vista Home Basic,
Performance	,		Windows Vista Home Basic x64, Windows Vista Home Premium,
Page description languages	ESC P		Windows Vista Home Premium x64,
Internal memory	32 MB		Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP
Flash memory	16 MB		Home, Windows XP Home x64,
·	2D, CODABAR (NW-7), Code 128		Windows XP Professional, Windows XP Professional x64
	(A/B/C), Code 39, Data Matrix, EAN13, EAN8, GS1 DataBar,		Windows Server 2003, Windows
Built-in barcodes	GS1-128, ITF, MaxiCode, Micro QR	Server operating systems supported	Server 2008, Windows Server 2008 R2, Windows Server 2012
	Code, MicroPDF417, PDF417, QR Code, UPC-A, UPC-E		RZ, Willdows Server 2012
Number of fonts	10	Operational conditions	
Tape cutting	Automatic	Operating relative humidity (H-H)	20 - 80%
Underline	✓	Storage relative humidity (H-H)	20 - 80%
Security algorithms	128-bit WEP, 64-bit WEP, EAP-TLS, EAP-TTLS, LEAP, PEAP, SSID, TKIP, WPA-PSK, WPA2-PSK	Operating temperature (T-T)	5 - 40 °C -20 - 60 °C
		Storage temperature (T-T)	-20 - 00 °C
	VVI A-FON, VVFAZ-FON	Weight & dimensions	
		Width	110 mm

Design		Weight & dimensions	
Product colour * Display *	Black, Grey LCD	Depth Height Weight	215 mm 172 mm 1.34 kg
AC adapter output voltage	25 V	Packaging data	
		Package weight	2.83 kg
		Packaging content	
		Cables included Drivers included AC adapter included	USB ✓
		Logistics data	
		Harmonized System (HS) code	84433210
		Other features	
		Character sets	Abicomp, ASCII, BRASCII, ISO 8859-15, ISO Latin 1, Italic, PC437, PC850, PC858, PC860, PC861, PC863, PC865, Roman 8
		LED indicators	✓











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.