

StarTech.com 1 Port RS232 Serial Ethernet Device Server - PoE Power Over Ethernet

Brand : StarTech.com

Product code: NETRS2321POE

Product name : 1 Port RS232 Serial Ethernet Device Server - PoE Power Over Ethernet

StarTech.com 1 Port RS232 Serial Ethernet Device Server - PoE Power Over Ethernet - Serial over IP Device Server Adapter - PoE-Powered

StarTech.com 1 Port RS232 Serial Ethernet Device Server - PoE Power Over Ethernet. Cabling technology: 10/100Base-T(X). Input voltage: 100 - 240 V, Output voltage: 12 V, Output current: 0.1 A. Supported network protocols: UDP, IP, TCP, ICMP, HTTP, DHCP, ARP-Ping. LED indicators: Activity, Link. Windows operating systems supported: Windows 2000, Windows 2000 Professional, Windows Vista Business, Windows Vista Enterprise, Windows...




Technical details		Indication	
Serial ports quantity *	1	LED indicators	Activity, Link
Serial interface type	RS-232	Link/Act LED	✓
Ethernet LAN data rates	10,100 Mbit/s	Software	
Data transfer rate	0.1152 Mbit/s	Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows Vista Business, Windows Vista Enterprise, Windows Vista Home Basic, Windows Vista Home Premium, Windows Vista Ultimate, Windows XP Home, Windows XP Professional
Networking standards	IEEE 802.3af	Weight & dimensions	
Baud rate	115.2 Kbit/s	Weight	259 g
Data bits	6, 7, 8	Dimensions (WxDxH)	66.3 x 107 x 25 mm
Stop bits	1, 2	Package width	296 mm
Mean time between failures (MTBF)	233403 h	Package length	19.2 cm
Certification	CE, FCC, REACH, TAA	Package height	70 mm
Ports & interfaces		Package weight	963 g
Ethernet LAN (RJ-45) ports	1	Operational conditions	
Cabling technology	10/100Base-T(X)	Operating temperature (T-T)	0 - 55 °C
Power		Storage temperature (T-T)	-20 - 85 °C
Input voltage	100 - 240 V	Operating relative humidity (H-H)	5 - 95%
Output voltage	12 V	Other features	
Output current	0.1 A	Compatible operating systems	Windows Vista (32), XP (32), 2000
Power consumption	100 mA	Packaging content	
Power plug type	Type M	User guide	✓
Compatible power plug types	EU, UK, US	Sustainability	
Input current	0.3 A	Sustainability certificates	RoHS
Protocols			
Supported network protocols	UDP, IP, TCP, ICMP, HTTP, DHCP, ARP-Ping		



0065030834162



065030834162



5054629417669

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.