

DeepCool Matrexx 50 ADD-RGB 4F Midi Tower Black

Brand : DeepCool

Product code: DP-ATX-MATREXX50-AR-4F-NE


Product name : Matrexx 50 ADD-RGB 4F



- Tempered glass side-panel and the front panel
- Support installation of 120/140/240/280/360mm radiator in the front:120/140/240mm radiator on the top,120mm radiator in the rear
- 210mm wide tower compartment with 24mm clearance for cable management
- Supporting 160mm (max) CPU cooler height
- Support 370mm (MAX) long Graphics Card installation
- Magnetic dust-proof net on top, dust-filter in front, and bottom
- Two large areas of air-intake on both sides of the front panel to ensure extreme cooling
- A newly designed cable routing hole preset on PSU Shroud for better cable management with GPU Power cable

Mid-Tower, 2 x 3.5", 4 x 2.5", Mini-ITX/Micro-ATX/ATX/E-ATX, 2 x USB 2.0, 1 x USB 3.0, 1 x Audio, 1 x Mic, 442 x 210 x 479 mm, 7.4 Kg, Black

Design		Cooling	
Material	ABS synthetics, SPCC, Tempered glass	Front fans installed	3x 120 mm
Form factor *	Midi Tower	Number of front fans supported (max)	3
Type *	PC	Front fans diameters supported	120,140 mm
Product colour *	Black	Rear fans installed	1x 120 mm
Supported motherboard form factors *	ATX, EATX, micro ATX, Mini-ITX	Number of rear fans supported (max)	1
Number of 3.5" bays *	2	Rear fans diameters supported	120 mm
Number of 2.5" bays	4	Number of top fans supported (max)	2
Number of expansion slots	7	Top fans diameters supported	120,140 mm
Side window	✓	Liquid cooling capability	✓
Suitable for	Gaming	Front radiator sizes supported	120,140,200,280,360 mm
Illumination	✓	Rear radiator sizes supported	120 mm
Illumination colour	Multi	Top radiator sizes supported	120,140,240 mm
Illumination location	Front		
Tempered glass panel(s)	✓	Storage	
Anti-dust filter	✓	Supported HDD sizes *	2.5,3.5"
Cable management	✓	Weight & dimensions	
Reset button	✓	Width	210 mm
On/off button	✓	Depth	442 mm
RGB control button	✓	Height	479 mm
Maximum CPU cooler height	16 cm	Weight	7.4 kg
Maximum graphics card length	37 cm	Packaging data	
Power supply		Package width	275 mm
Power supply included *	✗	Package depth	510 mm
Power supply location	Bottom	Package height	515 mm
Supported power supply form factors	ATX, PS2	Package weight	8.5 kg
Ports & interfaces		Logistics data	
Audio input	✓	Harmonized System (HS) code	84733080
Audio output	✓		
USB 2.0 ports quantity *	2		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1		



6933412714040

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-JUN-2024. Prints or copies of Information are only valid on the printed Publication date