Viewsonic TD3207 computer monitor 81.3 cm (32") 1920 x 1080 pixels Full HD LED Touchscreen

Brand : Viewsonic

**Product code:** TD3207

Product name : TD3207

- SuperClear ® AMVA technology
- Long-lasting usage
- Supreme reliability and durability
32", VA, FHD, 1920 x 1080, 3000:1, LED, 450mits, 8bit, 5ms
Viewsonic TD3207. Display diagonal: 81.3 cm (32"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting

Display

Display diagonal *	81.3 cm (32")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	VA
LED backlight	✔
Backlight type	LED
Touchscreen *	✔
Touchscreen technology	Capacitive
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Response time	5 ms
Screen shape *	Flat
Contrast ratio (typical) *	3000:1
Contrast ratio (dynamic)	50000000:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.78 million colours
Pixel pitch	0.364 x 0.364 mm
Horizontal scan range	15 - 73 kHz
Vertical scan range	47 - 75 Hz
Digital horizontal frequency	15 - 73 kHz
Digital vertical frequency	47 - 75 Hz
Surface hardness	7H
Colour gamut standard	NTSC
Colour gamut	72%
Display brightness	450 cd/m²

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘

Ports & interfaces

USB upstream port type	USB Type-B
Number of upstream ports	1
HDMI *	✔
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
Audio output	1
RS-232 ports	1

Ergonomics

VESA mounting *	✔

Power

Energy efficiency class (SDR) *	E
Energy consumption (SDR) per 1000 hours *	25.8 kWh
Power consumption (typical) *	43 W
Power consumption (standby) *	0.5 W
Power consumption (max)	45.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	AC

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 90%

Weight & dimensions

Width (with stand)	747 mm
Depth (with stand)	451 mm
Height (with stand)	64 mm
Weight (with stand)	12.8 kg
Width (without stand)	747 mm
Depth (without stand)	451 mm
Height (without stand)	64 mm
Weight (without stand)	12.8 kg

Multimedia

Built-in speaker(s) *	✔
Number of speakers	2

Design

International Protection (IP) code	IP54
Glass thickness	3 mm
Certification	Regulations: CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, UKCA

Packaging data

Package width	863 mm
Package depth	577 mm
Package height	163 mm
Package weight	15.5 kg

Logistics data

Harmonized System (HS) code	85285210

0766907010466

766907010466