

Viewsonic PG707W data projector Standard throw projector 4000 ANSI lumens DMD WXGA (1280x800) White

Brand : Viewsonic

Product code: PG707W

Product name : PG707W

WXGA 1280 x 800, 4000 Lm, 20000 h, 22000:1, 16:10, DLP Lamp, USB, RJ45, AUDIO in/out, HDMI, VGA, 2.3 kg

Viewsonic PG707W. Projector brightness: 4000 ANSI lumens, Projection technology: DMD, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 20000 h. Focus: Manual, Focal length range: 16.88 - 21.88 mm, Aperture range (F-F): 2.59 - 2.87. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1080 (HD 1080), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size



Projector		Network	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Smart TV *	✗
Projection distance	0.78 - 10.14 m	Ethernet LAN *	✓
Projector brightness *	4000 ANSI lumens	Ethernet LAN (RJ-45) ports	1
Projection technology *	DMD	Wi-Fi *	✗
Projector native resolution *	WXGA (1280x800)	Storage	
Contrast ratio (typical) *	22000:1	Card reader integrated *	✗
Number of colours	1.07 billion colours	Features	
Horizontal scan range	15 - 102 kHz	Interactive *	✗
Vertical scan range	23 - 120 Hz	Noise level (economic mode)	28 dB
Keystone correction, horizontal	-40 - 40°	HDCP	✓
Keystone correction, vertical	-40 - 40°	On Screen Display (OSD)	✓
Matrix size	1.65 cm (0.65")	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Light source		Number of OSD languages	23
Light source type *	Lamp	Noise level *	32 dB
Service life of light source *	6000 h	Multimedia	
Service life of light source (economic mode)	20000 h	Built-in speaker(s) *	✓
Lamp power	203 W	RMS rated power	10 W
Lamps quantity	1 lamp(s)	Design	
Lens system		Market positioning *	Presentation
Focus *	Manual	Product type *	Standard throw projector
Focal length range	16.88 - 21.88 mm	Product colour *	White
Aperture range (F-F)	2.59 - 2.87	Placement	Desktop, Ceiling
Zoom capability	✓	Display	
Zoom ratio	2.0:1	Built-in display *	✗
Throw ratio	1.21-1.57		
Offset	120%		
Video			
Analog signal format system *	NTSC, PAL, SECAM		
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1080 (HD 1080)		

Video		Power	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power source *	AC
Ports & interfaces		Power consumption (typical) *	280 W
HDMI connector type	Full-size	Power consumption (standby) *	0.5 W
HDMI version	1.4	AC input voltage	100-240 V
USB 2.0 ports quantity *	1	AC input frequency	50 - 60 Hz
Serial interface type *	RS-232	Operational conditions	
PC Audio in	✓	Operating temperature (T-T)	0 - 40 °C
PC Audio out	✓	Weight & dimensions	
VGA (D-Sub) ports quantity *	2	Width	294 mm
HDMI ports quantity *	2	Depth	218 mm
Composite video in *	1	Height	110 mm
DVI port *	✗	Weight *	2.33 kg
AC (power) in	✓	Package width	415 mm
		Package depth	168 mm
		Package height	297 mm
		Package weight	3.54 kg
		Packaging content	
		Remote control included *	✓
		Cables included	AC, VGA
		Manual	✓
		Logistics data	
		Harmonized System (HS) code	85286200



0766907006186



766907006186

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.