

Epson EB-L520U data projector Standard throw projector 5200 ANSI lumens 3LCD WUXGA (1920x1200) White

Brand : Epson

Product code: V11HA30040

Product name : EB-L520U



Epson EB-L520U. Projector brightness: 5200 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 20 - 31.8 mm, Aperture range (F-F): 1.5 - 1.7. Video processing: 10 bit, Video colour modes: Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode. Serial interface type: RS-232C

Projector		Features	
Screen size compatibility *	1270 - 12700 mm (50 - 500")	Country of origin	Philippines
Projector brightness *	5200 ANSI lumens	Multimedia	
Projection technology *	3LCD	Built-in speaker(s) *	✓
Projector native resolution *	WUXGA (1920x1200)	RMS rated power	10 W
Contrast ratio (typical) *	2500000:1	Number of built-in speakers	1
Native aspect ratio *	16:10	Design	
Number of colours	1.07 billion colours	Market positioning *	Presentation
Projector brightness (economic mode)	3640 ANSI lumens	Product type *	Standard throw projector
Vertical scan range	192 - 240 Hz	Product colour *	White
Keystone correction, horizontal	-30 - 30°	Placement	Ceiling, Desktop, Floor, Wall
Keystone correction, vertical	-30 - 30°	Cable lock slot	✓
Matrix size	1.7 cm (0.67")	Cable lock slot type	Kensington
Light source		Display	
Light source type *	Laser	Built-in display *	✗
Service life of light source *	20000 h	Power	
Service life of light source (economic mode)	30000 h	Power source *	AC
Lens system		Power consumption (typical) *	293 W
Focus *	Manual	Power consumption (standby) *	0.3 W
Focal length range	20 - 31.8 mm	Power consumption (economy mode)	223 W
Aperture range (F-F)	1.5 - 1.7	AC input voltage	100-240 V
Zoom capability	✓	AC input frequency	50 - 60 Hz
Zoom type	Manual	Software	
Zoom ratio	1.6:1	Software support	
Throw ratio	1.35 - 2.2:1	via: AMX, Crestron (Network), Control4, Crestron Integrated Partner, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol	
Video		Operational conditions	
Analog signal format system *	Not supported	Storage temperature (T-T)	-10 - 60 °C
Full HD *	✓	Operating relative humidity (H-H)	20 - 80%
3D *	✗	Storage relative humidity (H-H)	10 - 90%
Video processing	10 bit	Weight & dimensions	
Video colour modes	Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode	Width	440 mm
Ports & interfaces		Depth	122 mm
USB 2.0 ports quantity *	2	Height	304 mm
USB 2.0 Type-B ports quantity	1		
Audio (L/R) in *	1		

Ports & interfaces		Weight & dimensions	
Serial interface type *	RS-232C	Weight *	7.7 kg
VGA (D-Sub) ports quantity *	3	Package width	540 mm
HDMI ports quantity *	2	Package depth	530 mm
DVI port *	✘	Package height	210 mm
Network		Package weight	10.4 kg
Ethernet LAN *	✓	Packaging content	
Wi-Fi *	✓	Remote control included *	✓
Wi-Fi standards	802.11a, Wi-Fi 4 (802.11n)	Batteries included	✓
Storage		Cables included	AC, HDMI
Card reader integrated *	✘	Warranty card	✓
Features		Bundled software	EasyMP Multi PC Projection
Noise level (economic mode)	23 dB	Technical details	
Noise level *	31 dB	USB display function	3 in 1: Image / Mouse / Sound
		Sustainability certificates	TCO
		Logistics data	
		Quantity per pack	1 pc(s)
		Products per pallet	14 pc(s)
		Products per pallet (UK)	14 pc(s)
		Harmonized System (HS) code	85286200



8715946695563

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-JUN-2024. Prints or copies of Information are only valid on the printed Publication date