SAMSUNG

Samsung LS22A336NH computer monitor 55.9 cm (22") 1920 x 1080 pixels Full HD LED Black

Brand : Samsung

Product name : LS22A336NH

Product code: LS22A336NHUXXU

- Screen: 1920x1080 Resolution, VA Panel
- Technology: 5ms Response Time, 60Hz Refresh Rate
- Connections: HDMI & VGA
- Perfect for: Productivity

22" S33A FHD Essential Monitor, 1920 x 1080 px, 16:9, VA, 250 cd/m², 5ms, 60 Hz, 178°/178°, VGA, HDMI, 12 kWh, D

Samsung LS22A336NH. Display diagonal: 55.9 cm (22"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black

Display

Display diagonal *	55.9 cm (22")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	VA
Touchscreen *	✘
Display brightness (typical)	250 cd/m²
Response time	5 ms
Screen shape *	Flat
Contrast ratio (typical) *	3000:1
Dynamic contrast ratio marketing name	Mega Contrast
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Viewable size, horizontal	47.9 cm
Viewable size, vertical	26 cm
Display diagonal (metric)	54 cm
NTSC coverage (typical)	72%

Performance

Flicker-free technology	✔

Multimedia

Built-in speaker(s) *	✘

Design

Market positioning *	Home
Product colour *	Black

Ports & interfaces

VGA (D-Sub) ports quantity	1
HDMI *	✔
HDMI ports quantity	1
HDMI version	1.4

Ergonomics

Tilt adjustment	✔
Tilt angle range	-5 - 21°

Power

Energy efficiency class (SDR) *	D
Energy consumption (SDR) per 1000 hours *	12 kWh
Power consumption (typical) *	12 W
Power consumption (standby) *	0.3 W
Power consumption (max)	18 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	10 - 40 °C
Operating relative humidity (H-H)	10 - 80%

Packaging content

Cables included	AC, HDMI

Weight & dimensions

Width (with stand)	504.4 mm
Depth (with stand)	179.9 mm
Height (with stand)	365.5 mm
Weight (with stand)	2.5 kg
Width (without stand)	504.4 mm
Depth (without stand)	30 mm
Height (without stand)	294.1 mm
Weight (without stand)	2.2 kg

Packaging data

Package width	565 mm
Package depth	350 mm
Package height	110 mm
Package weight	3.6 kg

Ergonomics			Sustainability	
VESA mounting *	✔		European Product Registry for Energy Labelling (EPREL) code	938622
Panel mounting interface	75 x 75 mm		**Logistics data**	
Height adjustment *	✘		Harmonized System (HS) code	85285210

8806092931138