## Samsung OMB OM55B Digital signage flat panel 139.7 cm (55") LCD Wi-Fi 3000 cd/m² 4K Ultra HD Black Built-in processor Tizen 5.0 24/7

Brand : Samsung

Product family: OMB

Product code: LH55OMBEBGBXEN

Product name : OM55B

- High picture quality

- Slim design

- Content management

55", ADS, 4K UHD (3840 x 2160), 3000 nit, 1200:1, 178/178, 8 ms, WiFi, RJ-45, HDCP, HDMI, DP, RS232, AC 100-240V, 50/60Hz, 1253.4 x 724.2 x 54.5 mm, 23.1 kg

Samsung OMB OM55B. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 3000 cd/m<sup>2</sup>, HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Tizen 5.0. Product colour: Black





| Display                                  |                            | Design                                 |                             |
|--|----------------------------|--|-----------------------------|
| Panel type                               | ADS                        | Bezel width (top)                      | 1.91 cm                     |
| Display diagonal *                       | 139.7 cm (55")             | Bezel colour                           | Dark Blue Gray              |
| Display technology *                     | LCD                        | Performance                            |                             |
| Display resolution *                     | 3840 x 2160 pixels         | Purpose *                              | Universal                   |
| Display brightness *                     | 3000 cd/m <sup>2</sup>     | Operating hours (hours/days)           | 24/7                        |
| HD type *                                | 4K Ultra HD                | HDCP                                   | <ul> <li>✓</li> </ul>       |
| Touchscreen *                            | ×                          | HDCP version                           | 2.2                         |
| Response time                            | 8 ms                       | Power                                  |                             |
| Contrast ratio (typical)                 | 1200:1                     |  | 450.00                      |
| Dynamic contrast ratio marketing<br>name | Mega Contrast              | Power consumption (typical) *          | 450 W                       |
| Viewing angle, horizontal                | 178°                       | Power consumption (sleep)              | 0.5 W<br>100 - 240 V        |
| Viewing angle, vertical                  | 178°                       | AC input voltage<br>AC input frequency | 50 / 60 Hz                  |
| Pixel pitch                              | 0.315 x 0.315 mm           |  | 507 00 Hz                   |
| Horizontal scan range                    | 15 - 135 kHz               | Computer system                        |                             |
| Vertical scan range                      | 24 - 75 Hz                 | Computer system *                      | 1                           |
| Haze rate                                | 1%                         | Computer system type                   | System on Chip (SoC)        |
| Pixel frequency (max)                    | 594 MHz                    | Built-in processor *                   | 4                           |
| RGB colour space                         | NTSC                       | Operating system installed             | Tizen 5.0                   |
| Colour gamut                             | 72%                        | Weight & dimensions                    |                             |
| Ports & interfaces                       |                            | Display width                          | 1253.4 mm                   |
| HDMI ports quantity *                    | 2                          | Display depth                          | 54.5 mm                     |
| HDMI version                             | 2.0                        | Display height                         | 724.2 mm                    |
| HDMI input ports quantity                | 2                          | Display weight                         | 23.1 kg                     |
| DVI port *                               | ×                          | Packaging data                         |                             |
| DisplayPorts quantity *                  | 1                          | Package width                          | 1420 mm                     |
| DisplayPorts in                          | 1                          | Package depth                          | 178 mm                      |
| DisplayPort version                      | 1.2                        | Package height                         | 879 mm                      |
| USB port *                               | 4                          | Package weight                         | 29.1 kg                     |
| USB ports quantity                       | 1                          | Operational conditions                 |                             |
| Ethernet LAN (DL 45) north               | <b>√</b>                   | Operating temperature (T-T)            | 0 - 40 °C                   |
| Ethernet LAN (RJ-45) ports<br>Wi-Fi *    | 2                          | Operating relative humidity (H-H)      | 10 - 80%                    |
| RS-232 interface                         | v<br>v                     | Certificates                           |                             |
| Infrared data port                       | 4                          |  |                             |
| Remote (IR) input                        | 1                          | Certification                          | EMC Class A, Safety 60950-1 |
|  | -                          | Features                               |                             |
| Design<br>Product design *               | Digital signage flat papel | Wall mountable                         | ✓                           |
|  |                            |  |                             |

Product design \*

Digital signage flat panel

je flat panel

| Design  |   | Technical details                  |              |
|---|---|------------------------------------|--------------|
| Product colour *BlackScreen shapeFlatVESA mounting *✓Panel mounting interface400 x 400 mmBezel width (bottom)1.91 cmBezel width (side)1.91 cm | Audio out (mini jack)<br>Audio in (mini jack) | Yes<br>×                           |              |
|   |   | Other features                     |              |
|   | 1.91 cm                                       | Flash memory<br>RS-232 input ports | 8000 MB<br>1 |
|   |   | RS-232 output ports<br>Video out   | 1<br>Yes     |
|   |   | RJ-45 input ports                  | 1            |
|   |   | RJ-45 output ports                 | 1            |



8806094042221

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.