


## iiyama LH3241S-B2 Signage Display Kiosk design 80 cm (31.5") LED 350 cd/m<sup>2</sup> Full HD Black 24/7

Brand : iiyama

Product code: LH3241S-B2

Product name : LH3241S-B2

iiyama LH3241S-B2. Product design: Kiosk design. Display diagonal: 80 cm (31.5"), Display technology: LED, Display resolution: 1920 x 1080 pixels, Display brightness: 350 cd/m<sup>2</sup>, HD type: Full HD. Operating hours (hours/days): 24/7. Product colour: Black



Display		Design	
Panel type	IPS	Panel mounting interface	200 x 200 mm
Display diagonal *	80 cm (31.5")	Bezel width (bottom)	1.5 cm
Display technology *	LED	Bezel width (side)	1.48 cm
Display resolution *	1920 x 1080 pixels	Bezel width (top)	1.48 cm
Display brightness *	350 cd/m <sup>2</sup>	Bezel colour	black, glossy
HD type *	Full HD	<b>Performance</b>	
Touchscreen *	✗	Purpose *	Commercial
Native aspect ratio	16:9	Number of OSD languages	8
Response time	8 ms	On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Japanese, Russian
Contrast ratio (typical)	1200:1	Operating hours (hours/days)	24/7
Viewing angle, horizontal	178°	HDCP	✓
Viewing angle, vertical	178°	HDCP version	2.2
Display number of colours	16.7 million colours	Mean time between failures (MTBF)	50000 h
Pixel pitch	0.364 x 0.364 mm	<b>Power</b>	
Active display area (W x H)	698.4 x 392.9 mm	Power consumption (typical) *	39 W
Display diagonal (metric)	80 cm	Power consumption (standby) *	0.5 W
Horizontal scan range	30 - 80 kHz	Power consumption (off)	0.3 W
Haze rate	1%	Energy efficiency class (SDR)	G
<b>Ports &amp; interfaces</b>		AC input voltage	100 - 240 V
HDMI ports quantity *	3	AC input frequency	50/60 Hz
DVI port *	✗	<b>Computer system</b>	
VGA (D-Sub) input ports	1	Computer system *	✗
USB port *	✓	Built-in processor *	✗
USB ports quantity	1	<b>Weight &amp; dimensions</b>	
USB version	2.0	Display width	725.5 mm
Ethernet LAN *	✓	Display depth	54 mm
Ethernet LAN (RJ-45) ports	1	Display height	422 mm
Wi-Fi *	✗	Display weight	5.1 kg
Audio (L/R) in	1		
Number of speaker outputs	1		

Ports & interfaces		Packaging data	
RS-232C	✓	Package width	824 mm
Remote (IR) input	1	Package depth	119 mm
<b>Audio</b>		Package height	554 mm
Built-in speaker(s) *	✓	Packaging content	
Number of built-in speakers	2	Remote control included	✓
RMS rated power	20 W	Cables included	HDMI, Power, RS-232
Design		Operational conditions	
Product design *	Kiosk design	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor	Operating relative humidity (H-H)	-20 - 60%
Product colour *	Black		
VESA mounting *	✓		



4948570123506

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-JUN-2024. Prints or copies of Information are only valid on the printed Publication date