ZYXEL

Zyxel GS1200-5HP v2 Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grey

Brand: Zyxel **Product code**: GS1200-5HPV2-GB0101F

Product name: GS1200-5HP v2

GS1200-5HP v2 - 5-Port Web Managed PoE Gigabit Switch

Zyxel GS1200-5HP v2. Switch type: Managed. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3ay, IEEE 802.3x,.... Power over Ethernet (PoE)





| Management features | | Design | |
|--|---|---|--|
| Switch type * Quality of Service (QoS) support Web-based management Ports & interfaces | Managed ✓ | LED indicators On/off switch Safety Certification | Link, PoE, Power ✓ LVD EN60950-1 CE, FCC, C-Tick, Class A |
| Basic switching RJ-45 Ethernet ports | r | Performance | |
| quantity * | 3 | Firmware upgradeable | ✓ |
| Basic switching RJ-45 Ethernet ports type $\mbox{*}$ | Gigabit Ethernet (10/100/1000) | Power | |
| Network | | Output current | 1.3 A |
| Networking standards * | IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3p, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z | Power consumption (max) | 72 W |
| | | Power over Ethernet (PoE) | |
| | | Power over Ethernet (PoE) * | ✓ |
| 10G support * | X | Power over Ethernet plus (PoE+) ports quantity | 4 |
| Port mirroring | ∀ ∀ ∀ ∀ ∀ ∀ | Total Power over Ethernet (PoE) | 60 W |
| Link aggregation Broadcast storm control | | budget | 00 W |
| Auto MDI/MDI-X | | Operational conditions | |
| Virtual LAN features | Port-based VLAN | Operating temperature (T-T) | 0 - 40 °C |
| Data transmission | | Storage temperature (T-T) | -40 - 70 °C |
| Switching capacity * | 10 Gbit/s | Operating relative humidity (H-H) Storage relative humidity (H-H) | 10 - 90% 10 - 90% |
| MAC address table * | 2000 entries | Weight & dimensions | 20 00,0 |
| Jumbo frames support | ✓ | Width | 193 mm |
| Packet buffer memory | 0.1 MB | Depth | 84 mm |
| Security | | Height | 26 mm |
| DHCP features | DHCP client | Weight | 392 g |
| IGMP snooping | ✓ | Packaging data | |
| Multicast features | | Package type | Box |
| Multicast support | ✓ | Package width | 210 mm |
| Number of multicast groups filtered | 20 | Package depth | 132 mm |
| | | Package height | 78 mm |

| Design | | Packaging data | |
|-----------------|------|-----------------------------|----------|
| Rack mounting * | × | Package weight | 950 g |
| Stackable * | × | Logistics data | |
| Product colour | Grey | Harmonized System (HS) code | 85176990 |
| Reset button | ✓ | Harmonized System (HS) code | 03170330 |

